

Sustainable Forest Management Plan (SFM Plan)

Updated for Limited Partnership name change only

Revision Date: May 15, 2021



File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx Revised: May 15, 2021 Page i of 3

CONSIDER PRINTED DOCUMENT UNCONTROLLED. Check http://www.westernforest.com/wiwag/ for current version Page i of 35



Table of Contents

Introduction	1
Sustainable Forest Management	1
Canadian Standards Association (CSA)	1
CSA Z809 Standard	1
SFM System	2
Environmental Management System (EMS)	
SFM Plan	
West Island Woodlands Advisory Group (WIWAG)	
Links to management plans and operational plans Third-Party Independent Audits	
Defined Forest Area (DFA)	5
The Forest Land and Allowable Annual Cut (AAC)	_
Figure 2 - Map of the Defined Forest Area	
Management Responsibilities in the DFA	
First Nations	
Products and Markets	
General Management Strategies	8
Biodiversity Conservation	
Variable Retention	
Wildlife	
Fish Conservation	
Harvesting Adjacent to Parks	
Fire Prevention and Suppression	
Forest Insect Control	
Forest Disease Control	
Windthrow Avoidance	
ReforestationRoad Building and Maintenance	
Site Restoration	
Soil Conservation	
Water Conservation	
Riparian Management	
Forest Growth and Yield Plan	
Forest Recreation	
Visual Quality	
First Nations	
Public Information and Involvement	
Forest Monitoring & Research	18



Appendix 2: WIWAG Terms of Reference

Sustainable Forest Management Plan

Glossary	21
Acronyms	
Definition of terms	22
List of Figures	
Figure 1: Overview of the SFM System	
Figure 2 - Map of the Defined Forest Area	6
List of Tables	
Table 1 - DFA Products and Markets	7
List of Appendices	
Appendix 1: Detailed Indicator Descriptions/ Results	



Introduction

Sustainable Forest Management (SFM) strives to maintain and enhance the long-term health of forest ecosystems, while providing ecological, economic, social and cultural opportunities for the benefit of present and future generations.

On December 14, 2018 Western Forest Products (WFP) and Huumiis Ventures Limited Partnership (Huumiis) announced the creation of a newly formed limited partnership between WFP and Huumis, whereby Huumis acquired a 7% interest in TFL 44 Limited Partnership (TFL 44 LP). In 2021 Huumis increased its interest to 35%. The agreement established a Board of Directors with both WFP and Huumiis representatives which oversee the forest management activities within the Defined Forest Area (DFA) associated with Tree Farm Licence (TFL) 44. The Board of TFL 44 LP has committed to Sustainable Forest Management, to the Canadian Standards Association (CSA) Z809 certification standard, and to WFP's Environmental Management System (EMS).

The Sustainable Forest Management (SFM) Plan has been prepared to support TFL 44 Limited Partnership's commitment to sustainable forest management, consistent with the CSA Z809-16 standard. The SFM Plan is designed to complement the following existing management systems and procedures:

- Environmental Management System including the Timberlands Sustainable Forest Management Statement and SFM Management Procedure;
- Safety Program (and related SAFE Company certification);
- Existing management plans (e.g., TFL 44 Management Plan and Forest Stewardship Plan);
 and
- Legal requirements.

British Columbia has rigorous legislation and policies for protection, conservation, and sustainable management of forests. This legislative framework is being continuously adapted, as is forest management and policy. In addition to applying regulatory tools, TFL 44 Limited Partnership benefits from using voluntary tools, such as CSA Certification, to aid in the achievement of sustainable forest management (SFM).

Sustainable Forest Management

Canadian Standards Association (CSA)

The Canadian Standards Association (CSA) is a non-profit, membership-based association which has developed over 2000 standards for various industries. CSA develops both nationally and internationally accepted standards for values such as health and safety, quality of life and the environment.

CSA Z809 Standard

The CSA Z809 forest management standard is based on the Canadian Council of Forest Ministers (CCFM) SFM criteria and elements. The CCFM SFM criteria and elements are fully consistent with those of the UNCED Montréal and Helsinki processes, which are both recognized by governments around the world.

The CSA SFM Z809-16 Standard requires:

 A systematic approach to management, based on continual improvement; and compliance with legislation, regulations and government policies, taking into account environmental, social and economic factors;

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 1 of 26



- Public participation in order to give local communities, including First Nations, the opportunity to provide input into how forests are managed;
- Demonstration of sustainable forest management performance; and
- Third party audits to confirm adherence to the standard.

TFL 44 Limited Partnership is required to work closely with the public to identify local values, objectives, indicators, and targets that reflect the national criteria and to incorporate them into forest management planning and practices. Decisions are made together with the public during this process. CSA Z809 is more than a system standard; it is also a performance standard, and it sets specific requirements for the public participation process. This approach to performance not only respects government-recognized criteria for SFM but also allows the public to participate in the interpretation for the local forest.


The CSA Z809 Standard was recently reviewed and updated. The 2016 edition is the fourth edition of CSA Z809 (CSA Z809-16), sustainable forest management standard and supersedes all previous versions. The updates to the standard are part of CSA's regular standard review and revision process based on continual improvement. The standard is available at: http://shop.csa.ca/en/canada/sustainable-forest-management/z809-16/invt/27017442016. A summary of the changes in the 2016 standard can be viewed at: http://www.csasfmforests.ca/docs/csa z809-sustainableforestmanagement-press-may2016.pdf.

SFM System

TFL 44 Limited Partnership maintains an SFM System under the Environmental Management System. The SFM System includes an SFM Statement documenting the corporate commitments to sustainable forest management, a SFM Management Procedure describing the general procedures/outline for achieving SFM certification and the SFM Plan that contains the specific CSA Z809 Standard requirements.

Figure 1: Overview of the SFM System





Environmental Management System (EMS)

The EMS is an adaptive management system that allows for a systematic approach to continual improvement. It is based on the dynamic, cyclical process of planning, implementation & operation, checking, and management review; the Plan – Do – Check – Improve cycle.

The core elements of the EMS are described within the TFL 44 Limited Partnership EMS protocols and the corresponding supporting documents which include, but are not limited to: policies, standard operating procedures, standards, and emergency plans (EPRP). These documents provide standards to guide daily activities out in the woods (i.e., "on the ground") in order to ensure environmental protection and compliance with legal requirements.

SFM Plan

The SFM Plan documents current and long-term SFM performance objectives and management strategies in the Port Alberni Forest Operation as described by Figure 2: The Map of the Defined Forest Area (DFA).

The SFM Plan is an adaptation of existing planning processes including strategic and operational plans, analyses, standards, monitoring and public review. Management of forest land in the area has continued to evolve over time in response to changes in society's values. Revised Management Plans, submitted at approximately 10-year intervals, include objectives, management strategies and analyses of management impacts. Standards and operating plans have been updated as changes occur. Monitoring has included corporate reports and both internal and external audits and inspections to evaluate conformance with management system requirements.

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx	
Revised : May 15 st , 2021	Page 3 of 26



The values, objectives, indicators, targets, and management practices described in this document have been developed with assistance from the West Island Woodlands Advisory Group and are consistent with relevant government legislation, regulations, and policies. This is an evolving document that is reviewed and revised on an ongoing basis with the advisory group to reflect changes in the forest and local community.

Ongoing review and input is provided by the advisory group, DFA managers, and others through performance assessments, operational plan reviews, and processes related to specific land use issues such as landscape unit planning and community water supply.

West Island Woodlands Advisory Group (WIWAG)

The West Island Woodlands Advisory Group (WIWAG) has helped to develop the SFM performance framework for the DFA. A web site has been developed to facilitate communication with WIWAG members as well as the general public: http://www.westernforest.com/wiwag/

A broad range of interested parties from various sectors of society participate in each of the public advisory group meetings, e.g., local communities, business, recreation, fisheries, and government.

WIWAG operates under a Terms of Reference that outlines goals, roles and responsibilities, membership, measures to deal with conflicts of interest, meeting content, timelines, communication, decision making, and dispute resolution protocols. The <u>Terms of Reference</u> may be found in Appendix 2.

Links to management plans and operational plans

The SFM Plan is an umbrella plan that links higher level plans, such as the Management Plan, with operational plans. The performance commitments included in the SFM Plan equal or surpass commitments previously approved under TFL 44 Management Plans. The SFM Plan reflects the objectives, management strategies, and reporting structure of management plans. The SFM Plan is influenced by other higher level plans, such as the Vancouver Island Land Use Plan, and by legislation including the Forest and Range Practices Act and the associated Forest Stewardship Plan for the DFA. The SFMP annual performance is reviewed and discussed at least annually during Management Review. Conclusions and action items drawn during Management Review are documented in the Management Review meeting minutes. The Management Review occurs at both the Port Alberni operational level, and at the TFL 44 Limited Partnership corporate level with TFL 44 Limited Partnership senior management.

Third-Party Independent Audits

To become certified to the CSA Z809 Standard, TFL 44 Limited Partnership must undergo a third-party, independent annual audit to the SFM requirements in the Standard. A registrar (certifier), accredited by the Standards Council of Canada, conducts the audit. The individual auditors employed or contracted by the registrar have the requisite forestry expertise and are certified as environmental auditors. Audits to the Standard are done by accredited certifiers and certified auditors who are independent of the standards-writing body (CSA).

Audits include interviews with staff, workers and WIWAG members, document review, and field visits of the forest operation to ensure progress is being made towards the achievement of targets and that the SFM requirements are being upheld.

There is one CSA certificate issued by the registrar that covers TFL 44 Limited Partnership and all of the WFP tenures that are managed under the CSA Z809 standard. External audits are conducted annually on a rotating basis on a schedule developed by the registrar. Public summary audit reports are posted on the WIWAG web site.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 4 of 26



Defined Forest Area (DFA)

The DFA includes TFL 44 Limited Partnership (refer to Figure 2 for a map of the DFA). Short term volume based licenses that are issued to First Nations by the Ministry of Forests, Lands and Natural Resource Operations & Rural Development (FLNRO) that are within TFL 44 are excluded from the DFA for the duration that they are under the management responsibility of an entity other than TFL 44 Limited Partnership. Typically these areas revert back into the TFL once they are harvested and reforested and will form part of the DFA. Parks and protected areas are also excluded from the DFA.

TFL 44 Limited Partnership respects the legal rights and responsibilities of interested parties within or adjacent to the DFA (e.g., First Nations, trappers, water license holders, etc.). TFL 44 Limited Partnership respects the treaty title and rights flowing from the Maa-nulth Final Agreement effective April 1, 2011. TFL 44 Limited Partnership maintains a record of interested parties when referring TFL Management Plans, Forest Stewardship Plans, and Pest Management Plans associated with the DFA.

The TFL 44 Limited Partnership is located on southwestern Vancouver Island. There are five communities within or adjacent to the licence area: Port Alberni, Bamfield, Anacla, Nitinat, and Kildonan.

The DFA is divided into three broad geographic areas known as: Franklin, Henderson Lake, and Great Central Lake.

The Operations consist of timber harvesting, reforestation activities, maintenance shops, dryland sorts, various permits such as landfills, and an administrative office. Refer to the current TFL 44 Management Plan for a detailed description of the DFA, available at: http://www.westernforest.com/sustainability/environmental-stewardship/planning-and-practices/our-forests/tree-farm-licence-44-management-plan-5/


The Forest Land and Allowable Annual Cut (AAC)

The area of the DFA is 136, 960 hectares. The current AAC for TFL 44 is 793,600 m³ updated effective December 17, 2015. TFL 44 Limited Partnership's portion of the AAC is 782,482 m³, the remainder is allocated to First Nation Licences.

Revised: May 15st, 2021 Page 5 of 26



Figure 2 - Map of the Defined Forest Area



File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 6 of 26



Management Responsibilities in the DFA

TFL 44 is a renewable tenure on Provincial Crown land and administered by the Ministry of Forests, Lands, & Natural Resource Operations & Rural Development (FLNRO) under the Forest Act. This tenure is managed by TFL 44 Limited Partnership in conjunction with FLNRO and other government agencies. The primary roles and responsibilities are defined under a variety of legislation including, but not limited to, the Ministry of Forests Act, Forest Act, and the Forest and Range Practices Act.

Other independent third party entities that currently carry out work on the DFA are not considered necessary for the achievement of SFM on the DFA.

First Nations

First Nation participation in WIWAG will not prejudice aboriginal or treaty rights. WIWAG meetings do not, in any way, intend to define, interpret, or prejudice ongoing or future discussions and negotiations regarding these legal rights and do not stipulate how to deal with treaty rights.

The Defined Forest Area falls within the traditional territories of the following First Nations:

Stz'uminus

Lyackson

Cowichan

Pacheedaht

Ditidaht

Penelakut

Hupacasath

Tseshaht

Lake Cowichan

Halalt

The Defined Forest Areas also falls within the Maa-nulth First Nation Areas of the:

- Huu-ay-aht
- Uchucklesaht
- Yuułu?ił?ath

Moreover, the Toquaht and Ka:'yu:'k't'h'/Che:k'tles7et'h' First Nations have Maa-nulth treaty rights in the Migratory Birds Harvest, the Wildlife Harvest, and the Domestic Fishing Areas which are in part associated with the DFA.

A map of the traditional territories can be reviewed at: http://maps.gov.bc.ca/ess/hm/cadb/

Products and Markets

Logs are distributed by the Fiber Supply department for sale and transport to Western Forest Products sawmills, outside purchasers and export.

Table 1 - DFA Products and Markets

Estimate By	/ Species (%)	Estimate By Grade (%)		
Ba	13	Pulp / Chip	16	
Су	3	Utility	10	
Hw	44	Merchantable / Sawlog	38	
Cw	19	Shingle / Special Forest / Boomsticks	4	
Fd	21	Peeler / Gang	23	
		Shop & Better	9	

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx	
Revised: May 15st, 2021	Page 7 of 26



General Management Strategies

The following general management strategies provide overarching guidance to Indicator specific strategies described in Appendix 1: Detailed Indicator Descriptions/ Results.

Biodiversity Conservation

Substantial areas, largely old growth, have been reserved throughout the DFA on inoperable or sensitive soil sites as riparian, wildlife or recreation reserves and, increasingly, as Variable Retention reserves according to the guidelines set forth under the Western Forest Strategy. Biodiversity conservation requirements are in place at the stand level. They are defined at the larger, landscape levels through BC's Landscape Unit Planning Guide and through the Western Forest Strategy.

Developing a biodiversity conservation strategy that is based on management of individual species is not feasible or effective because practices that benefit some species are often detrimental to others. The development of an ecosystem management approach that provides suitable habitat conditions for all native species will provide habitat diversity that in turn provides species biodiversity.

The strategy for biodiversity conservation is:

- Institute landscape-level planning.
- Plan forest management activities based on Western Forest Strategy.
- Work with the government specialists to further develop objectives and strategies for landscape units.
- Implement stand-level requirements as required under the Western Forest Strategy and Forest Stewardship Plan.
- Choose species mixtures for reforestation based on ecological and climatic site adaptation.
- Consistent with FSP Results and Strategies' and Western Forest Strategy, retain leave tree reserves or wildlife tree patches to enhance structural diversity of harvested areas.
- Improve knowledge through inventory and research.
- Cooperate with other agencies in research and inventory projects on species of concern.

Variable Retention

The term **variable retention** (VR) is used to describe an overall approach to harvesting and silvicultural systems that retains trees and associated habitat for purposes other than timber management and traditional silviculture goals. Variable retention can be implemented with a wide range of harvesting systems, and can utilize traditional silvicultural systems, such as shelterwood or selection, to meet forest regeneration objectives. As the name implies, various levels of retention can be used with different types, amounts and spatial patterns of structure. Retention can be dispersed throughout a cutblock (as individual trees or small clumps) or aggregated in larger groups and patches, depending upon objectives. There is such a wide range of possibilities within the VR concept that it is not a "one size fits all" approach.

The term **retention system** refers to a specific silvicultural system designed to meet the goals of variable retention. It was originally defined in the BC Operational Planning Regulations (March 1999) and has 3 requirements: 1) retention of trees distributed across the cutblock; 2) trees are left for the long term (at least one rotation); 3) distribution of leave trees achieves >50% "forest influence". The specific definition of the retention system is: "a silvicultural system that is designed to:

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 8 of 26



- 1. retain individual trees or groups of trees to maintain structural diversity over the area of the cutblock for at least one rotation, and
- 2. leave more than half the total area of the cutblock within one tree height from the base of a tree or group of trees, whether or not the tree or group of trees is inside the cutblock."

The distribution of long-term retention over the area of the cutblock is open to interpretation, but the spatial requirement in "2" for "forest influence" provides the minimum standard for distribution. The retention system is no longer officially defined in BC legislation; however the BC Forest Planning and Practices Regulation (Div.5, 64(4)) exempts harvesting that maintains >50% forest influence and meets other spatial requirements from maximum cutblock size restrictions. The retention system is considered a "partial cutting" approach and is categorized as an "even-aged" system despite the resulting uneven-aged forest because the cut areas are regenerated and managed much like other even-aged systems.

The retention system normally uses a one-pass harvesting approach, but may also be prescribed with several harvesting entries. The three main variants of the retention system are: group, dispersed, and mixed. For safety, economic and ecological reasons, group retention is often preferred; however, all three variants have advantages for specific objectives.

Wildlife

Wildlife issues are twofold in scope: (1) habitat protection for large mammals and threatened or endangered species; and (2) biodiversity concerns related to conservation of animals and plants and the maintenance of ecosystem processes. Current knowledge is often limited and limiting and new knowledge requires a process of adaptive management. The main current issues are:

- identification and conservation of specialized habitats for large mammals, primarily deer and elk,
- identification and conservation of marbled murrelet nesting habitat and releasing unsuitable habitat from marbled murrelet WHAs.
- identification and conservation of active Coastal Northern Goshawk nests,
- the actions needed to maintain habitat for rare and endangered plants, animals, and ecosystem processes.

The wildlife conservation strategy is to:

- comply with the Forest and Range Practices Act and the Forest Stewardship Plan,
- comply with government stated measures to manage Wildlife Habitat Areas (WHAs) and Ungulate Winter Ranges (UWRs),
- provide operations and agency personnel feedback on guidelines as part of an ongoing process of improving conservation,
- liaise with government wildlife and habitat protection staff on wildlife issues, especially to identify and conserve important habitat,
- continue assessments of ranges, habitat diversity, wildlife trees, etc., and conserve significant values,
- continue surveys to identify and preserve key marbled murrelet nesting habitat and obtain release of protected sites that do not have suitable habitat,
- train field crews to identify species at risk; selected goshawk territories for activity,

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021

Page 9 of 26



- manage riparian zones as directed by the stream indicators and objectives; as feasible, enhance protection on smaller streams particularly through the use of VR design,
- support other monitoring and research activities to increase knowledge of habitat resource requirements and the impacts of management activities on those habitats.

Fish Conservation

The fishery resource value is generally high and protection of fish habitat and water quality ranks as a significant priority. Biological issues dominate in the sense of conserving fish stocks and habitat. The opportunities include:

- Updating the classification of waters within the DFA.
- Mitigation, enhancement, and habitat restoration.
- Cooperation with First Nations and stakeholder groups.
- Determining measures for conserving endangered populations.
- The management of riparian areas.

The strategy for responding to these opportunities is to:

- Continue to undertake detailed stream inventories for operational plans.
- Continue to identify and implement enhancement, mitigation, and rehabilitation opportunities with available funding.
- Achieve full compliance in meeting the requirements of the Forest and Range Practices Act and the Forest Stewardship Plan.

Harvesting Adjacent to Parks

The general strategy for harvesting adjacent to all Parks is as follows:

- Roads close to federal and provincial park boundaries will be deactivated after harvest unless required for future forest management activities.
- Cutblock boundaries along park boundaries will have a windthrow assessment.
- To either review the common boundary on site, with a provincial or federal park representative or obtain approval when adjoining.
- If danger trees standing outside the park boundary are felled into the park, only the portion lying outside the park boundary may be harvested. The portion remaining in the park will be left as Coarse Woody Debris for ecological purposes.
- Minimize damage to surrounding trees and vegetation.
- Ensure that no trees within the park will be felled.

For additional background:

The portion of the common boundary between Pacific Rim National Park Reserve and TFL 44, from Tsusiat Lake to Black Lake that is adjacent or close to proposed cutblocks has been legally surveyed. The park boundary extending to the northeast from Tsusiat Lake is described as the height-of-land. This section of the boundary has been surveyed using a Global Positioning System (GPS). The boundary has been field reviewed by Parks Canada staff to 750m west of cutblock 7694. Parks Canada has agreed with the boundary location.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 10 of 26



Fire Prevention and Suppression

Historically, wildfire in the DFA is a rare occurrence. TFL 44 Limited Partnership's primary objective is to prevent fires through good housekeeping, diligent equipment maintenance, and the strict control of operations as fire danger rises. The goal is to contain fires within 24 hours of detection. Fire prevention and control are governed by provincial legislation and TFL 44 Limited Partnership's fire preparedness.

TFL 44 Limited Partnership and its Contractors maintain and use their own fire suppression equipment. If needed, further equipment can be obtained from other operating units or government resources.

TFL 44 Limited Partnership is connected to the government Fire Weather Information Network. TFL 44 Limited Partnership also employs strategically located fire weather stations to monitor weather in the various operating areas. Data from these stations are used to modify or cease operations according to the fire danger rating.

Forest Insect Control

Similar to the fires, forest health problems have also not been significant. The last significant insect epidemic of forest defoliators was in 1945-6 when hemlock looper killed mature timber on a significant part of the Nitinat, Pachena, Sarita, and Klanawa River watersheds. A significant percentage of the dead timber was salvaged. The black headed budworm reached epidemic levels in 1972 but then collapsed.

Insect populations tend to build up over a number of years. The company's past experience has been that defoliation is normally reported by staff flying over the inaccessible old forest where such attacks normally start. When defoliation is reported it is inspected more carefully, boundaries roughly mapped and recorded. If the attacked area increases and/or the extent of defoliation increase significantly, assistance is sought from FLNRO or Canadian Forest Service (CFS) specialists and plans made for salvage. If warranted, an aerial attack plan may be prepared in conjunction with the pertinent federal and provincial agencies.

Balsam Woolly Adelgid mortality is generally found on drier sites of advanced and old growth stands of amabilis fir and sub-alpine fir in the CWHmm2 and MHmm1 subzones. Future yield losses will be minimized by favouring alternative species for plantations on affected sites.

For Ambrosia Beetles the DFA has had an active damage prevention program for over 30 years to minimize the significant financial loss these beetles can inflict. After early trials and operational spraying with a number of insecticides, damage is now controlled by careful management of inventories of susceptible logs and with strategically placed traps.

With Conifer Seedling Weevil plantation damage has been primarily confined to cool damp forest types along the west coast of Vancouver Island. Seedlings ≤2 years of all species are attacked with Sitka Spruce being the most resistant. Damaged is caused by adult weevils feeding on the seedling's stem, which can girdle the seedling creating mortality in the plantation. Currently, replanting damaged areas is the main action taken when mortality is discovered. Breeding trials have now produced Sitka Spruce seedlots that are 85 to 95 percent resistant to Sitka-spruce weevil. This weevil kills or injures the terminal shoots of 8 to 30 year old Sitka Spruce. Sitka – spruce weevil resistant seedlots will continue to be planted on ecologically appropriate sites.

File: \paofile01\Sharedfolders\EMS\CSA\SFM Plan\2020\PAFO LP SFMP 2020 2021-05-15.docx

Revised: May 15st, 2021 Page 11 of 26



Forest Disease Control

Wood volumes lost to disease in the old growth forest have been estimated as highly significant by the Canadian Forest Service (CFS). However, measurements from sample plots for nearly 30 years suggest that growth is balancing mortality.

In the new forests, a number of parasitic fungi can kill trees or degrade log quality and value. The most significant of these are hemlock mistletoe, laminated root rot, Annosus root rot, and Armillaria root disease. The design of variable retention silviculture approaches must take into account the widespread incidence of mistletoe in old growth hemlock and in many of the 40 year plus second growth stands as this can pose a significant risk to the health of regenerating forest areas. Though Annosus is known to be widespread and though various measures were used when spacing or thinning in the 60s and 70s (high stumps and borax), no action is presently undertaken. Though Armillaria is endemic, assessments in Douglas-fir stands made by research staff in the 1950s found evidence of only scattered mortality, which appeared to decline or cease after canopy closure. It was concluded this pathogen is not presently a cause for concern.

Active preventive measures are now limited to mistletoe and laminated root rot.

Strategies for addressing mistletoe include:

- Selecting retention or reserve areas, preferring stands with a zero or low level of infection.
- Prescribing the removal or girdling of infected trees; and/or regeneration of non-susceptible species.
- Implementing strategies before susceptible regeneration is 3m in height.

Strategies for addressing infections of *Phellinus weirii* root rot, include:

- Visually assessing second growth stands proposed for harvest for the presence of laminated root rot during field work.
 - If the presence is negligible, no further survey is required.
 - If the presence is identified as low, a walk through survey is required.
- If the presence is high, a grid survey by a forest health specialist may be completed. A grid survey is not required if the location of centers is obvious (e.g. between two roads). Accepting laminated root rot in retention patches if expected windthrow in the remaining stand is considered acceptable, and the first 10m from the boundary of the patch is planted with a non-susceptible species (e.g. deciduous or pine), or the stumps are removed from the ground. Group retention areas may also have infected trees if they are at least 10 meters from the outer perimeter.
- Considering establishment of non-susceptible species for the next rotation where site characteristics are appropriate.
- Ensuring that single trees selected for retention will have no visible infections and will be at least 10 meters from any visually infected tree.
- Maintaining records outlining the incidence of root rot when a detailed survey has been completed.

Potential root-rot treatments by incidence level are:

- Strata with very low to low (0% 5%) incidence rates usually do not warrant treatment.
- Strata with moderate levels of root-rot (6% 15%), individual centers may be treated by stumping, or planting of alternate coniferous/deciduous species.
- Strata with high or very high incidence rates (High = 16%-30%, VH = >30%), the entire stratum is usually treated as a single root rot center. Areas of concentrated root rot are

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 12 of 26



generally felled. Root rot areas with gentle topography may be stumped post-harvest. Steeper areas and smaller dispersed centers are usually planted with alternate species that are more resistant to root rot than Fd.

Windthrow Avoidance

Today's small cutblock sizes and tree retention within cutblocks expose more timber edge to potential damage from strong wind events. The strategy to minimize losses due to windthrow includes:

- Determining the natural windthrow factors associated with a particular cutblock design (e.g., cutblock size, stand characteristics, soil properties, location and orientation to expected winds) at the planning stages based on knowledge of historic wind patterns and assessments. Wind firmness is also a key factor guiding selection of groups and individual trees for in-stand retention.
- Determining which forest management objectives may be impacted if windthrow occurs adjacent to a particular cutblock.
- Deploying management practices according to the assessed risk of windthrow. These
 practices may include feathering of edges, pruning of trees, leaving larger buffers around
 the forest resources identified to be managed, topping of trees, locating retention in low
 windthrow risk areas, partial cutting, reconfiguring edges to a naturally wind firm edge,
 realigning boundaries to reduce the windthrow risk, partial salvage.
- Monitoring of windthrow and recovery of windthrow where practical and ecologically appropriate.
- Training of field personnel to recognize the potential for windthrow.

Reforestation

Consistent with the silviculture management objectives, TFL 44 Limited Partnership will regenerate the forest at densities that ensure full site coverage and high yields of quality timber. TFL 44 Limited Partnership will bear the silviculture costs for basic silviculture in compliance with the Forest Act. Other treatments on crown land (e.g. fertilization) will be undertaken if government funding is available.

Species selection – TFL 44 Limited Partnership bases species selection first of all on the silvicultural characteristics of the individual species and their adaptability to the particular site, including forest health and climatic considerations. The second criterion for selection is species value ranking. This is based on the company view of the wood qualities and desirability at harvest. Currently, western red cedar and Douglas-fir rank highest. Species selection will be consistent with the stocking standards approved within the Forest Stewardship Plan.

Forest tree seed – TFL 44 Limited Partnership attempts to maintain a five-year supply of seed for the range of species and seed zones that is consistent with the Provincial Chief Forester's Standards for Seed Use. Improved seed collected from company seed orchards is used, and supplemented where necessary from other producers of high genetic gain seed. For species where improved seed orchard seed is unavailable, registered wild seed may be purchased or collected.

Site Preparation – Anticipated site preparation necessary to renew the forest is prescribed postharvest. Site preparation methods that may be prescribed include mechanical piling or dispersal of slash, burning woody debris accumulations and stumping. Each method is considered in terms of efficacy, economics, environment, and government regulation before the optimal solution is prescribed.

Revised: May 15st, 2021 Page 13 of 26



Regeneration methods – Most sites are planted with improved seedlings in order to ensure full stocking, accelerate stand development, reduce brushing needs, increase stand resilience and attain early green-up, thereby improving growth and yield, reducing time to harvest and freeing adjacent areas for harvest. Immediate planting is normally prescribed on highly productive sites because of the likelihood of weed invasion. Natural regeneration may be prescribed if stocking will reach at least the minimal acceptable level two years before the end of the regeneration delay period. Planting will also become increasingly prevalent in advanced growth amabilis stands within areas of balsam woolly adelgid.

Silviculture assessments – The normal assessment regime for each site prior to declaring free growing status is:

- A post-harvest assessment confirms whether or not the prescribed treatments regarding slash loading and disposal, site preparation, regeneration method, and timing still apply.
- A stocking survey is completed at least two years prior to the end of the regeneration delay period where natural regeneration has been prescribed. If it appears that regeneration targets will not be met, fill planting will be undertaken.
- A survival survey generally occurs about one year after planting. If necessary, a fill plant or a replant is scheduled.
- A regeneration performance survey is completed to confirm stocking status after the survival survey and before the free growing survey. If needed, fill planting, weed control, and/or another assessment is scheduled.
- A free growing survey is carried out near the end of the late free growing period prescribed in the Forest Stewardship Plan.

Road Building and Maintenance

Road building Standard Operating Procedures document plans/strategies for road construction, maintenance, and deactivation. General strategies for the maintenance of roads include recapping, grading, adding or replacing culverts, roadside brushing, ditching short sections of road, applying dust control, bridge replacement, minor resurfacing and development of pits and quarries.

All permitted roads and bridges meet legislative requirements. New bridges and major stream crossings are reviewed by qualified professionals.

Where existing non-permitted roads are required for harvesting they are permitted and brought up to standard.

Site Restoration

Roads and landings are maintained or deactivated when not in use according to the conditions of the Road Permit. Backspar trails, abandoned roads, unused gravel pits, and log landings may be restored as conditions permit by such techniques as ripping, return of spoil, spreading of debris, construction of anti-erosion barriers, re-vegetation and reforestation.

Soil Conservation

The DFA regularly experiences some of the highest rainfall events in North America. Where these high rainfall events occur on steep terrain, there is potential for landslides and surface soil erosion. Inventories of areas of potential terrain instability have been completed for most of the DFA. Terrain stability mapping and evaluations of surface erosion potential have also been completed for most of the watersheds in the DFA. The issues are:

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 14 of 26



- Potentially unstable terrain Landslides are a natural and inevitable phenomenon that
 contributes to the evolution of the landscape. Although landslides occur in both logged and
 unlogged terrain, logging and road building may temporarily increase their frequency.
 Potential impacts of landslides include acceleration of sediment delivery to streams,
 damage to fish and invertebrate habitat and productivity, loss of productive forest site,
 unsightly scars, and damage to roads, culverts, and bridges.
- Surface soil erosion Surface soil erosion is the wearing away of the earth's surface by
 water, wind, and gravity and includes rill and gully erosion. "Accelerated" erosion, in
 excess of "geologic" erosion, results from human activities. Accelerated erosion causes onsite impacts (soil loss, nutrient loss, lower productivity) and off-site impacts (water quality,
 streambed sedimentation).
- Soil disturbance certain soil types are sensitive to disturbance from road building and yarding activities. If these sensitive sites are not identified in advance of forest development, then soil compaction, poor drainage, puddling, and soil displacement can result in loss of soil productivity.

The strategy for soil conservation is to:

- Complete harvest plans in accordance with a corporate terrain strategy.
- Assess all sensitive terrain prior to road construction or harvesting to evaluate terrain stability and provide recommendations on:
 - whether or not development should proceed,
 - best road and cutting boundary locations or changes to proposed layout or road alignment,
 - riparian management areas,
 - possible mitigative actions and criteria,
 - road construction or harvesting techniques or constraints.
- Inspect road surfaces, drainage ditches, and culverts regularly and take preventative measures to minimize the potential for debris flow initiation and soil erosion.
- Deactivate roads that are no longer needed for management access, forest protection, or other purposes.
- Re-vegetate soil where there is a potential for erosion to occur and cause sediment transport to fisheries sensitive areas.
- Carry out site sensitivity assessments for soil compaction, soil displacement, surface soil erosion, and forest floor displacement where ground based harvesting is proposed.
- Maintain the average amount of permanent site degradation below 7% where it is practical and economic.
- Carry out internal and external audits to evaluate road building and stream management practices.

Water Conservation

The Defined Forest Area encompasses four Community Watersheds and two Fisheries Sensitive Watersheds. Government objectives exist for primary forest activities in community and fisheries sensitive watersheds. These objectives center on water quality and quantity, timing of flow, and conserving the integrity of stream channels. The quality of water is determined by drinking water standards in a community watershed and by aquatic standards in watersheds with high fisheries values. In both types of watersheds, sediment input and delivery, and herbicide and fertilizer applications are the primary concerns.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 15 of 26



The quantity of water from forest development is primarily focused on the potential changes to peak flows.

TFL 44 Limited Partnership's strategy for water conservation is to:

- Deploy primary forest activity strategies detailed in Sections 4.3.2, 4.3.3, and Appendices C.3 and C.4 of the <u>Forest Stewardship Plan</u>
 Link Address: http://www.westernforest.com/sustainability/environmental-stewardship/planning-and-practices/our-forests/fsp-port-alberni-and-stillwater-operations/
- for community watersheds and fisheries sensitive areas. These strategies include:
 - Conducting a hydrologic evaluation by a qualified professional for new roads and cutblocks.
 - Designing bridges and culverts to a peak flow period of 100 years.
 - Applying road construction strategies and silviculture systems to reduce landslide and sediment delivery potentials to streams.
 - Carrying out erosion control measure utilizing grass seeding, sediment basins, and erosion blankets.
 - Deactivating priority roads to reduce the effects of landslides and soil erosion on fish habitat.

Riparian Management

Riparian areas are used by many species of wildlife. These areas are reserved by way of modified harvest practices in the vicinity of streams. Generally, larger streams have greater levels of retention. Retention of trees may also be required where a stream is dependent on large woody debris for channel stability and/or stream bank stability.

• The Riparian Management Area (RMA) consists of a Riparian Management Zone (RMZ), and where required, a Riparian Reserve Zone (RRZ). The widths of the RMAs are determined by the attributes of the adjacent riparian feature. Attributes such as gradient, fish presence, width of stream, and size of wetland may impact the size of the RMA and the requirement for a RRZ. The widths of Riparian Management Areas are embedded in the Forest Planning and Practices Regulation (FPPR) and carried into Section 4.3 of the Forest Stewardship Plan associated with the Defined Forest Area.

(FSP Link Address: http://www.westernforest.com/sustainability/environmental-stewardship/planning-and-practices/our-forests/fsp-port-alberni-and-stillwater-operations/)

Riparian management strategies include:

- Wherever possible, locate road to avoid RMAs.
- Propose road locations through RMAs where no other option exists, or where locating the road outside the RMA would create a higher risk of sediment delivery to streams.
- Incorporate wildlife tree retention areas in riparian areas
- Vary retention specifications for RMZs according to site conditions.
- Undertake assessments by a qualified registered professional as necessary.
- Incorporate recommendations of assessments into Harvest Instructions.

Strategies to conserve fish habitat and non-fish streams may include:

- Basal area retention in RMZs based on riparian class and site-specific conditions.
- Partial cutting silviculture systems or no harvest buffers.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 16 of 26



- Selecting trees to retain to reduce the risk of windthrow and to conserve wildlife values.
- Where there are significant concerns about windthrow in the RMZ: extend the boundaries
 of the RMZ to a windfirm boundary; eliminate sharp corners or indentation from the outer
 boundary of the RMZ; and/or use edge stabilization treatments including feathering,
 pruning, or topping.
- Additional practices such as: retention of all non-merchantable conifer trees, understory deciduous trees, shrubs, herbaceous vegetation, and high stumps within 5m of the channel to the fullest extent possible; retention of wildlife trees; falling and yarding trees away from the stream; removal of introduced tops and small woody debris; felling of shallow rooted, windthrow-prone leaners across the stream so that the butt clears the channel or the stem spans both streambanks. Stems will be removed from the stream if it can be done without damage to the channel or bank and in compliance with the Fisheries Act.

Forest Growth and Yield Plan

Growth and Yield work continues, subject to government funding. Partially funded studies include:

- The establishment and measurement of one large scale (80 ha) and several edge studies
 examining the effects of different amounts and patterns of variable retention on growth of
 the next crop. A small pilot project will be undertaken to monitor (through random samples)
 the effects of variable retention on growth.
- A core of treated and natural permanent sample plots will be measured on a 10-yr cycle.
- A light model has been developed to examine the impact of variable retention on yield and a moisture sub-model is being developed.

Forest Recreation

TFL 44 Limited Partnership recognizes and supports the responsible use of forests for recreation activities. The Recreation Sector (WIWAG) produced a "Recreation Access Inventory". This Inventory is posted on the WIWAG website. Also on the website is a Public Access Map and the Port Alberni Operational Activity Map to assist recreationists. Public access is available throughout the DFA. Some restrictions are applied, especially in active logging areas for safety reasons and protection of equipment. Access may also be limited during periods of high fire hazard.

TFL 44 Limited Partnership's strategy for recreation is to:

- Identify new, significant recreational attractions in the course of inventory or development work and protect them.
- Assist responsible recreationists, authorized organizations, and commercial tour operators in travelling to sites to recreate.
- Restrict access with gates and other measures for safety and protection measures.
- Operate within timing windows where practicable if the recreation resource is temporarily sensitive.
- Rehabilitate trails post harvest and/or assist to relocate government recognized trails to accommodate timber harvesting activities.
- Continue to provide access maps and recreation inventories for the public.
- Work with government and local caving groups to manage and protect sensitive caves and karst resources.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 17 of 26



Visual Quality

Visual quality will be managed to achieve established visual quality objectives from significant public viewpoints usually associated with travel corridors, communities, parks, and recreation use areas. TFL 44 Limited Partnership will work to minimize impacts on timber supply while retaining visual values. This will include:

- Ensuring timber harvesting activities have characteristics consistent with the specified category of alteration ranging from Preservation to Maximum Modification.
- Applying silviculture strategies to reduce the time to achieve visually effective green-up.

First Nations

TFL 44 Limited Partnership recognizes that First Nations have unique rights and interests in land and resources and desires to have a fuller understanding of those rights and interests and seeks reasonable ways to integrate them into its forest resource management and planning processes. TFL 44 Limited Partnership also desires to develop mutually beneficial business relationships with willing First Nations associated with the DFA. Strategies include:

- Sharing our forest management plans and proposed activities with First Nation communities in a mutually agreeable format or established protocol.
- Requesting comments on our plans and proposed activities and seeking acceptance preferably in face to face dialogue.
- Entering into arrangements to protect confidential information.
- Conserving archaeological and other important cultural heritage sites.
- Inviting First Nation communities to explore mutually beneficial business arrangements.

Public Information and Involvement

In keeping with the expressed interest of the public in all aspects of forest resource inventory, management, and use, TFL 44 Limited Partnership:

- Identifies and advises local and other involved public interest groups, local governments, and interested individuals of opportunities for input to the various planning processes and solicits their feedback.
- Advertises and participates in public information meetings to enable any member of the public to view and respond to forest management planning.
- Responds to invitations to educate local school and community groups on sustainable forest management which at times involves woods and mill tours.
- Financially supports and participates fully in activities of the West Island Woodlands Advisory Group. WIWAG is a facilitated, independent, broad-based community group formed with the express objectives of providing advice to TFL 44 Limited Partnership.

Forest Monitoring & Research

TFL 44 Limited Partnership supports and engages in forest research and monitoring that leads to improved forest management practices. Objectives include sustaining timber supply and economic values, sustaining ecological values and processes, and sustaining social values. The strategy is to:

Identify knowledge gaps and recommend basic and applied research needs;

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 18 of 26



- Engage with government, academic, and private agencies that have capacity and mandate to undertake applicable research;
- Support (with letters, in-kind resources, and leverage funding) research funding proposals for projects of particular or strategic interest to the DFA and TFL 44 Limited Partnership as a whole;
- Cooperate with research organizations in conducting basic and applied research; and
- Test and develop practicable applications and uses of published research that are relevant to TFL 44 Limited Partnership's management goals and responsibilities.

Significant areas of research include:

- Forest Ecology The objectives of the forest ecology research program are to determine
 the effects of management activities on forest ecosystem functions and components, and to
 improve our ability to predict ecosystem response. The outcome is development and
 implementation of ecologically sound silviculture prescriptions.
- Silviculture The silviculture research program focuses on examining silvicultural practices
 for regeneration and growth. Objectives of this research are to maintain and enhance
 timber supply where economically viable to do so. Various trials—some with over 20 years
 of monitoring—examine species selection, genetic gain for volume and pest tolerance,
 stock types, mechanical site preparation, vegetation control, and fertilization.
- Forest Growth and Yield & Light Detection and Ranging (LiDAR) The aim of this program
 is to quantify forest inventory and growth rates across the range of site conditions on the
 company's tenure. A recent focus has been to examine the impact of variable retention
 harvesting and edge effects on early establishment and growth. The company has
 invested in LiDAR to improve inventory estimates and aid in planning. This investment has
 been further employed to examine forest ecology knowledge gaps.

Research supported or implemented by the Company occurs across its tenures. In many cases, the findings apply broadly to sites in multiple tenures. The following is a listing of active and ongoing forest management research and monitoring projects in which the company is a lead or major partner; it covers all company tenures and divisions. Those projects which were monitored, measured, or reported on in 2017 are <u>underlined</u>. Funding sources include Natural Science and Engineering Research Council of Canada (NSERC), Land Based Investment Strategy (LBIS), Operational Tree Improvement Program (OTIP), Ministry of Forests, Lands, Natural Resource Operations, and Rural Development (MFLNRO), Canadian Wood Fibre Centre (CWFC) and GenomeBC (and GenomeCanada).

Forest Ecology: Variable Retention Adaptive Management (VRAM)

- Lewis Lake (R885), Moakwa (R1164), Port McNeill (R817), Tsitika (R917), Horseshoe Lake (R949), Goat Island (R1009), Memekay (R1163), Klanawa (R1217) Forest Structure Experimental Sites
- Avian communities, carabid beetles, terrestrial gastropods, small streams
- Monitoring and reporting of operational VRAM applications (2017 Symmetree \$WFP)

File: \paofile01\Sharedfolders\EMS\CSA\SFM Plan\2020\PAFO LP SFMP 2020 2021-05-15.docx

Revised: May 15st, 2021 Page 19 of 26



Forest Ecology: Species at Risk

- Northern goshawk site monitoring (2017 Manning and others \$WFP)
- Northern goshawk population genetics (2017 Irwin \$CFPA, \$GenomeBC)
- <u>Low-level aerial surveys for marbled murrelet habitat in Nimpkish, Artlish and Tahsish landscape units; Henderson and Nitinat landscape units; Barclay Sound landscape units (2017 \$WFP, \$FLNRO)</u>
- Owl population monitoring (2017 Matkoski \$WFP)
- Breeding birds: Population trends and habitat association (2017 Madrone \$WFP and others)

Silviculture - Resiliency

- Climate change strategies and mitigation
- Climate-based seed transfer CoAdapTree (2017 Aitken et al \$WFP, \$GenomeBC)
- Western redcedar genomic selection pest tolerance (2017 Russell & Bohlmann \$WFP, \$GenomeBC)
- Genomic traits in Douglas-fir breeding pest tolerance (2017 Stoehr & ElKassaby \$WFP, \$GenomeBC)
- Western redcedar browse resistance (2017 Russell \$WFP)

Silviculture: Regeneration and growth

- SCHIRP installation, Transition trials, Kennedy Lake trials, Demonstration trials, Vaccinium trials
- Western redcedar western hemlock fertilization trials (2017 FLNRO \$MFLNRO; \$LBIS)
- Suquash drainage trial
- Planting trials stock types, fertilization-at-plant, species selection

Silviculture: Seed & Seedling Production

- Douglas-fir pollen dynamics (2017 \$OTIP)
- Western redcedar pollen dynamics (2017 \$OTIP)
- Cone & Seed insect studies (2017 \$WFP)
- Yellow cypress clonal rootability (2017 \$OTIP)
- Douglas-fir nursery trials (2017 Noshad \$OTIP)

Growth and Yield & Light Detection and Ranging (LiDAR)

- LiDAR Enhanced Forest Inventory Project
- VRAM Regeneration performance
- Nesting habitat for the marbled murrelet Using LiDAR (2017 UVic Clyde \$WFP, \$NSERC)
- LiDAR evaluation of marbled murrelet habitat in Stillwater operations (2017 \$WFP)
- Characterizing streams and riparian areas with airborne laser scanning data (2017 Tompalski - \$CWFC)
- Forest road status assessment using airborne laser scanning (2017 Waga -\$CWFC/UBC)

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 20 of 26



Glossary

Acronyms

AAC	Annual Allowable Cut	MIR	Medical Incident Rate
AIA	Archaeological Impact Assessment	MP	Management Plan
AOA	Archaeological Overview Assessments	NSR	Not Sufficiently Restocked
BEC	Biogeoclimatic Ecosystem Classification	OGMA	Old Growth Management Area
CHR	Cultural Heritage Resources	PAFO	Port Alberni Forest Operations
CFS	Canadian Forest Service	PAS	Permanent Access Structure
CMT	Culturally Modified Tree	PMP	Pest Management Plan
CSA	Canadian Standards Association	RG	Forest Regeneration
CWD	Coarse Woody Debris	RMA	Riparian Management Area
CWS	Community Watersheds	RMZ	Riparian Management Zone
EBITDA	Earnings before Interest, Taxes, Depreciation & Amortization	RRZ	Riparian Reserve Zone
EMS	Environmental Management System	SEI	Sensitive Ecosystem Inventory
DFA	Defined Forest Area	SFM	Sustainable Forest Management
FG	Free Growing	SFMP	Sustainable Forest Management Plan
FPPR	Forest Practice Planning Regulation	SOP	Standard Operating Procedure
FRPA	Forest and Range Practices Act	SPAR	Seed Planning & Registry (database)
FSP	Forest Stewardship Plan	SUP	Special Use Permits
FSW	Fisheries Sensitive Watershed	TFL	Tree Farm License
FTE	Full Time Equivalent	UWR	Ungulate Winter Range
GIS	Geographic Information System	VR	Variable Retention
GPS	Global Positioning System	WHA	Wildlife Habitat Area
LTHL	Long Term Harvest Level	WIWAG	West Island Woodlands Advisory Group
MFLNRO	Ministry of Forests, Lands, and Natural Resource Operations & Rural Development	WTP	Wildlife Tree Patch

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 21 of CONSIDER PRINTED DOCUMENT UNCONTROLLED. Check http://www.westernforest.com/wiwag/ for current version Page 21 of 26



Definition of terms

The following definitions are supplemental to those found in the <u>Canadian Standards Association</u> (CSA) Z809-16 Section 3 Definitions and Abbreviations.

Allowable Annual Cut (AAC): The allowable rate of timber harvest from a specified area of land. The Chief Forester of British Columbia sets AACs for timber supply areas (TSAs) and tree farm licenses (TFLs) in accordance with Section 8 of the Forest Act.

Biogeoclimatic Ecosystem Classification (BEC): Developed in BC in 1965, the BEC System classifies areas of similar regional climate, expected climax plant communities and site factors such as soil moisture and soil nutrients. The subzone is the basic unit of this classification system. Within subzones, variants further identify more local climatic factors. A handbook can be obtained from http://www.for.gov.bc.ca/hfd/pubs/docs/lmh/lmh28/lmh28-01.pdf

Biogeoclimatic zone: a geographic area having similar patterns of energy flow, vegetation and soils as a result of a broadly homogenous macroclimate.

Biogeoclimatic variant: A unit of ecosystem classification reflecting differences in regional climate resulting in differences in vegetation, soil and ecosystem productivity. (See Biogeoclimatic Ecosystem Classification)

Blue-listed: Refers to plants, animals, and plant communities assessed by the BC Conservation Data Centre or COSEWIC to be vulnerable.

CENGEA: Provides resource planning and management software solutions for: Forestry; Agriculture; Bioenergy; Environment & Land Conservation. http://www.cengea.com/

Chief Forester: the assistant deputy minister of the deputy minister of the Ministry of Forests who is responsible for determining allowable annual cuts (AACs).

Coarse Woody Debris: all large dead wood in various stages of decomposition. Note: Coarse woody debris includes standing dead trees, fallen wood, stumps, and roots.

Criterion: Under the CSA standard for sustainable forest management, one of six distinguishable SFM characteristics (as defined by the Canadian Council of Forest Ministers: Defining Sustainable Forest Management: A Canadian Approach to Criteria and Indicators, Ottawa, 1995); also, a value that must be considered in setting objectives and in assessing performance.

Critical Element: Under the CSA standard for sustainable forest management, a subsidiary component of a criterion. (See criterion.).

Cultural heritage resource (CHR): An object, a site or the location of a traditional societal practice that is of historical, cultural or archaeological significance to the province, a community or an aboriginal people. Cultural heritage resources include archaeological sites, structural features, heritage landscape features and traditional use sites.

Culturally Modified Tree (CMT): Tree that has been altered by native people as part of their traditional use of the forest.

Cutblock: Defined in the Forest Practices Code of British Columbia Act as a specific area of land identified on a forest development plan, or in a license to cut, road permit, or Christmas tree permit, within which timber is to be or has been harvested. (Also see opening.)

EBITDA: stands for "Earnings Before Interest, Taxes, Depreciation, and Amortization". The equation for calculating EBITDA is: EBITDA = Sales - Cost of Goods Sold (excluding depreciation) - Overhead Costs. Another way to think of EBITDA is that it is a rough measure of the cash flow being generated by an operating unit.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 22 of 26



Environmental Management System (EMS): A structured system for identifying and ranking the environmental risk associated with management activities; creating and implementing control methods to manage that risk; monitoring and assessing performance; and taking corrective action to address deficiencies under a continual improvement program.

Fisheries Sensitive Watershed: An area of land (watershed) identified under the Government Actions Regulation comprising both significant fisheries values and sensitivity to forest or range practices (FPPR 2005).

Forest influence area: The area within an opening that is within one tree height of a timber edge.

Forest and Range Practices Act (FRPA): The Forest and Range Practices Act and its regulations govern the activities of forest and range licensees in B.C. The statute sets the requirements for planning, road building, logging, reforestation, and grazing. FRPA and its regulations took effect on Jan. 31, 2004.

Forest Stewardships Plan (FSP): Under the Forest and Range Practices Act and its regulations, all major tenure holders – companies, groups or individuals with logging rights on Crown land – must prepare a forest stewardship plan. The FSP is the cornerstone of the results-based approach governing forest practices under the Act. In their plans, tenure holders must state explicitly how they will address government objectives for key forest values, such as soils and wildlife. These proposals are the "results" of the results-based framework. A FSP must address objectives set by government to preserve the integrity of the environment and to enable sustainable commercial forest and rangeland practices. Tenure holders address these objectives by crafting results or strategies, which are required to be measurable and enforceable, contributing to effective compliance and enforcement by government.

Free Growing: A stand of healthy trees of commercially valuable species, the growth of which is not impeded by competition from plants, shrubs or other trees. Silviculture regulations further define the exact parameters that a stand of trees must meet (such as species, density and size) to be considered free growing.

Goal: A broad, general statement that describes a desired state or condition related to one or more forest values.

Green-up: A reforested cutblock with a stand of trees that has attained the height specified in a higher level plan for the area or that, in the absence of a higher level plan, has attained a height of at least 3 meters is said to have achieved green-up.

Hoe-Chucking: A hoe-chucking operation is where a machine picks up the logs and moves them over the ground so there is little or no ground disturbance.

Inoperable lands: Lands that are unsuited for timber production by virtue of their: elevation; topography; inaccessible location; low value of timber; small size of timber stands; steep or unstable soils that cannot be harvested without serious and irreversible damage to soil or water resources; or designation as parks, wilderness areas, or other uses incompatible with timber production.

Landing: An area modified as a place to accumulate logs before they are transported.

Landscape level: A watershed, or series of interacting watersheds or other natural ecological units. This term is used for conservation planning and is not associated with visual landscape management.

Landscape unit: For the purpose of the forest practices code, landscape units are planning areas delineated on the basis of topographic or geographic features. Typically they cover a watershed or series of watersheds, and range in size from 5000 to 100 000 ha.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021 Page 23 of 26



Maa-Nulth Treaty: A modern day treaty that became effective April 1, 2011. There are five Maanulth First Nations: Ucluelet First Nation, Huu-ay-aht First Nations, Toquaht Nation, Ka:'yu:'k't'h'/Che:k'tles7et'h' First Nations, and the Uchucklesaht Tribe. All are located on the west coast of Vancouver Island. The Maa-nulth First Nations represent about 2,000 people. Maa-nulth means "villages along the coast" in the Nuu-chah-nulth language. http://www.maanulth.ca/

Mature forest: Stands of timber where the age of the leading species is greater than the specified cutting age. Cutting ages are established to meet forest management objectives.

MIR (**Medical Incidence Rate**): A recordable measure for which an employee receives first aid, medical aid, or medical treatment for a workplace incident that results in the employee unable to return to their regular duties or is required to performed restricted duties on the advice of a physician. Incidents resulting from a pre-existing injury or for unspecified pain management are not included in the MIR.

Not Satisfactorily Restocked (NSR): Productive forest land that has been denuded and has failed, partially or completely to regenerate either naturally or by planting or seeding to the specified or desired free growing standards for the site.

Opening: Usually used synonymously with cutblock (see above) to include all of an area that has been harvested or is designated for harvesting, including the trees retained singly or in groups within the area, used less often to describe the actual cleared area(s) within a cutblock.

Permanent access structure: A structure, including a road, bridge, landing, gravel pit or other similar structure, that provides access for timber harvesting. It is shown expressly or by necessary implication on a forest development plan, access management plan, logging plan, and road permit or silviculture prescription as remaining operational after timber harvesting activities on the area are complete.

Productive forest: Forest land that is capable of producing a merchantable stand of timber within a defined period of time.

Red-listed: Refers to plants, animals and plant communities assessed by the BC Conservation Data Centre to be extirpated, endangered or threatened.

Reserves: Areas where harvesting is not permitted.

Riparian: An area of land adjacent to a stream, river, lake or wetland that contains vegetation that, due to the presence of water, is distinctly different from the vegetation of adjacent upland areas.

S1-6 stream: Stream classification system for riparian management. S1 to S4 streams are fish streams or streams in a community watershed. S5 and S6 streams are not fish streams and are not in a community watershed. Each class also denotes a range of stream width: S1 is >20m, S2 is >5-20m, S3 is = 1.5-5m and S4 is <1.5m; for streams that are non-fish bearing or not within a community watershed, S5 is >3m and S6 is <3m.

Second growth: Typically younger (i.e., less than 120 years on the BC Coast) forests that have been established by planting and/or natural regeneration after removal of a previous stand by fire, harvesting, insect attack or other cause. (See mature and old growth.)

Sensitive soils: Forest land areas that have a moderate to very high hazard for soil compaction, erosion, displacement, landslides or forest floor displacement.

Silviculture: The art and science of controlling the establishment, growth, composition, health and quality of forests and woodlands. Silviculture entails the manipulation of forest and woodland vegetation in stands and on landscapes to meet the diverse needs and values of landowners and society on a sustainable basis.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_LP_SFMP_2020_2021-05-15.docx

Revised: May 15st, 2021

Page 24 of 26



Silviculture system: A planned program of treatments throughout the life of the stand to achieve defined objectives. A silviculture system includes harvesting, regeneration and stand-tending. It covers all activities for the entire length of a rotation or cutting cycle. In BC this includes seven major categories: clearcut, patch-cut, coppice, seed tree, shelterwood, retention and selection.

Site series: A unit of ecosystem site classification that represents climatically uniform groups of ecosystems regardless of the actual vegetation residing.

Snag: A large standing dead tree.

Stand level: Level of forest management at which a relatively homogenous land unit can be managed under a single prescription, or a set of treatments, to meet well-defined objectives.

Structural diversity: Variety of canopy layers (vertical structure) and spatial patchiness (horizontal structure).

Timber Supply Analysis: An assessment of future timber supplies over long planning horizons (more than 200 years) by using timber supply models for different scenarios identified in the planning process.

Variable Retention (VR): A relatively new approach to harvesting and silviculture systems that follows nature's model by always retaining part of the forest after harvesting. Standing trees are left in dispersed and/or grouped patterns to meet objectives such as retaining old growth structure, habitat protection and visual quality. Variable retention retains structural features (snags, large woody debris, live trees of varying sizes and canopy levels) as habitat for a host of forest organisms and maintains forest and residual tree influences. There are two main types of variable retention: dispersed retention, which retains individual trees scattered throughout a cutblock, and aggregate (or group) retention, which retains trees in patches of intact forest.

Visual Quality Objective (VQO): An approved resource management objective that reflects a desired level of visual quality based on the physical and sociological characteristics of the area; refers to the degree of acceptable human alteration to the characteristic landscape.

Wildlife tree: A standing live or dead tree with special characteristics that provide valuable habitat for the conservation or enhancement of wildlife.

Windthrow: Trees uprooted as a result of wind events.

Yarding: In logging, the hauling of felled timber to the landing or temporary storage site from where trucks (usually) transport it to the mill site. Yarding methods include cable yarding, ground skidding, and aerial methods such as helicopter yarding.



References used in compiling this glossary:

BC Ministry of Forests and BC Environment.

1995. Biodiversity Guidebook, Forest Practices Code of British Columbia.

BC Ministry of Forests and BC Environment.

1995. Riparian Management Area Guidebook, Forest Practices Code of British Columbia.

BC Ministry of Forests and Range.

2006 Glossary of Forestry Terms Website:

http://www.for.gov.bc.ca/hfd/library/documents/glossary/

Canadian Maritime Regional Initiative of the Canadian FSC Working Group.

1999. Draft certification standards for best forestry practices in the Maritime forest region.

Canadian Standards Association.

2016. CAN/CSA-Z809-16: Sustainable Forest Management Standard.

Forest Stewardship Council, A.C.

1999. Glossary section of Principles and Criteria for Forest Stewardship. Document 1.2.

Land Use Coordination Office.

1995. Resource analysis guidelines for land and resource management planning in BC. Ver.2. Interim Guidelines Draft. Province of British Columbia.

Pojar, J., K. Klinka, and D.V. Meidinger.

1987. Biogeoclimatic Ecosystem Classification in British Columbia. Forest Ecology and Management. 22: 119-154.

Slope Stability Table Group.

1996. Terrain stability mapping in BC: A review and suggested methods for landslide hazard and risk mapping. BC Resources Inventory Committee

Stryd, Arnoud.

1997. Culturally modified trees of BC: a handbook for the identification and recording of culturally modified trees. BC Ministry of Forests Forestry Division Services Branch



SFM Plan Appendix 1: Detailed Indicator & Results

May 15th, 2021



TFL 44 Limited Partnership Sustainable Forest Management Plan

Table of Contents

SFM Criteria, Value	es, Objectives, Indicators & Targets	3
Performance Repor	rting	3
Indicator 1.1.1:	Ecosystem Area by Type	5
Indicator 1.1.2:	Forest Area by Type or Species Composition	8
Indicator 1.1.3:	Forest Area by Seral Stage or Age Class	10
Indicator 1.1.4:	Within-stand Structural Retention	12
Indicator 1.2.1:	Habitat Protection for Selected Focal Species	14
Indicator 1.2.2:	Suitable Habitat in the Long Term for Selected Focal Species	18
Indicator 1.2.3 and	2.1.2: Regeneration Comprised of Native Species	22
Indicator 1.3.1:	Genetic Diversity	24
Indicator 1.4.1:	Protection of Sites of Special Significance	26
Indicator 1.4.2:	Identified Sites with Implemented Management Strategies	28
Indicator 1.4.2a:	Sensitive Ecosystem Training	30
Indicator 2.1.1:	Reforestation Success	32
Indicator 2.1.3:	Additions and Deletions to the Forest Area	35
Indicator 2.1.4:	Sustainable Harvest Level	37
Indicator 3.1.1:	Level of Soil Disturbance	39
Indicator 3.1.2:	Level of Downed Woody Debris	41
Indicator 3.1.2a:	Limit Herbicides	43
Indicator 3.2.1:	Proportion of Watershed with Stand-Replacing Disturbance	45
Indicator 3.2.2:	Management Activities Consistent w Prescriptions to Protect Water Features	47
Indicator 3.2.2a:	Watershed Condition	49
Indicator 3.2.2b:	Community Watersheds	51
Indicator 3.2.2c:	S4 Streams	52
Indicator 3.2.2d:	S5 Streams	54
Indicator 4.1.1:	Net Carbon Uptake	56
Indicator 4.1.2:	Reforestation Success	59
Indicator 4.2.1:	Forest land conversion	61
Indicator 5.1.1:	Diversity of Timber and Non-timber Resources Produced in the DFA	62
Indicator 5.1.2:	Respectful Communications with Forest Dependent Businesses,	
	Forest Users and Local Communities to Integrate Non-timber Resources	64
Indicator 5.1.2a:	Park Perimeter	66
Indicator 5.1.2b:	Recreation Access	68
Indicator 5.1.2c:	Mushroom Habitat Access	70
Indicator 5.2.1:	Participation and Support that Contribute to Community Sustainability	72
Indicator 5.2.2:	Level of Participation and Support in Training & Skills Development	74
Indicator 5.2.3:	Level of Direct and Indirect Employment	76
Indicator 6.1.1:	Participant Satisfaction with Public Process	78
Indicator 6.1.2:	Capacity Development and Meaningful Participation	80
Indicator 6.1.3:	Public Concerns	85
Indicator 6.2.1:	Improve Safety Standards	87
Indicator 6.2.2:	Worker Safety Program	89
Indicator 7.1.1:	Understanding the Nature of Aboriginal Title and Rights	91
Indicator 7.1.2:	Respectful Communications with Aboriginal Communities to	00
Indicator 7 0 4:	Foster Meaningful Engagement Promoting Consoits Development and Magningful Portionation for Abariginal	93
Indicator 7.2.1:	Promoting Capacity Development and Meaningful Participation for Aboriginal Individuals, Communities and Forest-based Companies	95
Indicator 7.2.2:	Using Aboriginal Knowledge to Manage Culturally Important Resources and Values	95
Indicator 7.2.3:	Management and/or Protection of Culturally Important Practices and Activities	99
	management and/or i recotion of editardity important i ractioes and Activities	55

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc Revised: May 15th, 2021 Page 2 of 100



TFL 44 Limited Partnership

Sustainable Forest Management Plan

SFM Criteria, Values, Objectives, Indicators & Targets

This section of the SFM Plan describes TFL 44 Limited Partnership's SFM Values, Objectives, Indicators and Targets. As appropriate, an Acceptable Variance is provided for the performance level of each Target and a forecasted future condition is provided for each Indicator. The section is organized according to the Criteria for Sustainable Forest Management, which was developed by the Canadian Council of Forest Ministers and adapted for the Canadian Standards Association's Sustainable Forest Management standard (CAN/CSA-Z809-16).

As further explanation of the organization of this section:

- The Criteria (e.g., below: 1.0 Conservation of Biological Diversity) and Critical Elements (e.g., 1.1 Ecosystem diversity) and their accompanying statements are derived from Defining Sustainable Forest Management: A Canadian Approach to Criteria and Indicators (Canadian Council of Forest Ministers, Ottawa, 1995).
- The subsidiary Values, Objectives, Indicators, Targets, Acceptable Variances and Forecasts were developed for this plan during discussions among WIWAG members, TFL 44 Limited Partnership staff and other Western Forest Products staff. Indicators with titles comprised of both numbers and letters (e.g. Indicator 1.4.2a) are formulated by WIWAG members but are not core to the standard.

TFL 44 Limited Partnership works closely with the WIWAG to identify the local values, objectives, indicators, targets and acceptable variances that reflect the national criteria. These have been incorporated into this SFM planning and practice.

As used in this plan:

- Values are DFA characteristics, components, or qualities considered by an interested party to be important in relation to a CSA SFM element or other locally identified element.
- **Objectives** are broad statements describing a desired future state or condition of a value.
- **Indicators** are variables that measure or describe the state or condition of a value.
- Targets are specific statements describing a desired future state of condition of an indicator. Where possible, targets are clearly defined, time-limited and quantified.
- Acceptable Variances specify the range of performance results (+ and/or relative to the Target) that is deemed to be an acceptable outcome. A result outside this range does not always indicate unacceptable performance. (For example, it could reflect: the impact of an uncontrollable event, such as a natural disaster; the fact that the Target was based on poor quality or inadequate data; or the effects of a responsible choice between two competing Objectives.) A result outside the Acceptable Variance range does, however, require review, assessment and, possibly, a revision of either the objective, target or management practices.
- **Forecasts** are explicit statements of the expected future condition of an indicator.
- **Legal References** are provided where they exist.

Performance Reporting

On an annual basis, the SFMP will be updated to include performance reporting information in order to facilitate review of the actual outcomes of each indicator (this will be reported within Appendix 2). Most indicators are reported on an annual basis from January 1 – December 31. The monitoring report is completed by TFL 44 Limited Partnership's management and presented

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 3 of 100



TFL 44 Limited Partnership

Sustainable Forest Management Plan

for review to WIWAG in the spring of each year. TFL 44 Limited Partnership maintains a matrix which assigns the responsibilities of each indicator to key staff.

Internal audits will also evaluate the quality, validity, and meaningfulness of the locally determined indicators and all of the targets.

Summary of Results

In 2020 WIWAG met four times to discuss a range of topics including:

- the nature of old growth in coastal British Columbia, WFP tenures, and the Defined Forest Area (DFA)
- the annual performance to the established Indicators
- the "State of British Columbia's Forests: A Global Comparison" presented and co-authored by Dr. John Innes, Dean of UBC's Faculty of Forestry
- an update on old growth management focusing on the Old Growth Management Review (Merkel and Gorley), and the new Special Tree Regulation which is designed to protect large iconic trees. Presentations on carbon and forestry, LIDAR technology, and a draft pest management plan (PMP) were also shared.
- Indicator results in 2020 were influenced by a labour strike and COVID-19 in the first quarter of the year. With safety, the Medical Incident Rate (MIR) increased to 5.40 from 3.46 in 2019. Timber harvesting levels on the DFA increased by more than 155,000 m3 as compared to 2019 as the Strike ended. The rebound in harvest levels positively influenced key indicators associated with employment and other benefits derived from the DFA.

Of the 45 indicators associated with the Plan, forty-two were scheduled for a report in 2020. All reported indicators met their targets apart from:

Indicator 1.1.1: Ecosystem Area by Type (Target not met but the result is within the Variance)

Indicator 2.1.4: Sustainable Harvest Level (neither the Target nor the Variance was met)

Indicator 5.2.3: Level of Direct and Indirect Employment (neither the Target nor the Variance was met)

Indicator 7.1.1: Understanding the Nature of Aboriginal Title and Rights (Target was not met but the result is within the newly established Variance)

Indicator 7.1.2: Respectful Communications with Aboriginal Communities to Foster Meaningful Engagement (target was not met but the result is within the Variance)

These results are discussed in more detail for each individual indicator (below).

Summary of Changes

Changes to the SFMP in 2020 include:

- Drafting a new target and variance for Indicator 1.1.4 Within-Stand Retention to reflect adjustments in the company's retention strategy.
- Adding a variance to Indicator 7.1.1 Understanding the Nature of Aboriginal Title and Rights to reflect a year when training is not received.



Indicator 1.1.1: Ecosystem Area by Type

Element: 1.1 Ecosystem Diversity

Conserve ecosystem diversity at the stand and landscape levels by maintaining the variety of communities and ecosystems that naturally occur in the DFA. Establish forest plantations only in afforestation projects.

Value	Objective	Indicator	Target	Variance
Older seral stages by ecosystem type on the DFA	Older seral stages by ecosystem type are maintained	Ecosystem area by type	All ecosystem types by biogeoclimatic variant have greater than 50% of the productive forest area in mid, mature, and old seral stages annually	- 5% by type for up to 10 years

History

Core Indicator under CSA Z809-08 no change for CSA Z809-16.

Basis for the Target

The biogeoclimatic variants in the DFA represent a wide geographic range, a diversity of climatic conditions, and significant differences in vegetation, soil, and ecosystem productivity. Historically, timber harvesting has focused in productive variants that yield quality forest products. The long history of timber harvesting in the DFA has generated a diversity of stand age classes across the variants. However, historic harvesting has generally progressed from productive variants close to communities to less productive variants in more remote areas of the DFA. The 50% level for ecosystem area by type and seral stage provides reasonable assurance that there is always adequate representation of older stage classes being maintained and replaced on the DFA.

The variance is to account for natural disturbances associated with insects, disease, windthrow, wildfire, land use decisions, and historic harvesting patterns that may have influenced variants disproportionately.

Current Status & Results

Year	BEC Zone/ Variant	Early (ha)	Mid (ha)	Mature (ha)	Old (ha)	Total Area Mid- Old (ha)	Total Productive Area of BEC Zone (ha)	% Rep. of Productive	Target Met (Y/N)	Variance Met (Y/N)
	CWHmm1	1,370	476	37	1817	2,329	3,699	63	N	Y
	CWHmm2	1,522	419	240	3,694	4,353	5,874	74		
	CWHvh1	4,338	837	367	2,923	4,126	8,464	49		
2020	CWHvm1	26,444	20,175	2,230	18,170	40,575	67,019	61		
	CWHvm2	5,808	1,692	401	8,572	10,665	16,473	64		
	CWHxm2	4,177	5,088	1,867	1,815	8,770	12,947	68		
	MHmm1	108	7	19	2,398	2,424	2,532	96		
	CWHmm1	1418	440	210	1549	2199	3617	61	N	_
2010	CWHmm2	1582	477	378	3350	4205	5787	73		Υ
2019	CWHvh1	4309	809	386	2868	4063	8372	49		ī
	CWHvm1	26872	19857	1954	18125	39936	66808	60		

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 5 of 100



TFL 44 Limited Partnership Sustainable Forest Management Plan

PARI	NEKSHIP		_		_		_	-		
	CWHvm2	5939	1504	439	8575	10519	16457	64		
	CWHxm2	4391	5172	1594	1744	8509	12900	66		
	MHmm1	118	143	27	2094	2264	2383	95		
	CWHmm1	1459	427	382	1837	2646	4105	64%		
	CWHmm2	1669	607	537	3851	4995	6665	75%		
	CWHvh1	4308	810	387	2914	4111	8419	49 %		
2018	CWHvm1	27172	19663	1782	18454	39899	67071	59%	N	Υ
	CWHvm2	5971	1426	438	8694	10558	16530	64%		
	CWHxm2	4626	5282	1475	1784	8541	13167	65%		
	MHmm1	120	173	137	2357	2667	2787	96%		
	CWHmm1	1,430	416	443	1,911	2,770	4,200	66	N	Y
	CWHmm2	1,688	682	646	3,937	5,265	6,953	76		
	CWHvh1	4,255	765	423	2,971	4,159	8,414	49		
2017	CWHvm1	27,456	19,216	1,799	18,604	39,619	67,074	59		
	CWHvm2	6,045	1,278	456	8,735	10,469	16,513	63		
	CWHxm2	4,785	5,382	1,176	1,838	8,396	13,180	64		
	MHmm1	119	293	228	2,549	3,070	3,189	96		
	CWHmm1	1,453	373	448	1,934	2,755	4,208	65		
	CWHmm2	1,658	699	654	3,964	5,317	6,975	76		
	CWHvh1	4,264	762	422	2,969	4,153	8,417	49		
2016	CWHvm1	27,307	19,333	1,608	18,823	39,764	67,071	59	N	Υ
	CWHvm2	6,102	1,157	473	8,791	10,421	16,523	63		
	CWHxm2	4,724	5,838	739	1,879	8,456	13,180	64		
	MHmm1	119	293	556	2,549	3,398	3,517	97		

Mid, mature, and old seral stages describe stands greater than or equal to 40 years old.

Performance and Interpretation

2020: Similar to 2019, the target was met for 2020 except for the CWHvh1 as referenced in the forecast. The CWH vh1 remained at 49% and should remain close to this value through 2023. As previously described harvest history in the DFA generally progressed away from established communities towards the outer west coast of the DFA and into this variant. This more recent timber harvesting has placed more area in the **early** seral stage. This is the seventh consecutive year that the CWH vh1 has been at either 49 or 50 percent.

Strategies & Implementation

Several initiatives and legal requirements have been set relating to protected areas that helps to contribute to ecosystem representation, including Parks and protected areas, Old Growth Management Areas, Wildlife Habitat Areas, Ungulate Winter Ranges, Wildlife Tree Patches and other stand level retention initiative such as the WFP Variable Retention Strategy, etc.

In addition, a fairly significant portion of the DFA in older seral stages exists in the non-contributing land-base (e.g., inoperable) and will not be harvested.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 6 of 100



Forecasts

The current status shows representation of 50% and above for each BEC zone and represents a long history of harvesting. The Timber Supply Analysis also supports forecasting that the target will be met in the long term. The one exception is expected to be the CWHvh1 where the 2013 to 2023 forecast is likely to be between 45% and 50% because of historic harvesting patterns in the DFA.

Monitoring

The Operations Forester requests inventory information from corporate staff after year end harvesting has been updated in the Cengea database.



Indicator 1.1.2: Forest Area by Type or Species Composition

Element: 1.1 Ecosystem Diversity

Conserve ecosystem diversity at the stand and landscape levels by maintaining the variety of communities and ecosystems that naturally occur in the DFA. Establish forest plantations only in afforestation projects.

Value	Objective	Indicator	Target	Variance
The representation of commercial species on the DFA	Species conversion on the DFA is limited	Forest area by type or species composition	The three-year movement in the representation of each commercial tree species (as expressed by the forest area by species composition) in the inventory remains within 2% of the 2012 baseline level	+/- 1% by species. i.e. Douglas-fir at 20.6% could be as high as 23.6% or as low as 17.6% in 2018.

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target is based on the natural occurrence of commercial species and their ability to adapt to the biogeoclimatic conditions in the DFA. Maintaining the current tree species diversity is a fundamental strategy for climate change and forest health. The variance is to account for the artificial regeneration (tree planting) that will occur to favour the more desirable commercial species and the potential changes in climatic conditions.

Current Status & Results

Given the DFA changed significantly with area removals in 2010 the new baseline will be 2012. The tree species representation is set to be re-assessed for the 2018 report.

Species	Base- line % 2012	2015 %	change	2018	% change 2012- 2018	Target Met	Variance Met
Douglas-fir	20.6	20.3	- 0.3	19.9	-0.7		
Pine	0.4	0.4	0.0	0.4	0		
Western Red Cedar	19.3	19.5	+ 0.2	20.0	0.7		
Yellow Cedar	3.0	3.4	+ 0.4	3.5	0.5	Υ	n/a
Sitka Spruce	0.4	0.5	+ 0.1	0.5	0.1		
Hemlock (western & mountain)	42.0	41.4	- 0.6	41.2	-0.8		
Amabilis Fir	12.5	12.6	+ 0.1	12.7	0.2		
Deciduous (Alder and Maple)	1.9	1.8	- 0.1	1.8	-0.1		



Sustainable Forest Management Plan

Performance and Interpretation

2020: Reported every three years. Next report is in 2021.

Strategies & Implementation

TFL 44 Limited Partnership conducts reforestation activities consistent with legally required and approved stocking standards in the Forest Stewardship Plan (FSP) that include the applicable tree species permitted for each ecosystem type and site series. Regeneration and Free growing surveys and milestone obligations ensure cutblocks are regenerated in accordance with approved stocking standards.

Forecasts

Looking at trends for 2020, it is anticipated that the target in 2021 will be achieved as regeneration and species composition is driven by requirements detailed in the FSP. The Timber Supply Analysis supports the forecast of no major changes in tree species over the long term.

The species representation is expected to change slightly over time due to climate change and adaptive management plans that include regeneration to more heat tolerant or commercially valuable species such as Douglas-fir and Western Red Cedar. Some Noble Fir (non-native species) may also be planted at higher elevations due to research data that supports higher health and vigour than some native species such as Amabilis Fir. As the factors associated with climate change become better understood the target may need to be adjusted.

Monitoring

The Operations Forester is responsible for coordinating GIS analysis (GIS Department), planting, and assessment programs. The report will be based on all species (area weighted) excluding NSR classified lands and miscellaneous species.



Indicator 1.1.3: Forest Area by Seral Stage or Age Class

Element: 1.1 Ecosystem Diversity

Conserve ecosystem diversity at the stand and landscape levels by maintaining the variety of communities and ecosystems that naturally occur in the DFA. Establish forest plantations only in afforestation projects.

Value	Objective	Indicator	Target	Variance
The older age stands on the DFA	Older age stands on the DFA are maintained	Forest area by seral stage or age class	81+ age stands are maintained to at least 35% of the productive forest area measured on a five-year <i>rolling</i> average	Down to 30% for up to 10 years

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target balances the current allowable annual cut (AAC), the desire for species diversity, and the current age class distribution of the productive forest. For many species, if habitat requirements are present, populations will remain stable. Older age classes are often the most difficult to manage primarily because of the time required for their development. Forest stands at 81+ foster unique communities across the forest landscape. Maintaining at least 35% of the older age stand will ensure that these unique communities are preserved.

The variance is to account for natural disturbances associated with insects, disease, windthrow, wildfire, land use decisions, and historic harvesting patterns that exist or may develop.

Current Status & Results

Year	Total Productive Forest Area (ha)	Age (yrs)	Productive Area 81+ (ha)	% Productive Area Maintained at Age 81+	Target Met (Y/N)	Variance Met (Y/N)
5 yr. (2016-2020)				38	Υ	n/a
2020	118,335	81+	45,481	38		
2019	117,736	81+	44,298	38		
2018	118,777	81+	45,130	38		
2017	119,550	81+	45,843	38		
2016	119,907	81+	45,910	38		

Performance and Interpretation

2020: The target was met for this indicator in 2020. Note, the Total Productive Forest Area was reduced slightly in 2019 because of minor changes in the geographic footprint of TFL 44. The majority of TFL 44 is defined by the height of land concept associated with watershed boundaries. As development happens in the TFL the height of land becomes more accurately defined in the field resulting in additions and deletions to the area.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 10 of 100



Strategies & Implementation

Several initiatives and legal requirements have been set relating to protected areas that helps to contribute to older age classes, including Parks and protected areas, Old Growth Management Areas, Wildlife Habitat Areas, Ungulate Winter Ranges, Wildlife Tree Patches, etc. In addition, a significant portion of the DFA referred to as the non-contributing land-base (NCLB) is not operable for physical and economic reason and will therefore contribute to the protection of older age classes.

Over time, young stands in the NCLB will age and add to the current supply of older stands. Finally, the corporate strategy to use retention silviculture systems on the DFA provides additional stands of older age classes.

Forecasts

Although harvesting activities are normally concentrated within the older age stands, the data from Management Plan 5 indicates that the older age classes are still approximated near 35% of the productive forest in the year 2058.

Monitoring

The Operations Forester requests a GIS and inventory analysis after year end harvesting has been updated in the Cengea database.



Indicator 1.1.4: Within-stand Structural Retention

Conserve ecos	Element: 1.1 Ecosystem Diversity Conserve ecosystem diversity at the stand and landscape levels by maintaining the variety of communities and ecosystems that naturally occur in the DFA. Establish forest plantations only in afforestation projects.							
Value	Objective	Indicator	Target	Variance				
The variety of structure at the stand level	Habitat for selected focal species, including species at risk. A portion of the existing stand structure is retained	Degree of within stand structural retention	The average within-stand long term retention level of all cutblocks harvested in the year is no less than 15% of the harvested area	-4%				

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target is based on a combination of a FRPA requirement for stand retention and the WFP corporate retention (VR) strategy which is guided by principles associated with the Vancouver Island Land Use Plan (VILUP). The retention strategy may be adjusted from time to time. The variance is to account for situations where the harvest may be directed towards Forest Stewardship zones where retention requirements are less (e.g. Enhanced Basic Zone).

Current Status & Results

Year	Average Cutblock Retention (% of TAUP)	Target Met (Y/N)	Variance Met (Y/N)
2020	17.0	Υ	n/a
2019	13.0	N	N
2018	14.0	N	Υ
2017	22.0	Y	n/a
2016	17.7	Υ	n/a

Performance and Interpretation

2020: The target and variance for this indicator was updated in 2020 to reflect adjustments in the company's retention strategy. The updates include: inserting the concept of long-term retention into the target; linking stand level retention and harvest area targets to Forest Stewardship Zones; replacing total area under prescription with harvest area in the target. These updates were explained by Brian Marcus in the November 12, 2020 WIWAG meeting. Members agreed to the updates. For 2020 the average within stand long term retention was 17%.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 12 of 100



Strategies & Implementation

Retention for each block is planned based on the required protection of different resources (e.g. riparian, wildlife, cultural). If the minimum level of retention is not yet met, additional area is retained to ensure the retention targets are met. Refer to the SFM Plan Management Strategies for details. Salvage harvesting opportunities may not adhere to the retention strategy and retention levels, but this is anticipated to represent a small portion of the harvested volume.

Forecasts

The average within-stand long term retention level is expected to be met in 2021.

Monitoring

The Operations Forester reports on this indicator using the Variable Retention Tracking Report from the Cengea database. This report uses cutblocks defined as *harvest started* in the reporting year.



Indicator 1.2.1: Habitat Protection for Selected Focal Species

Element: 1.2 Species Diversity

Conserve species diversity by ensuring that habitats and forest conditions for the native species found in the DFA are maintained through time, including habitats for known occurrences of species at risk.

Value	Objective	Indicator	Target	Variance
Habitat for focal species, including species at risk existing in the DFA	Maintain or increase habitat for selected focal species, including species at risk	Degree of habitat protection for selected focal species, including species at risk	The amounts (in ha) of habitat protected for selected focal species remains the same or increases year after year	Decrease by 1%

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target is based on legal requirements under FRPA and the government initiatives underway through Land Use Planning processes and strategies such as the Identified Wildlife Management Strategy. The variance is meant to help account for fluctuation due to spatial issues (e.g. map base or scale) and natural disturbance factors.

"Habitat, in terms of both quantity and quality, is a key component of the health of species and animal populations" (CSA Sustainable Forest Management, 2008). Forest management can have both positive and negative effects for wildlife and their habitat. It is important to ensure forest habitat necessary to the survival of species is available for use in the short-term and long-term. Habitat reserved for focal species also contributes to the habitat needs of many other wildlife species.

Ungulate winter ranges are areas identified as critical to the survival of local populations of ungulates during severe winters. On Vancouver Island, Black-tailed deer and Roosevelt elk need areas with suitable forest and topographical features that are able to provide shelter, forage and snow interception. Roosevelt elk are on the BC provincial blue-list and have a BC Conservation Framework Priority 2 (BC Species and Ecosystems Explorer, 2010) as well as having local and cultural importance. Black-tailed deer are not considered a species of concern but have local importance for food, economic opportunity and recreation.

Marbled Murrelets are small seabirds that nest inland with a majority of nests being found on large boughs high in old conifers up to 30 km inland. Much work has been done along the coast to identify and rank suitable nesting habitat for Marbled Murrelets. Marbled Murrelets are listed as threatened on Schedule 1 of the Federal Species at Risk Act (SARA), provincially blue-listed, listed on the Forest and Range Practices Act (FRPA) Category of Species at Risk and considered Identified Wildlife, and have a BC Conservation Framework Priority of 1 (BC Species and Ecosystems Explorer, 2010). Identified Wildlife are considered to be sensitive to habitat alteration associated with forest and range practices and are considered to be at risk (endangered, threatened, vulnerable or regionally important).

Northern Goshawks are a relatively large forest dwelling hawk. They need a closed canopy forest with an open understory for nesting and foraging. The coastal subspecies is listed as Threatened on SARA Schedule 1, provincially red-listed, listed on the Forest and Range Practices Act (FRPA) Category of Species at Risk and are considered Identified Wildlife, and have a Conservation Priority of 1.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 14 of 100



Sustainable Forest Management Plan

The Northern Red-legged Frog is a moderate-sized frog occurring from southwestern BC to northwestern California. It generally inhabits moist, lower elevation forests and requires both aquatic breeding habitat and terrestrial foraging habitat. The Red-legged Frog is listed as Special Concern on SARA Schedule 1, provincially blue-listed, listed on the Forest and Range Practices Act (FRPA) Category of Species at Risk and is considered Identified Wildlife, and has a Conservation Priority of 1.

Scouler's Corydalis is a 60 – 120 cm tall plant with rosy-pink, spurred flowers. It is limited in distribution to the Pacific Northwest and in BC is only found on southwestern Vancouver Island. Scouler's Corydalis is not listed by SARA, has been provincially down-listed to yellow and has a Conservation Priority of 3. It is listed on the Forest and Range Practices Act (FRPA) Category of Species at Risk and is considered Identified Wildlife.

Current Status & Results

Year	Type of Habitat		Area (ha)		Measure	Target Met	Variance Met
	Protected/ Species	Legal	Proposed	Voluntary		(Y/N)	(Y/N)
	UWR 2,130 0 0		0	Spatially delineated ungulate winter range			
	MAMU	3,213	1,830	0	Moderate to very High ranked habitat from the low level aerial inventory in WHA, UWR, OGMA		
2020	Goshawk	782	0	432	Area reserved around known nests (WHA, other)	Υ	n/a
	Red-legged Frog	54	0	0	Area reserved around known breeding ponds		
	Scouler's Corydalis	74	0	0	Area reserved around known locations of Scouler's Corydalis		
	UWR	2130	0	0	Spatially delineated ungulate winter range		
	MAMU	3169	1693	0	Moderate to very High ranked habitat from the low level aerial inventory in WHA, UWR, OGMA		
2019	Goshawk	0	782	432	Area reserved around known nests (WHA, other)	Υ	n/a
	Red-legged Frog	54	0	0	Area reserved around known breeding ponds		
	Scouler's Corydalis	74	0	0	Area reserved around known locations of Scouler's Corydalis		
	UWR	2130	0	0	Spatially delineated ungulate winter range		
	MAMU	3169	1700	29	Moderate to very High ranked habitat from the low level aerial inventory in WHA, UWR, OGMA		
2018	Goshawk	0	241	441	Area reserved around known nests (WHA, other)	Y	n/a
	Red-legged Frog	51	0	0	Area reserved around known breeding ponds		
	Scouler's Corydalis	74	0	0	Area reserved around known locations of Scouler's Corydalis		

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 15 of 100



Year	Type of Habitat	Area (ha)			Measure	Target Met	Variance Met
	Protected/ Species	Legal	Proposed	Voluntary		(Y/N)	(Y/N)
	UWR	2130	0	0	Spatially delineated ungulate winter range		
	MAMU	3133	1531	32	Moderate to very High ranked habitat from the low level aerial inventory in WHA, UWR, OGMA		
2017	Goshawk	0	241	637	Area reserved around known nests (WHA, other)	Υ	n/a
	Red-legged Frog	51	0	0	Area reserved around known breeding ponds		
	Scouler's Corydalis	74	0	0	Area reserved around known locations of Scouler's Corydalis		
	UWR	2130	0	0	Spatially delineated ungulate winter range		
	MAMU	3149	1521	32	Moderate to very High ranked habitat from the low level aerial inventory in WHA, UWR, OGMA		
2016	Goshawk	0	0	739	Area reserved around known nests (WHA, other)	Υ	n/a
	Red-legged Frog	51	0	0	Area reserved around known breeding ponds		
	Scouler's Corydalis	74	0	0	Area reserved around known locations of Scouler's Corydalis		

Performance and Interpretation

2020: For 2020 the indicator was met. Importantly, there was adjustment between proposed and legal area for Northern Goshawk. As forecasted in 2019 the provincial government concluded the process to legalize four Wildlife Habitat Areas (WHAs) in the Corrigan Creek, Henderson, T'iitsk'in Paawats, and View Lake areas of the DFA totalling 782 ha.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 16 of 100



Strategies & Implementation

In general, the management strategy for this indicator includes:

- To spatially designate and legally establish Wildlife Habitat Areas and Old Growth Habitat Areas. TFL 44 Limited Partnership has a mix of legally established and proposed areas. The intent is to eventually move proposed areas through the process to become legally established.
- When it is necessary to build roads through or harvest adjacent to one of these reserves, TFL 44 Limited Partnership attempts to minimize the impact and provides replacement habitat of similar quality, if necessary.
- Species at Risk training is delivered to the operations to aid staff in identifying and working around Species at Risk.
- Northern Goshawk Management Protocol has been developed to guide operations managing forest activities around nests.
- When other habitat is encountered that is actively used by a focal species including a species at risk, the site undergoes evaluation for potential candidacy as a permanent reserve.

Forecasts

As more reserves such as WHAs, UWRs and OGMAs become legally established, the habitat conserved for focal species is expected to increase over the short to medium term. In the long-term, it is anticipated that as BC government Implementation Plans come into effect for Northern Goshawk and Marbled Murrelet, the hectares attributed to WHAs will increase.

Monitoring

The Wildlife Biologist & GIS Technician provides updated information in relation to this indicator to support the indicator basis for the target, current results, strategies and implementation and monitoring methods, as required.

The Operations Forester is responsible for coordinating GIS Analysis (shape files are obtained from the government as protected areas are approved).

- Reserves are mapped spatially in a layer of the GIS. Changes in boundaries are tracked by Corporate Forestry biologists.
- All habitat supply will be monitored spatially relative to the target every year.
- Nests are documented when they are located, and appropriate management strategies are developed within site-level plans.
- Known nests will be monitored for activity when forest management activities are planned nearby.



Indicator 1.2.2: Suitable Habitat in the Long Term for Selected Focal Species

Element: 1.2 Species Diversity

Conserve species diversity by ensuring that habitats and forest conditions for the native species found in the DFA are maintained through time, including habitats for known occurrences of species at risk.

Value	Objective	Indicator	Target	Variance
Availability of suitable habitat for selected focal species, including species at risk existing in the DFA	To ensure the long- term availability of habitat for selected focal species including species at risk	Degree of suitable habitat in the long term for selected focal species, including species at risk	The amount (in ha) of potentially suitable habitat available within WHA, UWR, OGMA and NCLB remains the same or increases over time (measured every five years)	UWR – decrease by 1% MAMU – decrease by 2%

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target and variance are based on legal requirements under FRPA regarding established protection/ management areas for species at risk, ungulates, and old growth management. The variance is meant to help account for fluctuation due to spatial issues (e.g. map base or scale) and natural disturbance factors. For Marbled Murrelet the variance is also to account for the inaccuracies of the modelling and the inability to predict the quality of the habitat.

Some species need habitat that includes mature to old trees for their survival. Habitat currently unsuitable for species may develop the attributes necessary for the survival of the species as it ages. It is important to ensure critical habitat will be available in the long-term. Long-term is defined as twice the average life expectancy of the predominate trees in a DFA, up to a maximum of 300 years. Tree species within the DFA are long lived and the long-term is defined as the maximum of 300 years.

Ungulate winter ranges are areas identified as critical to the survival of local populations of ungulates during severe winters. On Vancouver Island, black-tailed deer and Roosevelt Elk need areas with suitable forest and topographical features able to provide shelter, forage and snow interception. Roosevelt Elk are on the BC provincial blue-list and have a BC Conservation Framework Priority 2 (BC Species and Ecosystems Explorer, 2010) as well as having local and cultural importance. Black-tailed deer are not considered a species of concern but have local importance for food, economic opportunity and recreation.

Marbled Murrelets are small seabirds that nest inland with a majority of nests being found on large boughs high in old conifers up to 30 km inland. Much work has been done along the coast to identify and rank suitable nesting habitat for Marbled Murrelets. Marbled Murrelets are listed as Threatened on Schedule 1 of the Federal Species at Risk Act (SARA), provincially blue-listed, listed on the Forest and Range Practices Act (FRPA) Category of Species at Risk and considered Identified Wildlife, and have a BC Conservation Framework Priority of 1 (BC Species and Ecosystems Explorer, 2010). Identified Wildlife are considered to be sensitive to habitat alteration associated with forest and range practices and are considered to be at risk (endangered, threatened, vulnerable or regionally important).

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 18 of 100



Sustainable Forest Management Plan

Current Status & Results

Year	Type of Habitat Protected/ Species	Measure	Legal Reserves (ha)	NCLB¹ (ha)	Baseline (ha)	% change	Target Met (Y/N)	Variance Met (Y/N)
	UWR	Spatially delineated ungulate winter range	2,130	0	2,130	0	Υ	n/a
2018	Potential MAMU Nesting Habitat	Potentially Suitable Habitat in WHA, UWR, OGMA and NCLB	6,997	15,406	22,403	+ 4%	Y	n/a
	UWR	Spatially delineated ungulate winter range	2,130	0	2,130			
2013	Potential MAMU Nesting Habitat	Potentially Suitable Habitat in WHA, UWR, OGMA and NCLB	5116	16,389	21,505			

¹Non-contributing land base as defined by TFL 44 Management Plan 4.

<u>Ungulate Winter Ranges</u> have been legally established for all tenures within the DFA. A total of 2130 ha has been legally designated through one Order (for more details see above indicator). Ungulate Winter Range may also be available through other reserve areas (WHA, OGMA) but has not been spatially delineated as such. Established UWR should remain as such in the long-term because of the old-growth characteristics of the UWR and long intervals between natural disturbances in the ecosystems. The indicator is measured as the total area spatially delineated and conserved for ungulate winter range over the long-term and must meet or exceed the target of 2130 ha.

Marbled Murrelet nesting habitat has been delineated within the DFA. Potentially suitable habitat was modelled. Of the potentially suitable habitat within the DFA the areas within wildlife habitat areas, ungulate winter range and old growth management areas and found within the non-contributing land base (generally unharvestable) will be retained in the long-term. The potentially suitable habitat available in reserves was calculated using the current legal WHA, UWR and OGMAs. The non-contributing land base was calculated using data from the TFL 44 Management Plan 5 (2010) dataset created for the timber supply analysis.

This indicator is a measure of the amount of potentially suitable nesting habitat retained within the DFA over the long-term. The amount should be consistent or increase from the current state and not be less than 21,505 (16,389 + 5,116) ha.

Performance and Interpretation

2020: This indicator was reported in 2018. Next report will be 2023.

Strategies & Implementation

The FSP contains results and strategies for management activities within or adjacent to established WHA, UWR, and OGMAs, including provisions for amendments where permitted within the specific Order establishing the habitat area. The general management strategy is as follows:

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 19 of 100



Sustainable Forest Management Plan

- To spatially designate and legally establish Wildlife Habitat Areas, Ungulate Winter Range and Old Growth Habitat Areas. TFL 44 Limited Partnership has a mix of legally established and proposed areas. The intent is to move proposed areas through the process to become legally established. Proposed OGMAs and WHAs will be managed as if established.
- When it is necessary to build roads through or harvest adjacent to one of these reserves, TFL 44 Limited Partnership attempts to minimize the impact and provides replacement habitat of similar quality, if necessary.
- As committed in Operational Plans, TFL 44 Limited Partnership ensures areas of equivalent marbled murrelet habitat are available in the Timber Harvesting Land Base (THLB) if suitable habitat is harvested in the NCLB.
- Western's Forest Strategy around variable retention will leave a legacy of mature and old forest attributes.
- As reliable habitat modelling tools and parameters become available for different species, TFL 44 Limited Partnership will apply them to its land base to guide the evolution of management prescriptions.

Forecasts

Ungulate Winter Range is expected to not change over time as winter range is based on topographical and forested characteristics that are not expected to change significantly from the natural disturbance processes. However, winter ranges are currently being evaluated in the Great Central Lake Area which may increase the total reserve area.

The quantity of potentially suitable habitat is forecast for Marbled Murrelet. This includes the current amount of potentially suitable habitat and future potentially suitable habitat (i.e. trees that are currently too young). This does not take into account habitat quality, as the characteristics, such as moss development, are not easily modelled. It is expected that within the amount forecast not all will be suitable.

To forecast suitable habitat into the future only modelling can be used as the inventory gives the current state. Potentially suitable habitat was modelled using parameters from the Marbled Murrelet Recovery Team and in two steps.

- 1) For forests greater than 250 years old there was an assumption that the old growth characteristics would not change significantly in the long term and the following parameters were used: Forested area > 250 years old and ≥ 28.5 m tall. These parameters are from the "Most Likely" category defined in Table 3 in the Marbled Murrelet Conservation Assessment 2003, Part B.
- 2) For forests younger than 250 years old there is a potential to develop the necessary attributes. It was assumed that trees with a moderate or better site index had the potential to develop the characteristics and the following parameters were used: Forested area ≤ 250 years old and ≥ 28.5 m tall or site index ≥18.

The table below shows the result of this modelling exercise. In essence, as current young stands grow, substantially more potentially suitable habitat is available in the long-term for the Marbled Murrelet.



Year	Habitat Type	Legal Reserves (ha)	NCLB ¹ (ha)	Total (ha)	% Change	Target	Variance
	Ungulate Winter Range	2,130	0	2,130	0	Υ	n/a
2018	Potential MAMU Nesting Habitat	7,712	31,073	38,785	+.04%	Υ	n/a
	Ungulate Winter Range	2,130	0	2,130	0	Υ	n/a
2013	Potential MAMU Nesting Habitat	5,595	33,030	38,625	+ 38%	Υ	n/a
	Ungulate Winter Range	2130	0	2,130			
2009	Potential MAMU Nesting Habitat	4878	23,046	27,924			

Goshawk nesting habitat mapping is not available at this time. The Northern Goshawk Recovery Team is in the process of creating and testing a habitat model for Vancouver Island. Once this model is released it may be used to calculate the amount of habitat conserved within reserves.

Monitoring

The Wildlife Biologist & GIS Technician provide updated information in relation to this indicator to support the indicator basis for the target, current results, strategies and implementation and monitoring methods, as required. The general monitoring measures are as follows:

- Reserves are mapped spatially in a layer of the GIS. Changes in boundaries are tracked by Corporate Forestry biologists.
- Potential habitat supply will be monitored spatially relative to the target every 5 years.
- Non-contributing land base will be recalculated with new timber supply analysis

The Operations Forester coordinates GIS Analysis (shape files are maintained by government and are made available to licensees once areas are approved/ established).

Revised: May 15th, 2021 Page 21 of 100



Indicator 1.2.3 and 2.1.2: Regeneration Comprised of Native Species

Element: 1.2 Species Diversity

Conserve species diversity by ensuring that habitats and forest conditions for the native species found in the DFA are maintained through time, including habitats for known occurrences of species at risk.

	Value	Objective	Indicator	Target	Variance
Native tree spec replacement on DFA	Mativo troo enocios	Native tree species	Proportion of	At a minimum 99% of the	
		harvested on the DFA are	regeneration	trees planted be native	-2.0%
		replaced by native tree	comprised of native	species based on a five-	-2.070
	DEA	species	species	year rolling average	

History

Core Indicator under CSA Z809-08 No change for CSA Z809-16.

Basis for the Target

The target is based on legal requirements under FRPA and the associated Chief Forester's Standards for Seed Use.

The variance is based on possible future regeneration that includes a small proportion of Noble Fir or other non-native species as climate change and browse resistance are more closely examined.

Noble fir is a desirable species to reforest on TFL 44 at elevations greater than 700 meters due to its tolerance to heavy snow packs and its wood quality. At higher elevations where the planting of Douglas-fir is limited by snowpack, Noble fir becomes a good option. Young Noble Fir seedlings are very stiff and sturdy, possessing a large caliper at a young age and browse resistant. This allows these trees to be successful on areas with a high snowpack, on slopes with heavy snowfall, and areas of high ungulate use. Unlike other true firs, such as Amabilis Fir, Noble Fir produces a stronger more durable wood, with a very high strength-to-weight ratio.

Research completed by the Ministry of Forests in 1992 found Noble Fir grows well on sites in the warmer variants of the Dry and Moist Maritime Coastal Western Hemlock subzones, and the wetter variant of the moist Mountain Hemlocks subzone. This is consistent to the future planting strategy of Noble Fir on TFL 44.

Current Status & Results

Year	Planted	Native Species Planted	% Native Species (yr)	% Native Species (5 yr rolling avg)	Target Met (Y/N)	Variance Met (Y/N)
2020	612,431	605,186	98.8	99.3	Υ	n/a
2019	871,078	867,478	99.6	99.3	Υ	n/a
2018	527,572	527,572	100.0	99.2	Υ	n/a
2017	553,270	551,380	99.7	99.2	Υ	n/a
2016	1,320,431	1,304,641	98.8	99.3	Υ	n/a

Performance and Interpretation

2020: For 2020, native species dominated the reforestation program. There were 7,245 Noble Fir trees planted on prescribed sites still allowing the target to be met.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 22 of 100



Sustainable Forest Management Plan

Strategies & Implementation

The FSP contains the approved stocking standards for regeneration, which includes specific species, densities and minimum heights for each ecosystem type found in the DFA.

Forecasts

It is anticipated that the target will be achieved as it is a legal requirement. The regeneration of non-native species is expected to be rare; however, their performance will be monitored to determine if site conditions or seedling growth justify a target adjustment.

Monitoring

The Area Planner is responsible to coordinate annual reports of planted species and associated quantities through the Plant Wizard and/ or Cengea database and/ or the SPAR database.



Indicator 1.3.1: Genetic Diversity

- 1 ·					
Element		1 3 (40	natic	vareit	w
	_	1.5 06		 V G I J I L	- A

Conserve genetic diversity by maintaining the variation of genes within species and ensuring that reforestation programs are free of genetically modified organisms.

Value	Objective	Indicator	Target	Variance
Genetically modified organisms on the DFA	Genetically modified organisms are not introduced in the DFA	The percent of the trees planted annually that is genetically modified organisms	The percent of the trees planted annually that is genetically modified organisms is 0%	None

History

Core Element under CSA Z809-08.

Basis for the Target

The target aligns with the current legal status: no genetically modified organisms are currently allowed.

Current Status & Results

Year	% Genetically Modified Trees Planted	Target Met (Y/N)	Variance Met (Y/N)
2020	0	Υ	n/a
2019	0	Υ	n/a
2018	0	Υ	n/a
2017	0	Υ	n/a
2016	0	Υ	n/a

Performance and Interpretation

2020: Only seedlings from registered seedlots are planted on the DFA. No genetically modified organisms were planted. The background information associated with Indicator 1.2.3 contains a detailed breakdown of registered seedlots that are used in the DFA.

Strategies & Implementation

The only strategy in place related to this indicator is to only use seedlings from seedlots duly registered for use in BC in reforestation programs. Alternatively, natural regeneration is also used to enhance restocking of cutblocks.

The seedlot number of all stock planted in the DFA is entered in silviculture records.

Forecasts

Currently, there is no expectation that genetically modified organisms would be allowed as restocking material.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 24 of 100



Sustainable Forest Management Plan

The primary means to maintain the silviculture records is through the entry of activity information in Cengea by the Area Planner. Planting specific data is also recorded within the Plant Wizard database and the provincial SPAR database for seeds and seedlings.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 25 of 100



Indicator 1.4.1: Protection of Sites of Special Significance

Element: 1.4 Protected Areas & Sites of special biological, geological, heritage or cultural significance

Respect protected areas identified through government processes. Co-operate in broader landscape management related to protected areas and sites of special biological and cultural significance. Identify sites of special biological, geological, heritage or cultural significance within the DFA and implement management strategies appropriate to their long-term maintenance.

I	Value	Objective	Indicator	Target	Variance
	Identified sacred and culturally important sites on the DFA	Provide protection for identified sacred and culturally important sites on the DFA	Protection of sites of special significance	100% of identified sacred and culturally important sites (i.e., archaeological sites) are managed according to measures jointly developed by TFL 44 Limited Partnership and First Nations	-10%

History

Core Indicator under CSA Z809-08 (previously Indicator 1.4.2). Indicator number and title updated for CSA Z809-16.

Basis for the Target

This indicator has historically focused on aboriginal archaeological sites because of their reoccurring presence on the DFA as discovered with the assistance of First Nation communities. A broader view of other significant sites continues to be captured in Indicator 1.4.2. There are legal requirements under Heritage Conservation Act, FRPA, and the results/strategies from the Forest Stewardship Plan for management of Cultural Heritage Resources.

The target and the variance reflect the requirement to mitigate or control potential effects on identified culturally important sites.

Current Status & Results

Year	# First Nations Special Sites Identified	Sites Managed (percent)	Target Met (Y/N)	Variance Met (Y/N)
2020	3	100%	Υ	n/a
2019	2	100%	Υ	n/a
2018	3	100%	Υ	n/a
2017	1	100%	Υ	n/a
2016	1	100%	Υ	n/a

Performance and Interpretation

2020: In 2020 there were 8 cutblocks that had archaeological impact assessments completed based on their archaeological potential, from First Nation comments, the Archaeological Overview Assessment (AOA), and the observations made by field crews. Two cutblocks were associated with three Culturally Modified Trees (CMTs). One of the three CMTs was avoided by removing it from the harvest area and placing it in stand retention. The other two CMTs were managed through a Site Alteration Permit. Prior to issuing a Site Alteration Permit First Nations are provided an opportunity to comment on the harvesting plans. No comments were received.

File: \\paofile01\\Sharedfolders\\EMS\\CSA\\SFM_Plan\\2020\\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 26 of 100



Sustainable Forest Management Plan

Strategies & Implementation

Based on Archaeological Overview Assessments (AOA), the DFA has been categorized into areas based upon archaeological site potential and the need for an archaeological impact assessment (AIA). Also, oral history, photographs and traditional use information may be available for identifying important sites. Important sacred and culturally important sites (i.e. archaeological sites) are usually identified by the First Nation through information sharing and cultural referral processes. It is recognized that First Nations may not be prepared to identify the nature of all sacred and culturally important sites and options for management strategies.

As required, AIAs are completed to identify and evaluate archaeological resources within the proposed development areas. AIAs identify and assess all impacts on archaeological resources that might result from the development and recommend alternatives for managing unavoidable adverse impacts.

One of the primary archaeological resources identified in the AIA process are Culturally Modified Trees (CMTs). A CMT is a tree that has been altered by native people as part of their traditional use of the forest. Where archaeological resources may be affected by proposed timber harvesting activities, TFL 44 Limited Partnership will apply to the Provincial Government for a Site Alteration Permit (SAP). Before issuing a SAP the government refers the application to First Nations.

In most cases, AIAs are conducted jointly with representatives from the applicable First Nation. In addition, copies of the AIA report are referred to the First Nation for review and comment. TFL 44 Limited Partnership also maintains open communication with First Nations regarding harvesting and road construction activities (i.e. referral process, email communications etc.). Through this process, First Nations are provided with communication tools to respond/ approve the management options that are proposed within the AIA Report for management of identified features.

Forecasts

At this time, joint development of management options with First Nations is completed through participation in the AIA field work, referral of the AIA report, and the referral of the Site Alteration Permit application. Through these processes, it is anticipated that the target will be achieved.

In the event that a particular First Nation expresses any concerns with the existing process, alternatives may need to be developed.

Monitoring

The Operations Forester reports on the number of cultural/archaeological sites identified within cutblocks harvested during the year (Cengea, Forest Ops.). Effectiveness of management strategies (e.g. CMT buffering) is monitored during post harvest assessments.



Indicator 1.4.2: Identified Sites with Implemented Management Strategies

Element: 1.4 Protected areas & sites of special biological, geological, heritage or cultural significance

Respect protected areas identified through government processes. Co-operate in broader landscape management related to protected areas and sites of special biological and cultural significance. Identify sites of special biological, geological, heritage or cultural significance within the DFA and implement management strategies appropriate to their long-term maintenance.

Value	Objective	Indicator	Target	Variance
Sites of special	Management of sites of	Proportion of identified	100% of identified sites	
geological, biological,	special geological,	sites with implemented	have implemented	-1 site per
or cultural significance	biological, or cultural	management strategies	management	year
in the DFA	significance in the DFA	management strategies	strategies	

History

Core Indicator under CSA Z809-08 (previously Indicator 1.4.1). Indicator number and title updated for CSA Z809-16.

Basis for the Target

Some sites (e.g. karst sites, eagle nests) are managed consistent with legal requirements. Sites without legal requirements will be managed where practical with input from willing interest groups. The variance addresses unanticipated categories of special sites without legal requirements and currently known management strategies.

Current Status & Results

Year	# of Sites Identified	# of Sites Implemented Management Strategies	% Managed	Target Met (Y/N)	Variance Met (Y/N)
2020	56	56	100	Υ	n/a
2019	49	49	100	Υ	n/a
2018	48	48	100	Υ	n/a
2017	13	13	100	Υ	n/a
2016	15	15	100	Υ	n/a

Performance and Interpretation

2020: For this Indicator, 0 nest trees, 41 bear dens, 1 Karst, and 14 big trees were listed. In 2020, the Bear Den Standard (discussed with WIWAG May, 2019) was fully implemented to include about 18 den occupancy checks (post October 21) prior to beginning winter operations. Timber harvesting activities do not occur within specified distances of denning sites. The big trees listed may also include Specified Trees as defined in *Special Tree Protection Regulation* introduced by the Provincial Government in September, 2020.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc Revised: May 15th, 2021 Page 28 of



Sustainable Forest Management Plan

Strategies & Implementation

WIWAG has identified a desire to ensure protection/conservation of special sites in the DFA such as historical/memorial sites (e.g., World War II plane crash sites, old railway grade, etc.), special habitat features (e.g. eagle nests, bear dens, big trees), geological sites (e.g. karst), and other special sites of interest. Where applicable, sites will be added to the GIS layers for future tracking. Where these sites are identified during planning activities, TFL 44 Limited Partnership will develop management strategies, on a case by case basis. The EMS for TFL 44 LP ensures activities are carried out in accordance with protection measures (through Site Plans, Harvest and Road Instructions, EMS Pre-works and Inspections to assess implementation of plans and prescriptions. Identified sites are reported as they occur within or adjacent to harvest and road activities for the year of harvest completion.

Forecasts

Sites of specific significance typically involve bear dens, rare nests, karst, big trees, and historic sites. The presence of specific sites can be influenced by timber type (e.g. old growth and second growth). As harvest activities transition to second growth it is expected that the discovery of bear den sites and big trees will decrease, historic/memorial sites will increase, and that nest and karst sites will remain relatively constant if the total AAC is harvested annually.

Monitoring

The GIS Analyst reviews the wildlife, nest, big tree, and karst data layers to identify special sites encountered in a given year. The WIWAG Facilitator reports on any additional sites identified by WIWAG to be added to this indicator for future tracking and reporting.



Indicator 1.4.2a: Sensitive Ecosystem Training

Element: 1.4 Protected areas & sites of special biological geological, heritage or cultural significance

Respect protected areas identified through government processes. Co-operate in broader landscape management related to protected areas and sites of special biological and cultural significance. Identify sites of special biological, geological, heritage or cultural significance within the DFA and implement management strategies appropriate to their long-term maintenance.

Value	Objective	Indicator	Target	Variance
Sensitive	Sensitive ecosystems are	% of Planners trained in the		
ecosystems in the	identified, and their important	Sensitive Ecosystem Inventory in	75%	-10%
DFA	qualities protected	the previous 24 months		

History

This indicator is carried forward from the 2016 SFM Plan (Indicator 1.4.a). Title updated for CSA Z809-16.

Basis for the Target

To identify and protect sensitive ecosystems the training of field planners in recognition and management options is important. Multiple planners visit an area during road and cutblock development; therefore, if at least 75% of the planners receive training the area will be adequately assessed. Training on a 24-month cycle is reasonable given that the status of sensitive ecosystems is relatively static. The variance accounts for planners who are new to the DFA or who may work on a casual basis.

Current Status & Results

Year	# of Planners Trained	% Trained	Target Met (Y/N)	Variance Met (Y/N)
2020	40/40	100	Υ	n/a
2019	27/33	82	Υ	n/a
2018	36/48	75	Υ	n/a
2017	16/19	84	Y	n/a
2016	35/46	76	Υ	n/a

Performance and Interpretation

2020: Sensitive Ecosystem and Rare Species training was completed on March 27, 2019 with refreshers for selected planners in 2020. The training will need to be completed in 2021 to meet the target in the next reporting period.

Strategies & Implementation

Sensitive Ecosystems are defined as those Biogeoclimatic Ecosystem Classification variants and site associations that have been identified through government processes as "sensitive" and typically include rare and endangered plant communities.

Sensitive ecosystems are tracked in the GIS Layers and are reviewed during planning activities (the sites are identified based on high level overview ecosystem mapping). During planning activities, the areas are reviewed in the field to confirm presence and/or adjust mapping

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 30 of 100



Sustainable Forest Management Plan

boundaries to match the actual field information. General management strategies include focusing stand level retention on areas identified as sensitive ecosystems.

Training in the identification of sensitive ecosystems (in addition to species at risk, invasive plants etc.) is required to ensure that field confirmation/identification of these sites is completed accurately. Staff planners and principles of planning contractors/consultants will be captured in this training.

Forecasts

TFL 44 Limited Partnership has an internal program to ensure planners receive training in sensitive ecosystems on a 24-month cycle. It is estimated that 30 planners and planning contractors/consultants will receive training in the next session. This indicator may be adjusted in the future to capture the concept of "Quality Occurrences" as introduced by John Deal in the May 23, 2019 presentation *Western Stewardship & Conservation Plan Update*.

Monitoring

Operations Forester, with assistance from Administrative, staff generates training reports to summarize the number of Planners requiring training, and the number completed within the previous 24 months.



Indicator 2.1.1: Reforestation Success

Element: 2. 1 Forest ecosystem condition and productivity

Conserve forest ecosystem productivity and productive capacity by maintaining ecosystem conditions that are capable of supporting naturally occurring species. Reforest promptly and use tree species ecologically suited to the site.

Value	Objective	Indicator	Target	Variance
The timely establishment	Harvested areas on the	Reforestation	Hectares of forest land	
of regeneration on the	DFA are regenerated	Success	missing its milestone	None
DFA	promptly	Success	obligation annually is zero	

History

Core Indicator under CSA Z809-08 (2.1.1a). Element description updated for CSA Z809-16.

Basis for the Target

The target and variance are tied to future yield assumptions in the Timber Supply Review associated with the DFA. Prompt reforestation with ecologically suitable species is linked to the Long-Term Harvest Level (LTHL) of the DFA.

Current Status & Results

Year	Regen (RG) or Free Growing (FG)	Hectares with RG or Late FG Date	Hectares meeting late RG or FG Date	Hectares missing RG or Late FG Date	Target Met (Y/N)	Variance Met (Y/N)
2020	Regen	828.0	828.0	0	Υ	n/a
2020	Free Growing	551.1	551.1	0	Υ	n/a
2019	Regen	881.8	881.8	0	Υ	n/a
2019	Free Growing	812.6	0.008	12.6	N	N
2018	Regen	3453.2	3453.2	0	Y	n/a
2016	Free Growing	2036.3	2036.3	0	Υ	n/a
2017	Regen	2014.8	2014.8	0	Υ	n/a
2017	Free Growing	738.7	738.7	0	Y	n/a
2016	Regen	1233.9	1233.9	0	Y	n/a
	Free Growing	1234.2	1234.2	0	Y	n/a

Performance and Interpretation

2020: All 1379.1 hectares included in the scope of the target either met the regeneration delay or free growing milestones. No hectares were out of compliance.



Sustainable Forest Management Plan

Strategies & Implementation

Milestone obligations are regeneration delay and free growing dates that are established within the Forest Stewardship Plan (approved stocking standards) based on ecosystem types. Timelines are set in motion upon harvest start dates.

Timely planting with appropriate species and brush control are the primary management tools that ensure reforestation and free growing commitments are met. Government and TFL 44 Limited Partnership databases are compared to ensure that SUs approaching their time limit for regeneration are given planting priority. The Forestry department conducts surveys to ensure the success of reforestation.

Forecasts

It is anticipated that the target will be met, as it is a legal requirement.

Monitoring

Plantations are regularly assessed in the field to ensure milestone obligations are met and reported to government. The Operations Forester generates reports from Cengea and the government's *RESULTS* database to summarize compliance with milestone obligations.



Indicator 2.1.2 and 1.2.3: Regeneration Comprised of Native Species

See Indicator 1.2.3 for indicator & data

Revised: May 15th, 2021 Page 34 of 100



Indicator 2.1.3: Additions and Deletions to the Forest Area

Element 2.1 Forest ecosystem condition and productivity

Conserve forest ecosystem productivity and productive capacity by maintaining ecosystem conditions that are capable of supporting naturally occurring species. Reforest promptly and use tree species ecologically suited to the site.

Value	Objective	Indicator	Target	Variance
Retention of forest land for growing trees	Avoid excessive conversion of forest lands into other uses	Additions and deletions to the forest area	The net percent of the DFA forest land that is annually converted to other uses by the licensee (Special Use Permits [SUP] etc.) is less than 0.001%	+0.0005%

History

Core Indicator under CSA Z809-08 (Indicator 2.2.1b). Indicator number, title and element description updated for CSA Z809-16.

Basis for the Target

Given the long history of timber harvesting in the DFA and the existing infrastructure, only very small amounts of forest land are likely to be converted to other uses. Some losses are required for capacity expansion such as Dryland Sorts, landfills etc. Similarly, the reclaiming of previously converted lands is very site specific and usually associated with small areas in the DFA. Areas most commonly reclaimed are decommissioned roads.

Current Status & Results

Year	Forest Area Including Road Area (ha)	Net Conversion (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	122,115	Very slight decrease	Υ	n/a
2019	122,115	0.0	Υ	n/a
2018	127,620	0.0	Υ	n/a
2017	127,620	Very slight increase	Υ	n/a
2016	127,620	Very slight increase	Y	n/a

Performance and Interpretation

2020: In 2020 there was no known forest area converted to other permanent uses that would prohibit the growing of trees. There was about 0.2 hectare of rehabilitated road surface that was reclaimed through reforestation.

Strategies & Implementation

All Crown land in a tree farm license is designated as "Provincial Forest" land. This designation limits the ability of the company to convert the land to other uses. The *Land Act* establishes that land can be converted for easements or rights-of-way, or for other purposes, if the Chief Forester deems those uses to be compatible with uses described in the *Forest and Range Practices Act (Provincial Forest Use Regulation)*. There are also circumstances where areas (e.g. roads having surfacing removed) are reclaimed through rehabilitation and reforestation.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 35 of 100



Forecasts

It is anticipated that the net area converted to other uses will be very low given the existing infrastructure that is in place. There is the potential to reforest some reclaimed road in the summer of 2021 or very likely in 2022.

Monitoring

The Operations Forester coordinates the receipt of information from corporate staff in the Properties and Permits Department for losses of forest land and compares it to areas that are reclaimed.



Indicator 2.1.4: Sustainable Harvest Level

Element: 2. 1 Forest ecosystem condition and productivity

Conserve forest ecosystem productivity and productive capacity by maintaining ecosystem conditions that are capable of supporting naturally occurring species. Reforest promptly and use tree species ecologically suited to the site.

Value	Objective	Indicator	Target	Variance
The production	To maintain the production of	Proportion of the	The harvest level is 98 to	
of timber on the	timber at the level defined by	calculated long-term	103% of the Long-Term	+7%
DFA	the Long-Term Harvest Level	sustainable harvest level	Harvest Level (LTHL) by	-3%
DFA	(LTHL)	that is actually harvested	cut control period.	

History

Core Indicator under CSA Z809-08 (Indicator 2.2.2). Indicator number, title and element description updated for CSA Z809-16. On May 5th, 2011 the Chief Forester of B.C. approved Management Plan (MP) #5 and determined the Allowable Annual Cut (AAC) for TFL 44 to be 800,000 m³/year. The Base Case harvest schedule submitted as part of MP #5 indicated an initial harvest level of approximately 837,000 m³/year and a LTHL of 806,600 m³/year. Since the AAC was set below the LTHL of the Base Case, the current AAC of 782,482m³ is the most suitable estimate of the LTHL.

Basis for the Target

Customer demand and government legislation are the basis for pursuing 100% of the Long Term Harvest Level (LTHL) or Allowable Annual Cut in a given cut control period. Legislation is written to encourage harvesting the LTHL in a cut control period to maintain economic stability. Cut control periods are typically five years but can be re-set to a lesser period by a licensee upon notification to government.

The variance is for fluctuations in customer demand. The upper variance is guided by government legislation which levies financial penalties when the harvest level is greater than 110%.

Current Status & Results

Year	Annual Harvest Level (m³)	LTHL (m³)	Annual Harvest as % of LTHL	Target Met (Y/N)	Variance Met (Y/N)
5 Year Period 2016-2020	2,448,173	3,912,410	63%	N	N
2020	617,893	782,482	79%		
2019	462,820	782,482	60%		
2018	650,241	782,482	83%		
2017	331,065	782,482	42%		
2016	386,152	782,482	49%		



Sustainable Forest Management Plan

Performance and Interpretation

2020: The 5-year cut control period ended December 31, 2020. Harvest levels for the period were 63% of the 5-year allocation. Harvest levels were influenced downward by contractual (2016-2017) and labour (2019-2020) disputes and to a lesser extent poor market conditions and adverse weather (2018) during the period.

Strategies & Implementation

TFL 44 Limited Partnership's broad strategy is to meet customer demands by supplying and developing good quality products that will allow the annual harvest to be 100% of the LTHL. The cut control period may be re-set periodically from its five-year term to account for market fluctuations. There is potential for government to award unharvested volumes of the AAC to third parties.

The LTHL is calculated by Corporate Forestry by evaluating the rate of growth. The Province's Chief Forester takes this number into consideration when the AAC for the Licence is determined. LTHL is dependent on area, the productivity of the forestland, level of silviculture (e.g. numbers of trees established per ha, control of competing vegetation, fertilization etc.) and harvest constraints (e.g. restrictions on the rate of harvest). These factors are defined in the strategic analysis.

Forecasts

This indicator will be considered for a re-write in 2021 to account for an Allowable Annual Cut (AAC) Partition effective December 8, 2020. In short, two AAC partitions have been established to better ensure that harvesting is aligned with the timber profile of the economically operable land base and that the harvest of second-growth stands is at a sustainable level.

Monitoring

The Operations Forester is responsible for coordinating harvest volume data using the Cut Control Statements provided by the Ministry of Forests, Lands and Natural Resource Operations. These official statements are received in the second quarter of the year following the reporting year. The Harvest Billing System scale reports and billed/unbilled waste volumes are used to estimate the harvested volume in the reporting year.



Indicator 3.1.1: Level of Soil Disturbance

Element: 3.1 Soil Quality and Quantity Conserve soil resources by maintaining soil quality and quantity.						
Value	Objective	Indicator	Target	Variance		
The quality of forest soils in the DFA	Harvesting operations do not excessively disturb forest soils	Level of soil disturbance	The number of cutblocks harvested annually in which soil disturbance exceeds 5% of the net area to reforest is zero	None		

History

Core Indicator under CSA Z809-08 Title updated for CSA Z809-16.

Basis for the Target

The target and variance are based on the desire to maintain soil productivity to grow successive timber crops that align with timber supply assumptions. Specific numbers are tied to legal requirements established in FRPA for sensitive soils. Non-sensitive soils have a limit of 10% soil disturbance and roadside areas have a limit of 25%.

Current Status & Results

Year	# Cutblocks Exceeding 5% Soil Disturbance	Target Met (Y/N)	Variance Met (Y/N)
2020	0	Υ	n/a
2019	0	Υ	n/a
2018	0	Υ	n/a
2017	0	Υ	n/a
2016	0	Υ	n/a

Performance and Interpretation

2020: Of the 69 cutblocks that were assessed in 2020 none were determined to have soil disturbance exceeding 5%.

Strategies & Implementation

The strategy to not exceed 5% of the Net Area to be Reforested is identified in Standard Operating Procedures (SOPs) as to:

- identify sensitive soils in the planning stages through field work (limits are recorded in Site Plans),
- assign the appropriate harvest method (ground based, cable, aerial) for the soil conditions,
- assign the appropriate equipment to the soil conditions (hoe-chuck vs. skidder),
- use woody debris to insulate soil disturbance,
- curtail operations during wet weather.

Soil disturbance is assessed during cutblock inspections and post harvest inspections. SOPs are updated with new information for minimizing soil disturbance as required. Cutblocks may exceed 5% for non-sensitive soils and roadside work areas as permitted under FRPA.

Forecasts

The historical performance indicates that the current Standard Operating Procedures and feedback strategies will ensure that cutblock soil disturbance is maintained at or below 5%.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 39 of 100



Monitoring

The Operations Forester reviews the postharvest assessment reports for cutblocks harvested within the year and reports the number of cutblocks that are recorded as exceeding the 5% soil disturbance limit.



Indicator 3.1.2: Level of Downed Woody Debris

Element: 3.1 Soil Quality and Quantity Conserve soil resources by maintaining soil quality and quantity.						
Value	Objective	Indicator	Target	Variance		
Wood debris available for soil processes on the DFA	Maintain sufficient amounts of wood debris for soil processes	Level of downed woody material	> 40 m³ per hectare (annually)	-5.0 m³ per hectare		

History

Core Indicator under CSA Z809-08. Title and indicator description updated for CSA Z809-16.

Basis for the Target

The target and variance are guided by company and government research that shows levels of woody debris by biogeoclimatic subzone. Generally, high levels of downed wood debris are preferred. Moreover, there is a FRPA requirement to retain about 10 m³ per hectare.

Current Status & Results

Year	Downed Woody Debris (m³) per hectare	Target Met (Y/N)	Variance Met (Y/N)
2020	123	Υ	n/a
2019	125	Υ	n/a
2018	134	Υ	n/a
2017	140	Υ	n/a
2016	152	Υ	n/a

Performance and Interpretation

2020: Downed woody debris levels decreased again in 2020 but are still well above the target. Old growth conventional, helicopter harvesting, and second growth harvesting all had less downed woody debris per hectare as compared to 2019.

Strategies & Implementation

Coastal stands often have significant levels of downed and dead standing woody debris at various levels of decomposition. Harvesting operations may remove some dead woody debris but more often add to these levels by leaving non-merchantable and decaying wood on site. Yarding activities attempt to leave non-merchantable wood dispersed on site rather than create unnecessary road-side accumulations. Broadcast burning of woody debris has been virtually eliminated as a site preparation tool. Finally, the corporate retention strategy leaves standing timber that will serve as sources for downed woody debris in the future.

Forecasts

The level of downed woody debris is affected by the degree of old growth vs. second growth harvesting, the amount of conventional vs. helicopter yarding and the timber values. Old growth harvesting particularly helicopter logging has the highest levels of residue downed woody debris. Old growth waste levels are about double the levels in second growth because of more decay and breakage. For 2021 downed woody debris levels are expected to increase as the proportion of old growth harvesting is planned to be higher than 2020.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 41 of 100



Monitoring

The level of downed woody debris will be measured through information uploaded to the government Waste system. The Operations Forester reviews the results of waste data submitted to government in a calendar year and divides the total submitted waste volume by the harvested area of the associated cutblocks.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 42 of 100



Indicator 3.1.2a:Limit Herbicides

Element: 3.1 Soil Quality and Quantity Conserve soil resources by maintaining soil quality and quantity.					
Value	Objective	Indicator	Target	Variance	
The natural chemistry of forest soils in the DFA	The natural chemistry of forest soils is maintained	The percent of the DFA area where herbicides are applied	< 0.1% (annually)	+0.05%	

History

This indicator is carried forward from the 2016 SFMP (Indicator 3.1.a). Indicator number updated for CSA Z809-16.

Basis for the Target

The DFA has remote locations of competing vegetation most responsive to herbicide treatments. These remote locations are the most cost effective for treatment in areas of greater than 80 hectares. The variance is based on seasonal (weather) and public consultation constraints that may delay treatments in a given year.

Current Status & Results

Year	Total DFA (ha)	Area Treated (ha)	Percent Treated (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	136,960	0.0	0.0	Υ	n/a
2019	136,960	15.5	0.01	Υ	n/a
2018	139,446	0.5	0.0 trace	Υ	n/a
2017	139,446	20.7	0.02	Υ	n/a
2016	139,446	57.5	0.04	Υ	n/a

Performance and Interpretation

2020: No herbicides were applied in the DFA in 2020.

Strategies & Implementation

The primary strategy is to minimize the use of toxic herbicides for brush treatments. To minimize the use of herbicides, harvested areas are reforested promptly so that planted seedlings may thrive amidst competing vegetation. Where effective manual treatments are available for competing vegetation (e.g. red alder), herbicides are avoided. Only herbicides deemed slightly toxic (e.g. alyphosate and Triclopyr) are used.

Pre-harvest planning includes a review of vegetation levels and potential challenges during Site Plan field work. Post-Harvest silviculture surveys also review vegetation levels. Treatments are prescribed within the Cengea database as forward planning activities, where required to meet regeneration milestones (regeneration and free growing). Pesticide Free Zones associated with streams are established according to the specifications of the Pest Management Plan for the DFA. These Zones assist to ensure water quality is maintained for treatments areas.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 43 of 100



TFL 44 Limited Partnership Sustainable Forest Management Plan

Forecasts

It is anticipated that the percent treated will typically be less than 0.1%, based on the historical average. About 70 hectares of herbicide treatments are currently forecast for 2021 subject to approval of the Pest Management Plan (PMP) currently under review.

Monitoring

The Operations Forester generates reports of areas treated from the Cengea database.



Indicator 3.2.1: Proportion of Watershed with Stand-Replacing Disturbance

Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.						
Value	Objective	Indicator	Target	Variance		
Water quality and quantity	Management operations do not endanger water quality and quantity	Proportion of watershed or water management areas with recent stand-replacing disturbance	The annual number of watersheds greater than 3000 hectares in size that have more than 30% of their area in the 0-20 years age class is 2 or less	+1 Watershed		

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

In general terms, watershed health is related to the amount of forest area that exists in a non-hydrological recovered state (younger stands). The value of 30% by area and age class reflects a science-based approach to hydrological recovery. The variance reflects the potential for increased harvest in watersheds for product demands or damaged timber salvage and adjustments for recent changes in the DFA.

Current Status & Results

Year	Watersheds with area > 3,000 hectares	Total Productive Area (ha)	Total area harvested in last 20 years (ha)	Percent of Total Productive Forest in Watershed	Target Met (Y/N)	Variance Met (Y/N)
	Caycuse River	5,302	827	15.6%		
	Coleman Creek	8,095	1,520	18.8%		
	Franklin River	5,375	1,598	29.7%		
	Great Central Lake	17,526	1,964	11.2%		
2020	Henderson Lake	7,748	1,035	13.4%	Υ	n/a
	Klanawa River	22,553	6,234	27.6%		
	Nitinat River	18,145	2,226	12.3%		
	Sarita River	5,110	646	12.6%		
	Walbran Creek	4714	1167	24.8%		
	Caycuse River	5300.1	876.0	16.5%		
	Coleman Creek	8090.4	1422.0	17.6%		
	Franklin River	5385.6	1584.3	29.4%		
	Great Central Lake	17369.0	2008.0	11.6%		
2019	Henderson Lake	7662.4	1011.5	13.2%	Υ	n/a
	Klanawa River	22541.6	6262.7	27.8%		
	Nitinat River	18148.2	2287.2	12.6%		
	Sarita River	5106.2	651.1	12.8%		
	Walbran Creek	4714.3	1151.3	24.4%		
2018	Caycuse River	5308.5	904.7	17.0%	Υ	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 45 of 100



Sustainable Forest Management Plan

PAR	TNERSHIP	_				
	Coleman Creek	8105.9	1403.2	17.3%		
	Franklin River	5369.2	1612.8	30.0%		
	Great Central Lake	18116.7	1995.9	11.0%		
	Henderson Lake	7641.7	1027.0	13.4%		
	Klanawa River	22607.5	6365.0	28.2%		
	Nitinat River	18166.4	2204.2	12.1%		
	Sarita River	5124.6	688.4	13.4%		
	Walbran Creek	4723.9	1132.3	24.0%		
	Caycuse River	5,303	902	17.0%		
	Coleman Creek	8,113	1,488	18.3%		
	Franklin River	5,382	1,586	29.5%		
	Great Central Lake	18,941	2,014	10.6%		
2017	Henderson Lake	7,648	1,201	15.7%	Υ	n/a
	Klanawa River	22,608	6,350	28.1%		
	Nitinat River	18,168	2,249	12.4%		
	Sarita River	5,129	630	12.3%		
	Walbran Creek	4,687	1,110	23.7%		
	Caycuse River	5,309	909	17.1 %		
	Coleman Creek	8,113	1,466	18.1 %		
	Franklin River	5,385	1,544	28.7 %		
	Great Central Lake	19,782	1,922	9.7 %		
2016	Henderson Lake	7,646	1,186	15.5 %	Υ	n/a
	Klanawa River	22,612	6,444	28.5 %		
	Nitinat River	18,172	2,304	12.7 %		
	Sarita River	5,128	602	11.7 %		
	Walbran Creek	4,688	1,150	24.5 %		

Performance and Interpretation

2020: For 2020 no watershed exceeded 30% and in general percentages stayed relatively constant given reduced harvest levels and recent harvest history.

Strategies & Implementation

The harvest level strategies are documented within the Timber Supply Analysis and the TFL 44 Management Plan (#5). The broad strategy is to distribute the harvest across the DFA considering the objectives of landscape level zonation (Special, General, and Enhanced), and the rates of cut associated with Fisheries Sensitive Watersheds and steep terrain.

Forecasts

It is anticipated that the planned harvest levels in the Franklin watershed may yield results at or slightly above 30% for 2021.

Monitoring

The Operations Forester coordinates a corporate GIS Analysis that updates the inventory age and the harvested areas for the previous year.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 46 of 100



Indicator 3.2.2: Forest Management Activities Consistent with Prescriptions to Protect Identified Water Features

Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.					
Value	Objective	Indicator	Target	Variance	
Water quality and quantity	Timber harvesting activities do not endanger water quality and quantity	Proportion of forest management activities, consistent with prescriptions to protect identified water features	100% of cutblocks harvested annually will have stand level retention associated with a riparian area of an identified water feature within the Total Area Under Prescription (TAUP)	No Variance	

History

New Core Indicator under CSA Z809-16

Basis for the Target

This target aligns with Section 4.3 of the Forest Stewardship Plan (FSP) for the Defined Forest Area. Specifically, the government objective in the Forest Planning and Practices Regulation (FPPR) is to conserve at the landscape level values within riparian areas. The FSP commits that at the conclusion of harvesting a portion of the stand level retention requirement will be located in a riparian management zone of a stream associated with the cutblock.

Current Status & Results

Year	Total # Cutblocks Harvested	# Cutblocks with Riparian Retention	Percent of Cutblocks with Riparian Retention	Target Met (Y/N)	Variance Met (Y/N)
2020	83	83	100 %	Υ	n/a
2019	58	58	100 %	Υ	n/a
2018	63	63	100 %	Υ	n/a

Performance and Interpretation

2020: For 2020 all cutblocks with an identified water feature within the Total Area Under Prescription (TAUP) had stand level retention associated with the feature.

Strategies & Implementation

Strategies to conserve water quality are also planned and implemented at the cutblock level. Strategies include falling and yarding timber away from streams, stream cleaning, and retaining vegetation (understory and overstory). Retaining overstory vegetation in riparian areas ensures that timber harvesting activities are directed away from streams.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 47 of 100



Sustainable Forest Management Plan

Forecasts

It is expected that the target will be met because of the commitment in the Forest Stewardship Plan.

Monitoring

Stand level retention is prescribed and located in the planning phase of proposed cutblocks. Inspections and post harvest assessments ensure that retention levels and locations are met and not damaged. The Operations Forester will query post harvest assessments the SNAP database to ensure that riparian retention was respected and achieved.



Indicator 3.2.2a: Watershed Condition

Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.						
Value	Objective	Indicator	Target	Variance		
The hydrological condition of sensitive forested watersheds in the DFA	The hydrological condition of sensitive watersheds is improved	The average number of landslides originating from harvested areas in the high landslide frequency zone of Alberni Inlet East	The average number of landslides per year is 5.6 or less per 100 net hectares harvested from areas in the high landslide frequency zone (based on a tenyear rolling average measured every 3 years)	+1.0 Landslide		

History

This indicator is carried forward from the 2016 SFMP (Indicator 3.2.A). Indicator number updated for CSA Z809-16.

Basis for the Target

Landslides have the potential to accelerate the delivery of sediments and bedload material to sensitive streams in the DFA, possibly affecting the hydrologic condition of forested watersheds. The DFA has two Fisheries Sensitive Watersheds in the high landslide frequency zone. The target is based on historic landslide data dating back to 1995 and a reduction in landslide frequency since 2007. The reduction in landslide frequency is expected to improve the long-term hydrologic condition of the sensitive watersheds. The landslide inventory of the DFA is updated every three to five years by a qualified professional specializing in terrain evaluation, slope stability assessments, watershed assessments, road deactivation, railway grade and road construction, and road maintenance and reconstruction. The variance accounts for the potential for catastrophic events or the uncertain impacts of climate change.

Current Status & Results

Year Harvested	10 Year Landslide Frequency	Target Met (Y/N)	Variance Met (Y/N)
2020	Next scheduled update 2021	n/a	n/a
2019	1.3	Υ	n/a
2018	Next scheduled update 2019	n/a	n/a
2017	Next scheduled update 2019	n/a	n/a
2016	2.0 (1.1 pre-Lidar)	Υ	n/a
2015	Next scheduled update 2016	n/a	n/a
2014	Next scheduled update 2016	n/a	n/a
2013	Next scheduled update 2016	n/a	n/a
2012	5.5	Υ	n/a

Performance and Interpretation

2020: The results for this indicator will next be reported in 2021. In early 2021 a specialist started work to complete a finer scale landslide inventory. Once this exercise is complete, the target will be updated to the new LIDAR methodology and this indicator will be reported in 2021 to reestablish a baseline.

File: \\paofile01\\Sharedfolders\\EMS\\CSA\\SFM_Plan\\2020\\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 49 of 100



Sustainable Forest Management Plan

Strategies & Implementation

Western Forest Products maintains a *Terrain Risk Management Strategy (TRMS)* to guide its forest professionals in choosing appropriate risk management strategies when planning forest roads and cutblocks. The *TRMS* was developed and is supported with research findings and input from respected terrain and forest professionals. When planning forest roads and cutblocks, forest professionals use the *TRMS* to consider the potential for landslide occurrence, sediment delivery to streams, and values at risk. They will also consult terrain specialists to guide their management decisions. To assist with the reduction in landslide frequency TFL 44 Limited Partnership ensures that roads are properly inspected, maintained or deactivated. Additional strategies related to this indicator can be found in the SFM Plan *Management Strategies*.

Forecasts

The landslide frequency has fallen or remained stable for several consecutive periods. While trends are encouraging the most recently harvested areas have not been fully tested. Nevertheless, recent adjustments to harvest practices on steep slopes based on evolving research show promise for reductions in frequency. Should the adjustments to harvesting practices on steep slopes not withstand the more intense winter storms associated with climate change, the 10-year rolling average could increase from its current level in the 2019 report. Moreover, a detailed look at LIDAR data from a specialist scheduled for 2021 may result in a discovery of previously missed small landslides.

Monitoring

The Operations Forester ensures the landslide inventory is updated every three years. The Operations Forester consults the most current version of the landslide inventory and determines the number of landslides by harvest year and relates the information to the total harvest by year in the high landslide frequency zone.

File: \paofile01\Sharedfolders\EMS\CSA\SFM Plan\2020\PAFO SFMP-App.1 2021 Detailed Indicator+Results 2021-04-15.doc

Revised: May 15th, 2021 Page 50 of 100



Indicator 3.2.2b:Community Watersheds

Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.						
				Variance		
Water quality in	Water quality in	The number of water-related non-				
community watersheds	community watersheds is	compliances or non-conformances in	Zero	None		
in the DFA	maintained	community watersheds				

History

This indicator is carried forward from the 2016 SFMP (Indicator 3.2.B). Indicator number updated for CSA Z809-16.

Basis for the Target

The target and variance are based on legal requirements under FRPA and the TFL 44 Limited Partnership's EMS.

Current Status & Results

Year	# of non- Conformance	# of non- Compliance	Target Met (Y/N)	Variance Met (Y/N)
2020	0	0	Υ	n/a
2019	0	0	Υ	n/a
2018	0	0	Υ	n/a
2017	0	0	Υ	n/a
2016	0	0	Υ	n/a

Performance and Interpretation

2020: No harvesting occurred in community watersheds in 2020.

Strategies & Implementation

Standard Operating procedures (SOPs) govern and limit any negative impacts to water quality. Moreover, the current FSP has strategies for sediment control in community watersheds specific to ditch cleaning, culvert replacement, road surfacing and road maintenance.

Forecasts

It is anticipated that the target and variance will be met, as the target is related to a legal requirement. Harvesting is planned for the China Creek community watershed for 2021.

Monitoring

The Operations Forester reviews the central file for external and internal audits, inspections and/or investigations and the Cengea database Incident Tracking System for reports of non-conformance or non-compliance. Compliance and conformance to the SOP's is monitored through cutblock, road and post-harvest inspections.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 51 of 100



Indicator 3.2.2c:S4 Streams

	Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.					
,	Value	Objective	Indicator	Target	Variance	
st	S4 fish reams in he DFA	Maintain or increase the level of protection for S4 fish streams	The percent of stream area of S4 fish streams that are buffered with stand level retention	Measured annually, the percent area that is buffered within a 15- meter corridor associated with S4 fish streams is 80% or greater	-5%	

History

This indicator is carried forward from the 2016 SFMP (Indicator 3.2.C). Indicator number updated for CSA Z809-16.

Basis for the Target

The target is based on maintaining habitat to support WIWAG input on riparian habitat and fish and an objective under FRPA. Historically, a WIWAG subcommittee established the targets after discussion and field measurements of actual achievements. S4 streams are fish bearing and less than 1.5 meters in width.

Current Status & Results

Year	# Cutblocks	Total Area 15m Stream Buffer (ha)	Logged Area of 15m Stream Buffer (ha)	Amount of 15m Stream Buffer Intact (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	14	11.5	1.75	85	Υ	n/a
2019	11	8.0	2.8	65	N	N
2018	12	7.1	1.6	77	N	Υ
2017	2	0.1	0.0	100	Υ	n/a
2016	3	1.7	0.1	94	Υ	n/a

Performance and Interpretation

2020: This indicator was brought back to exceed the target because of additional focus during cutblock planning. Moreover, a computer model has been established that the allows for inprogress monitoring.

Strategies & Implementation

Planners utilize riparian areas when considering the best location for the placement of retention. Retention along streams is determined at cutblock design. Riparian values are often used to determine the location of VR patches. Yarding systems and windthrow hazard are other factors that require consideration. Strategies related to this indicator can also be found in the SFM Plan Management Strategies (Riparian Management).



TFL 44 Limited Partnership Sustainable Forest Management Plan

Forecasts

Data for 2021 is expected to show the target being met.

Monitoring

The Operations Forester coordinates review of the cutblocks deemed harvest complete and reports the required data/results. Streams are measured by GIS methodologies. The post harvest assessment process monitors the effectiveness of the stream buffers.



Indicator 3.2.2d:S5 Streams

Element: 3.2 Water Quality and Quantity Conserve water resources by maintaining water quality and quantity.						
Value	Objective	Indicator	Target	Variance		
S5 streams in the DFA	Maintain or increase the level of protection for S5 streams	The percent of stream length of S5 streams that are buffered with stand level retention	Measured annually, the percent area that is buffered within a 15- meter corridor associated with S5 streams is 60% or greater	-5%		

History

This indicator is carried forward from the 2016 SFMP (Indicator 3.2.D). Indicator number updated for CSA Z809-16.

Basis for the Target

The target is based on maintaining habitat to support WIWAG input on riparian habitat and downstream fish values and an objective under FRPA. S5 streams are non-fish bearing and greater than 3 meters in width.

Current Status & Results

Year	# Cutblocks	Total Area of 15m Stream Buffer (ha)	Logged Area of 15m Stream Buffer (ha)	Amount of 15m Stream Buffer Intact (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	46	50.7	8.9	82	Υ	n/a
2019	29	32.8	4.2	87	Υ	n/a
2018	33	36.6	7.0	81	Υ	n/a
2017	20	26.0	3.8	85	Υ	n/a
2016	21	26.6	5.9	78	Υ	n/a

Performance and Interpretation

2020: The target for this indicator was achieved in 2020. S5 streams remain a primary target for retention as they are often subject to gullied terrain which is less accessible to timber harvesting activities.

Strategies & Implementation

Planners utilize riparian areas when considering the best location for the placement of retention. Retention along streams is determined at cutblock design. Riparian values are often used to determine the location of VR patches. Yarding systems and windthrow hazard are other factors that require consideration. Strategies related to this indicator can also be found in the SFM Plan Management Strategies (Riparian Management).

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 54 of 100



Sustainable Forest Management Plan

The target is expected to be achieved for 2021 but should remain in the 80 percent range.

Monitoring

The Operations Forester coordinates review of the cutblocks deemed harvest complete and reports the required data/results. Streams are measured by GIS methodologies. The post harvest assessment process monitors the effectiveness of the stream buffers.



Indicator 4.1.1: Net Carbon Uptake

Element: 4.1 Carbon Uptake and Storage Maintain the processes that take carbon from the atmosphere and store it in forest ecosystems.							
Value	Objective	Indicator	Target	Variance			
The uptake of carbon	The net rate of carbon uptake by the forest is positive over time	Net carbon uptake	The net annual carbon uptake on the DFA is positive	1 year negative			

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The basic premise of a sustainable forest management organization is that it should be at least carbon neutral from the onset. In this context, carbon neutrality is a demonstration that harvest levels are sustainable. Forest management should be shown to be a positive contributing activity for global ecological cycles over time.

The variance is meant to help account for fluctuation in yearly cut levels due to market conditions and license obligations under provincial legislation.

Current Status & Results

The net carbon uptake on the DFA is simply defined as the difference between the total carbon uptake on the DFA by its growing stock, minus the net carbon removed from the DFA through harvest operations and the total carbon emitted through fuel consumption during forest management operations.

Year	Description	CO2e (tonnes)	Target Met (Y/N)	Variance Met (Y/N)
	Carbon uptake (from growing stock TFL 44)	613,020		
	Carbon removed (to short-lived products1)	-215,364		
2020	Fuel Consumed (harvest & transport)	-7,794	Υ	n/a
	Debris burned (debris disposal/operational fires)	-84,866		
	NET Carbon Uptake	304,997		
	Carbon uptake (from growing stock TFL 44)	608,773		
	Carbon removed (to short-lived products1)	-188,917		
2019	Fuel Consumed (harvest & transport)	-6,796	Υ	n/a
	Debris burned (debris disposal/operational fires)	-70,283		
	NET Carbon Uptake	342,777		
	Carbon uptake (from growing stock TFL 44)	611,768		
	Carbon removed (to short-lived products1)	-248,791	Y	n/a
2018	Fuel Consumed (harvest & transport)	-8,928		
	Debris burned (debris disposal/operational fires)	-54,634		
	NET Carbon Uptake	299,415		
	Carbon uptake (from growing stock TFL 44)	604,961		
	Carbon removed (to short-lived products1)	-84,531		
2017	Fuel Consumed (harvest & transport)	-2,891	Υ	n/a
	Debris burned (debris disposal/operational fires)	-127,485		
	NET Carbon Uptake	390,053		

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 56 of 100



Sustainable Forest Management Plan

	Carbon uptake (from growing stock TFL 44)	603,231		
	Carbon removed (to short-lived products1)	-88,172		
2016	Fuel Consumed (harvest & transport)	-3,294	Υ	n/a
	Debris burned (debris disposal/operational fires)	-89,713		
	NET Carbon Uptake	422,052		

¹ Short lived products refers to paper, cardboard, and firewood.

Performance and Interpretation

2020: The Net Carbon Uptake remained positive and decreased slightly because of a higher harvest level than 2019. All variables are within established ranges experienced in the last five years.

Strategies & Implementation

The primary strategy for ensuring a consistent net rate of carbon uptake on the DFA overtime is prompt and effective reforestation or regeneration of harvested areas that aims to establish free growing stands of healthy trees of mixed species in sufficient numbers and within set time frames. This is primarily achieved through a combination of natural regeneration and the planting of seedlings shortly after harvest is completed.

In certain circumstances, additional treatments/strategies may be required in support of this core strategy to achieve its goal including:

- site preparation such as spot or broadcast burns or mechanical debris scattering or removal to ensure a good distribution of the regeneration throughout the harvested area.
- fertilization at the time of planting to help initial seedling growth and establishment ahead of competing brush.
- the use of improved seed for planted seedlings that have improved growth performance and/or insect or disease resistance.
- brushing treatments to relieve young trees from competing vegetation.
- broadcast fertilization of stands to stimulate growth when funding is available.
- forest fire preparedness & response that aim at the prevention of fires and the prompt control and extinguishment of those that occur.
- modernizing or upgrading of equipment that result in improved fuel efficiencies.

Forecasts

Modelling different harvest levels indicates that the annual net carbon uptake should remain positive for the DFA at the AAC level of harvest but could turn negative in a year where substantially more than the AAC is harvested. For 2021, results are expected to be lower than 2020 because of an anticipated increase in harvest levels over 2020. The calculations for determining net carbon uptake may be subject to a review in 2021-2022. This indicator is proposed for an update effective the 2021 reporting year. Advice from WIWAG will be requested in 2020.

Monitoring

The Operations Forester coordinates calculation of the Net Carbon Uptake using Cengea and the GIS database (assistance may be provided by corporate personnel).

To monitor and calculate performance on this indicator, a number of parameters must be monitored or maintained for the DFA;

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 57 of 100



Sustainable Forest Management Plan

- growing stock inventory over time (adjusted for age and for annual harvested area),
- volume harvested annually,
- species profile of the harvested volume,
- age (i.e. old growth vs. 2nd growth) profile of the harvested volume,
- total annual fuel consumption (gasoline, diesel fuel, aircraft fuel), based on a factor applied to the annual harvest in cubic meters (M³). See description of process below.
- annual area burnt in operationally caused forest fires,
- annual area burnt in broadcast silviculture fires,
- total number of debris piles burned annually for silviculture or fire abatement reasons and their average size.

The parameters listed above are entered in a spreadsheet built to calculate the carbon values emitted. It includes conversion factors extracted from recognized and credible international research literature. These factors include carbon density (CO₂e) of wood by species in tonnes/m³, carbon density of various fuel types in tonnes/L and proportion (%) of wood harvested that is stored in short-lived products.

Fuel consumption is calculated based on a factor derived from an average of all WFP's CSA DFA's from data gathered for the 2012 – 2016 reporting periods. The factor is applied to the annual M³ of harvest as reported for the CSA reporting period. This includes diesel, gasoline and avgas consumption. This factor will be reviewed and revised every 5 years to account for changes in harvest types, technology and equipment. The current factor is 16.67 kg of carbon per M³ of harvest. The rationale for using a factor is that fuel accounts for a relatively low portion of the carbon produced; already uses factors for contractors as they do not report fuel consumption; and has not seen significant fluctuations over the time it has been calculated (2009 – 2016).



Indicator 4.1.2: Reforestation Success

Element 4.1 Carbon Uptake and Storage Maintain the processes that take carbon from the atmosphere and store it in forest ecosystems.							
Value	Objective	Indicator	Target	Variance			
The uptake and storage of carbon on the DFA	The uptake and storage of carbon is enhanced	Reforestation success	Equivalent years of Not Sufficiently Reforested (NSR) expressed against the five-year rolling average of annual area harvested is less than two years	+0.75 years			

History

Core Indicator under CSA Z809-08 (Indicator 2.1.1b). Indicator number updated for CSA Z809-16.

Basis for the Target

The target is based on legal requirements under FRPA for regeneration delay. The variance allows for minor discrepancies related to the challenges surrounding forecasting seed and seedling requirements one to two years ahead based on estimated harvest levels/ plans.

Current Status & Results

Year	NSR Area (productive ha)	Area Harvested (ha)	Area Harvested, 5 Year Average (ha)	NSR Equivalency (years)	Target Met (Y/N)	Variance Met (Y/N)
2020	565.7	834.5	548.5	1.03	Υ	n/a
2019	475.2	477.8	599.4	0.79	Υ	n/a
2018	642.2	546.0	738.3	0.87	Υ	n/a
2017	275.2	343.6	895.6	0.31	Υ	n/a
2016	410.2	540.8	1179.2	0.35	Υ	n/a

Performance and Interpretation

2020: For 2020, just over 1 year (1.03) of average annual harvest has not been reforested and is within the target. The result increased over 2019 as less seedlings were sown given uncertainty of operations related to the strike.

Strategies & Implementation

Planting with appropriate species and brush control are the primary management tools that ensure reforestation and free growing commitments are met on time.

Natural regeneration is unpredictable on the DFA. Artificial regeneration through timely tree planting is the favored method for successful tree occupancy of harvested areas.

Plantations are regularly assessed in the field to ensure milestone obligations are met and reported to government. New plantations are established in the spring and the fall of each year and assessed for survival the year following tree planting.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 59 of 100



Sustainable Forest Management Plan

Forecasts

NSR Equivalency is expected to increase again for the 2021 but will still achieve target.

Monitoring

The Operations Forester generates reports from the Cengea Database detailing the total NSR hectares and the area harvested for cutblocks completed at the end of a calendar year. NSR equivalency (years) equals the NSR area (ha) divided by the 5-year rolling average of annual area harvested.



Indicator 4.2.1: Forest land conversion

Element: 4.2 Forest land conversion Protect forest lands from deforestation. Encourage afforestation where ecologically appropriate.						
Value	Objective	Indicator	Target	Variance		
The productivity of the DFA	The productivity of the DFA is maintained over time	Additions and deletions to the forest area	The net percent of forest area harvested each year in the DFA that is converted to permanent access structure (PAS) does not exceed 7%	+ 1%		

History

Core Indicator under CSA Z809-08 (Indicator 2.2.1a). Indicator number, title and element description updated for CSA Z809-16.

Basis for the Target

The target and variance are based on legal requirements under FRPA. PAS is permitted to exceed 7% in specific situations for variables such as safety considerations and terrain constraints, etc. provided appropriate rationale is documented.

Current Status & Results

Year	TAUP (ha)	Permanent Access(ha)	Access as % of TAUP	Target Met (Y/N)	Variance Met (Y/N)
2020	726.7	45.9	6.3	Υ	n/a
2019	677.8	46.0	6.8	Υ	n/a
2018	777.7	51.5	6.6	Υ	n/a
2017	460.8	24.3	5.3	Υ	n/a
2016	700.7	31.5	4.0	Υ	n/a

Performance and Interpretation

2020: The permanent access (roads) as a function of the Total Area Under Prescription (TAUP) decreased slightly to 6.3% but remained below the target for 2020. Of the 65 cutblocks in the assessment 25 (38%) were dominated by helicopter logging. Helicopter logging generates less road per hectare of harvest thereby assisting to achieve the target.

Strategies & Implementation

To minimize permanent access structures, appropriate yarding systems are applied to minimize roads constructed and roads are debuilt and reforested (net percent) where necessary or appropriate. The 7% target is applied during planning to each block. Strategies that related to this indicator can also be found in the SFM Plan Management Strategies (Site Restoration).

Forecasts

Based on historical data, it is anticipated that the average PAS will range between 5-7% (allowing for slight variations between harvested cutblocks) and is expected to remain closer to 7% for 2020.

Monitoring

The Operations Forester reports on the annual Total Area Under Prescription (TAUP), PAS hectares and PAS % for the cutblocks harvested each year using the Cengea database.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 61 of 100



Indicator 5.1.1: Diversity of Timber and Non-timber Resources Produced in the DFA

Element: 5.1 Timber and non-timber benefits

Manage the forest sustainably to produce a mix of timber and non-timber benefits. Support a diversity of timber and non-timber forest products and forest-based services.

Value	Objective	Indicator	Target	Variance
		Documentation of the diversity of	Report on the corporate EBITDA,	
Timber and	Timber and non-	timber and non-timber	stumpage payments to the	
non-timber	timber benefits	resources, including products	Provincial Government, payments	None
benefits	are evaluated	and services produced in the	to employees and contractors and	
		DFA	local purchases.	

History

Core Indicator under CSA Z809-08. Title and indicator description updated for CSA Z809-16.

Basis for the Target

The TFL 44 Limited Partnership is a significant contributor to the corporate EBITDA. The corporate EBITDA is a benchmark of the net effect of all activities relating to the quantity and quality of timber and non-timber benefits, products and services produced. WFP produces quality products from fibre purchased from TFL 44 LP. While TFL 44 LP makes payments to the provincial government, employees and contractors for goods and services from timber harvested.

Current Status & Results

Year	Corporate EBITDA	Stumpage	Employees & Contractors	Local Purchases	Target Met (Y/N)	Variance Met (Y/N)
2020	\$116.9 million	\$6,513,239	\$29,565,301	\$229,538	Υ	n/a
2019	-\$1.5 million	\$7,656,393	\$28,430,621	\$101,198	Υ	n/a
2018	\$143.5 million	\$9,944,362	\$39,225,823	\$209,057	Υ	n/a
2017	\$152.6 million	\$2,226,777	\$13,841,200	\$185,081	Υ	n/a
2016	\$148.2 million	\$1,256,153	\$14,071,749	\$250,842	Υ	n/a

Performance and Interpretation

2020: Elements of this indicator continued to be influenced by the strike which lasted through the first quarter of 2020. Harvest levels are the main driver of this indicator together with log and commodity prices. Harvest levels were higher than 2019 which is reflected in all elements except stumpage. Stumpage payments decreased despite harvest volumes as a result of lower stumpage rates per cubic meter. Stumpage rates are influenced by lumber prices and the costs of developing timber.

Financial and operating results were significantly impacted by COVID-19, the Strike, and the gradual restart of Strike-curtailed BC operations in the first half of 2020. Despite financial impacts and significant uncertainty arising from COVID-19, we maintained employment and operating levels with support from the Canadian Emergency Wage Subsidy ("CEWS") program...

Adjusted EBITDA for 2020 was \$116.8 million, as compared to negative adjusted EBITDA of \$1.5 million from the prior year. Operating income prior to restructuring items and other items was \$61.2 million, as compared to an operating loss prior to restructuring items and other items of \$46.7 million in the prior year. We capitalized on improvements in North American lumber and log

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 62 of 100



Sustainable Forest Management Plan

markets, beginning in June 2020, to overcome operating losses incurred earlier in the year. COVID-19 initially reduced demand for our products and caused some customers to defer order shipments. Demand for our products slowly recovered after governments started to lift their shutdowns and other restrictions. Demand slowly began to return in China early in the second quarter, followed by Europe and North America in the third quarter. Throughout the year we levered our flexible operating platform to transition production and shipments to higher margin North American markets. (Western Forest Products Inc. Q4 2020 & Fiscal 2020 Results Release).

Strategies & Implementation

The forest provides a wide range of benefits, products and services to the local community and the province. The general types of timber and non-timber benefits from the forest include: outdoor activities and recreation opportunities (e.g. hiking, boating, camping), sustainable harvest of timber and non-timber resources (e.g. mushroom harvesting, salal harvesting), hunting, fishing, and trapping activities, opportunities for ecotourism (e.g. bird-watching, wildlife viewing), cultural and heritage resources, and ecological goods and services.

"EBITDA stands for "Earnings Before Interest, Taxes, Depreciation, and Amortization", a definition is provided in the SFMP Glossary. Since EBITDA provides a basic measure of the operating cash being generated from a business unit, it is an important indicator of financial performance. Positive operating cash flow allows an operating unit to pay off interest, debt, taxes, fund working capital, and reinvest in the business" (source: Western Matters Newsletter Fall 2010).

Several other indicators provide supporting evidence to the quality and quantity of timber and non-timber benefits, including but not limited to 3.2.2a-d, 5.1.2a-c and 5.2.1.

Forecasts

It is expected that the EBITDA will improve in 2021 with the end of labour disputes and the current demand for forest products. Based on historical results, the EBITDA will likely fluctuate. Similarly, payments to the provincial government, employees, and contractors for goods and services will fluctuate with harvest levels in the DFA. For these elements, total payments should be similar or higher in 2021. The corporate WFP EBITDA data point may be removed and replaced with a non-EBITDA element more closely related to TFL 44 LP in 2021 or 2022.

Monitoring

The Operations Forester coordinates reporting of the current EBITDA from annual corporate reports and stumpage/employee/contractor payments from accounting reports. Stumpage values includes fees associated with residue billings. Local purchases are derived from payments made to businesses that support local forest management activities (e.g. materials, vehicle repairs).

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 63 of 100



Indicator 5.1.2: Respectful Communications with Forest Dependent Businesses, Forest Users and Local Communities to Integrate Non-timber Resources

Element: 5.1 Timber and non-timber benefits

Manage the forest sustainably to produce a mix of timber and non-timber benefits. Support a diversity of timber and non-timber forest products and forest-based services.

Value	Objective	Indicator	Target	Variance
Support for communities, forest businesses and forest users	To integrate non-timber resources into forest management planning	Evidence of open and respectful communications with forest dependent businesses, forest users and local communities to integrate non-timber resources into forest management planning. When significant disagreement occurs, efforts towards conflict resolution are documented.	Target evidence will be an example of communications with a forest business, forest user, or local community and an example of efforts towards resolution to significant disagreements if they occur.	None

History

New Core Indicator under CSA Z809-16

Basis for the Target

The target and variance are tied to legal requirement under the Forest and Range Practices Act (FRPA) to refer and consider comments on some Plans (e.g. the Forest Stewardship Plan) from groups and individuals influenced by forest practices. Moreover, non-regulated communications occur with forest businesses, forest users, and communities frequently. Records of important communications are maintained by the Company.

Current Status & Results

Year	Example of Communications	Target Met (Y/N)	Variance Met (Y/N?
2020	Discussion with Property Owners adjacent to Timber harvesting Activities	Υ	n/a
2019	Discussion with a Forest User on an aerial Fertilization Program	Υ	n/a
2018	Discussion with Forest User on Smoke Management	Υ	n/a

Performance and Interpretation

2020: In 2020 there were conversations with land owners, communities, and forest users. Topics centered on road access, safety and road condition, and proximity of timber harvesting activities to property owners. The example of communications centers on timber harvesting activities adjacent to land owners. A meeting was held to answer questions and share information. Questions centered on timing of activities, windthrow treatments, water quality, and road access. Activities proceeded to the satisfaction of the parties.

Strategies & Implementation

Engagement with forest businesses, forest users, and communities will continue in public venues like Fall Fairs, National Forest Week, Career Fairs, Woods tours, and public forums/committees. In addition, engagement will occur when Forest Management Plans, Forest Stewardship Plans,

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_20	21-04-15.doc
Revised: May 15th, 2021	Page 64 of 100



Sustainable Forest Management Plan

and Pest Management Plans are referred to the public. Communications will be stored in telephone logs, electronic messaging, and meeting notes. Confidential information will not form part of the target evidence. In cases where disagreement occurs, target evidence will be documented but stakeholder names will not be made public.

Forecasts

For 2021, engagement is expected on old growth harvesting and road use.

Monitoring

The Operations Forester reviews central files to obtain records related to referrals and other correspondence.





Indicator 5.1.2a: Park Perimeter

Element: 5.1 Timber and non-timber benefits

Manage the forest sustainably to produce a mix of timber and non-timber benefits. Support a diversity of timber and non-timber forest products and forest-based services.

Value	Objective	Indicator	Target	Variance
Park and	Operations in the DFA	The percent of park	The percent of the area within	
ecological	are planned to minimize	and ecological reserve	100 meters of park and	
reserve	risk to park and	perimeters where	ecological reserve perimeters	+ 1%
perimeters in the	ecological reserve	harvesting has	harvested over the previous	
DFA	perimeters	occurred	five- year period is 4% or less	

History

This indicator is carried forward from the 2016 SFMP (Indicator 5.1.A). Indicator number updated for CSA Z809-16.

Basis for the Target

The target is based on the current Timber Supply Analysis and AAC, which do not exclude harvest volumes from the productive forest area, LTHL and AAC calculations (i.e. forested areas along park perimeters are included in the productive forest area and are used to calculate future harvest levels). The buffered area of 1301.5 ha represents about 1% of the DFA. Therefore, it is estimated that 4% of the buffer could be harvested in a five-year period. The variance is to account for the need to respect logical timber harvesting boundaries in the planning process.

Current Status & Results

Year	Park/Reserve Perimeter (km)	Area within 100 meters of Perimeter (ha)	Harvesting in Previous 5 years (ha)	% of Area Harvested in Previous 5 yrs.	Target Met (Y/N)	Variance Met (Y/N)
2020	130.7	1301.5	32.8	2.5	Υ	n/a
2019	130.7	1300.9	43.3	3.3	Υ	n/a
2018	137.8	1460.4	47.1	3.2	Υ	n/a
2017	137.8	1460.4	46.4	3.2	Υ	n/a
2016	137.8	1409.5	57.2	4.1	N	Y

Performance and Interpretation

2020: For 2020 the indicator was met as a result of declining harvest adjacent to parks and other protected areas. Areas captured in this indicator include: Carmanah Walbran Park; Hitchie Creek Park; Klanawa Ecological Reserve; Nitinat Lake Ecological Reserve; Nitinat River Park; Strathcona Park; T'iitsk"in Paawats; Pacific Rim National Reserve.

Strategies & Implementation

Historical results show that application of existing management strategies for items like wildlife, riparian, culture, windthrow etc., constrain the harvest areas sufficiently in order to achieve this indicator. The general strategy when harvesting adjacent to these areas is to deactivate roads to discourage vehicle traffic, conduct operations to minimize windthrow, verify boundaries to avoid trespass, and to retain coarse woody debris that may be introduced to boundary areas as a result of felling danger trees.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 66 of 100



TFL 44 Limited Partnership Sustainable Forest Management Plan

Forecasts

It is anticipated that the percentage of park/ecological reserve perimeter harvested in the five-year period will be below 4% for 2021.

Monitoring

The Operations Forester coordinates GIS analysis of harvested area within 100 meters of parks and ecological reserves on an annual basis. The DFA line in relation to the park boundary will form the basis of the analysis. The annual GIS queries of government databases will monitor the status of park and ecological reserve perimeters.



Indicator 5.1.2b: Recreation Access

Element: 5.1 Timber and non-timber benefits

Manage the forest sustainably to produce a mix of timber and non-timber benefits. Support a diversity of timber and non-timber forest products and forest-based services.

Value Objective		Objective	Indicator	Target	Variance		
	Access to	To maintain public	The level of public	The number of roads identified in the			
	recreation	access to the	access to the recreation	recreation access inventory that are			
			areas outlined in the	accessible is 10 or more (inventory	None		
	areas in the	identified recreation	recreation access	includes class of road by 2-wheel, 4-			
	DFA	areas	inventory	wheel and foot access)			

History

This indicator is carried forward from the 2016 SFM Plan (Indicator 5.1.B). Indicator number updated for CSA Z809-16.

Basis for the Target

The target of ten or more accessible sites is based on the evaluation of the existing recreational opportunities in the DFA considering features accessed and the amount of use. Public use is estimated as low for most of the identified sites.

Current Status & Results

Year	# Identified Roads	# Identified Roads with Access	Identified Roads with Access (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	14	14	100	Υ	n/a
2019	14	14	100	Υ	n/a
2018	13	13	100	Υ	n/a
2017	13	13	100	Υ	n/a
2016	13	13	100	Υ	n/a

Performance and Interpretation

2020: This indicator was met for 2020. Sarita Branch 32 (BM 1200) was updated on the inventory to reflect that the trail is mostly on the Huu-ay-aht First Nation's Treaty Settlement Lands. Note: Trail volunteers did maintenance work on the VI trail following timber harvesting activities in the vicinity of Darlington Lake.

Strategies & Implementation

Many of the identified roads are main roads that most likely will not be deactivated. When deactivation plans are being developed, the Recreation Access Inventory is reviewed to ensure the target is met.

Forecasts

It is anticipated that the identified roads with access will remain at 100% based on historical results. Recreation values and use will increase with time and more roads will be identified as important to recreation. Runner's Trail was added to the inventory in 2010 and now connects to the Spine Trail which was added to the inventory in 2013. Use of these trails is not well known but is expected to increase with time.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 68 of 100



Sustainable Forest Management Plan

The Operations Forester reviews the Recreation Inventory on an annual basis and compares with Deactivation Plans.



Indicator 5.1.2c: Mushroom Habitat Access

Element: 5.1 Timber and non-timber benefits

Manage the forest sustainably to produce a mix of timber and non-timber benefits. Support a diversity of timber and non-timber forest products and forest-based services.

Value	Objective	Indicator	Target	Variance
Mushroom habitat that is accessible in the DFA	Accessibility to mushroom habitat is maintained	The proportion of the DFA with accessible mushroom habitat	The proportion of the DFA within 200 meters of a maintained road and 20 years in age or greater is no less than 40% (measured every two years)	-10%

History

This indicator is carried forward from the 2016 SFM Plan (Indicator 5.1.C). Indicator number updated for CSA Z809-16.

Basis for the Target

The target and the variance are based upon the possibility of the movement of portable bridges making significant areas unavailable. This indicator has been developed based on the rationale that much of the non-timber forest product collection takes place within 200 meters of maintained road.

Current Status & Results

Year	Total DFA Productive Forest (1)	Forest area within 200m of maintained roads and in 20+ year age class	Percent of DFA (%)	Target Met (Y/N)	Variance Met (Y/N)
2020	118,337	51,906	43.9	Υ	n/a
2018	118,787	50,422	42.4	Υ	n/a
2016	119,907	49,257	41.1	Υ	n/a
2014	117,564	46,318	39.4	N	Υ
2012	117,749	50,737	43.1	Υ	n/a

Performance and Interpretation

2020: This indicator was met for the 2020 reporting year in part because of reduced harvesting in 2019-2020 resulting from the labour dispute.

Strategies & Implementation

No special management strategy is required for this indicator at this time. Historical results show that existing management strategies related to road maintenance and access to the DFA combined with harvest methods that require road access within the harvest areas and the high costs associated with helicopter logging should result in no impediments to this target.

Forecasts

The value for this indicator is expected to meet the target at the next report period because of the actual and projected harvest levels in 2019-2020. If the target is not met for two measurement periods, then a more detailed analysis of mushroom harvesting in the DFA will be required to determine if it is being significantly impacted.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 70 of 100



TFL 44 Limited Partnership Sustainable Forest Management Plan

Monitoring

The Operations Forester is responsible to coordinate GIS Analysis. GIS is used to evaluate where the roads intersect with the relevant age classes, excluding de-built and planned permanent deactivation.

Revised: May 15th, 2021 Page 71 of 100



Indicator 5.2.1: Participation and Support that Contribute to Community Sustainability

Element: 5.2 Communities and sustainability

Contribute to the sustainability of communities by providing diverse opportunities to derive benefits from forests and by supporting local community economies.

Value	Objective	Indicator	Target	Variance
		Level of	Annual target evidences will come from two or more of	
		participation and	(but not be limited to): (1) volume production of shake	
Other	Support	support in	and shingle, (2) hectares released for hogging, (3) areas	
forest	other forest	initiatives that	released for firewood cutting (4) amount spent on road	None
users	users	contribute to	grading, (5) trail construction/rehabilitation (6) log sales	
		community	to local purchasers (7) the annual level of donations	
		sustainability	(dollar and in-kind) to the community	

History

Core Indicator under CSA Z809-08 (Indicator 6.3.1). Indicator number, title, description & target updated for CSA Z809-16. Tracking the level of donations was carried forward from Indicator 5.2.1 under CSA Z809-98.

Basis for the Target

TFL 44 Limited Partnership encourages and co-operates both directly and indirectly with other forest-dependent businesses in the community through agreements, contracts and other spin-off opportunities (e.g. access available from road construction and maintenance). Evidences are drawn from existing or potential opportunities for economic diversity within the community that are reportable from in-house information systems. The shake and shingle business is important to small operators and their milling customers, hogging supports local power generation, road grading provides easier access for casual forest users and trail rehabilitation provides recreation in support of the local economy.

Current Status & Results

Year	Support Items	Totals	Target Met (Y/N)	Variance Met (Y/N)
2020	Road Grading/Maintenance: \$1,249,847 Shake and Shingle Production: 1,193 m3 Cash and In-kind Donations: \$151,850 Log sales to local purchasers: 25,271 m3 Firewood areas made available: 11 cutblocks	\$1,401,697 26,464 m3	Υ	n/a
2019	Road Grading/Maintenance: \$1,018,260 Shake and Shingle Production: 387 m3 Cash and In-kind Donations: \$33,435 Log sales to local purchasers: 6,476 m3	\$1,051,695 6,863 m3	Υ	n/a
2018	Road Grading / Maintenance \$1,343,616 Shake and Shingle Production: 942 m3 Cash and In-Kind donations: \$23,585 Log sales to local purchasers: 85,307 m3	\$1,367,201 86,249 m ³	Υ	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 72 of 100



Sustainable Forest Management Plan

2017	City of Parksville Alberni District Secondary School West Coast Aquatic National Forest Week Alberni District Fall Fair Association Royal Canadian Legion Triconic Challenge	\$ 9,365.22	Υ	n/a
2016	United Steelworkers Assn West Coast Aquatic Society First Nations Alberni District Secondary School AV Bulldogs National Forest Week Royal Canadian Legion PA Family Guidance Association City of Port Alberni Arrowsmith Services Alberni District Fall Fair (seedlings)	\$ 22,625.86	Υ	n/a

Performance and Interpretation

2020: In addition to items like road upkeep, salvage production, and local log sales, TFL 44 Limited Partnership made various material and cash/in-kind donations including: food bank, Christmas hampers, school athletics, Covid relief, and a fisheries watershed project. The company also made firewood cutting opportunities available from harvested areas close to Port Alberni through Free Use Permits from the government agency.

Strategies & Implementation

TFL 44 Limited Partnership engages in many activities that support/ strengthen the local economy and foster a cooperative relationship with the community and local business owners, including minor forest products (firewood, shake and shingle, salvage), log sales, donations, hogging, salal picking, mushroom picking, trail rehabilitation, visual quality management, road access for recreation activities and protection/management of historical sites.

Forecasts

TFL 44 Limited Partnership has a recent history of cooperation with local business owners and the community, including relationship building, capacity development, support of minor forest products and non-timber forest products.

It is anticipated that TFL 44 Limited Partnership will be able to provide multiple examples of support to enhance community stability. However, during periods of economic downturns in the industry, support may be limited or even non-existent for short durations.

Monitoring

The Operations Forester reviews LIMS, the Cengea database and central file (may include accounting records or AAC records) and reports on the efforts to engage and support the local economy and relationship building through the level of support for each category. The road and grading and maintenance values are net of government contributions.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 73 of 100



Indicator 5.2.2: Level of Participation and Support in **Training & Skills Development**

Flement.	52C	Communities and	l eustainahility
Licilicit.	J. L	ommunice and	i Sustailiability

Contribute to the sustainability of communities by providing diverse opportunities to derive benefits from

forests and by supporting local community economies.

Value	Objective	Indicator	Target	Variance
Employee skills	Develop employee skills	Level of participation and support in training and skills development	Annual level of investment in training and skills development for forest planning staff and associated contractor principles averages 5 person-days per year	-0.5 person- days

History

Core Indicator under CSA Z809-08. Title, element and indicator descriptions updated for CSA Z809-16.

Basis for the Target

The target addresses the need for forest planning staff and associated contractor principles to be competent in the results-based era of the Forest and Range Practices Act and the Association of BC Forest Professionals continuing competency/ education requirements. Moreover, the financial need of the business requires technological training of key workers to remain competitive. The variance is to account for training being reduced during times of market downturns.

Current Status & Results

Year	Average Person Days of Professional Training	Target Met (Y/N)	Variance Met (Y/N)
2020	5.4	Υ	n/a
2019	9.8	Υ	n/a
2018	7.7	Υ	n/a
2017	10.6	Y	n/a
2016	9.3	Υ	n/a

Performance and Interpretation

2020: Planning staff and contractor principles participated in a wide range of training including: safety, first aid, wildlife/species at risk management, big tree/bear den management, professional development activities, firefighting, systems training, and road maintenance standard. This result is a conservative estimate of training as not all information is entered into the training database. The Covid conditions cancelled many formal in-person training courses in 2020.

Strategies & Implementation

TFL 44 Limited Partnership provides numerous training and skill development opportunities for employees and contractors under the existing Environmental Management System, Safety System and the Sustainable Forest Management Plan. In addition, there are some training courses that are legally required such as Transportation of Dangerous Goods, Blasting, Crew Boat Operator, First Aid, etc.

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_20	021-04-15.doc
Revised: May 15th, 2021	Page 74 of 100



Sustainable Forest Management Plan

This target is intended to measure the average number of person days of completed training per year in the category of skill/professional development. Skill/professional development training include but is not limited to workshops such as the Coastal Silviculture Committee, Association of BC Forest Professionals (ABCFP), soil conservation, stream management, variable retention etc.). Employee training records are maintained in the TFL 44 Limited Partnership Training Database.

Forecasts

It is anticipated that the target will generally be met as the profession continues to become more demanding technically, environmentally, and with improved safety initiatives that require enhanced levels of training.

Monitoring

The Operations Forester coordinates a report from the Training Database for total training hours by skill/professional development category.



Indicator 5.2.3: Level of Direct and Indirect Employment

Element: 5.2 Communities and sustainability

Contribute to the sustainability of communities by providing diverse opportunities to derive benefits from

forests and by supporting local community economies.

Value	Objective	Indicator	Target	Variance
Employment	Provide employment	Level of direct and indirect employment	The annual level of direct and indirect employment is 1974 person-years or greater over a five-year rolling average	-20 (1%)

History

Core Indicator under CSA Z809-08. Title updated for CSA Z809-16.

Basis for the Target

The target is based on employment statistics for the Coastal BC Forest Industry 2011 PricewaterhouseCoopers Survey. The Long-Term Harvest Level (LTHL) of 782,482 cubic meters could generate employment of 1974 direct and indirect jobs. The variance is to account for adjustments in harvest levels from year to year attributed to customer demand.

Current Status & Results

Year	Employment Person Years	Target Met (Y/N)	Variance Met (Y/N)
5 yr. average (rolling) 2016-2020	1235	N	N
5 yr. average (rolling) 2015-2019	1233	N	N
5 yr. average (rolling) 2014-2018	1399	N	N
5 yr. average (rolling) 2013-2017	1484	N	N
5 yr. average (rolling) 2012-2016	2093	Υ	n/a

Performance and Interpretation

2020: Employment was up significantly because the Strike concluded in early 2020. The current employment person years is calculated using the estimated 2020 harvest level from Indicator 2.1.4 and the PricewaterhouseCoopers 2011 coastal average of 0.0025229 direct and indirect jobs for every cubic meter of timber harvested. For 2020, the level of employment was 1559 person years with the 5-year average up slightly at 1235 years. This 5 year period was heavily influenced by labour and contractual disputes. A new variance and/or target must be formulated for 2021 to account for variability in the industry. Safety exposure hours are an alternate data source available for determining employment levels.



Sustainable Forest Management Plan

Strategies & Implementation

It is currently Western's strategy to set a harvest level that aligns as much as possible with market demand within the AAC limits set by legal agreements and regulation. Also, employment is guided by agreements with the union and contractor rights.

Forecasts

It is expected that the actual employment levels will fluctuate due to the cyclical nature of the forest industry. Other external forces that can affect employment include extended weather extremes, productivity gains due to technological advancements and unforeseen land base reductions. The 2017-2021 forecast is expected to be below the current target because of the residual effect of reduced employment in 2017, 2019-2020 from contractual and labour disputes.

Monitoring

The Operations Forester is responsible to collect this information using cut control statements and publically available reports regarding average number of (Full Time Equivalent) FTE jobs per m³ harvested (e.g. PricewaterhouseCoopers reports or equivalent).



Indicator 6.1.1: Participant Satisfaction with Public Process

Element: 6.1 Fair and Effective Decision Making

Demonstrate that the SFM public participation process is designed and functioning to the satisfaction of the participants and that there is general public awareness of the process and its progress.

Value	Objective	Indicator	Target	Variance
SFM Public participation process	SFM Public participation process works well	Level of participant satisfaction with the public participation process	The level of participant satisfaction as reported annually by the satisfaction survey is 3 or less.	A maximum of one consecutive survey with a satisfaction level of greater than 3.

History

Core Indicator under CSA Z809-08 (Indicator 6.4.1). Indicator number and title updated for CSA Z809-16.

Basis for the Target

A satisfaction survey of WIWAG gives direct feedback to the participation process. A score of three or less provides evidence of a positive process. The variance is to account for controversial issues considered by participants or unforeseen circumstances (e.g. a shortage of financial resources to accommodate normal participation process during economic downturns).

Current Status & Results

Year	Satisfaction Survey Completed (Y/N)	Satisfaction Level	Target Met (Y/N)	Variance Met (Y/N)
2020	Yes	1.6	Υ	n/a
2019	Yes	1.5	Υ	n/a
2018	Yes	1.6	Υ	n/a
2016	Yes	1.6	Υ	n/a
2014	Yes	1.7	Υ	n/a

Performance and Interpretation

2020: The survey returned a similarly positive result as 2019. Helpful comments were received in the survey. Through comment, participants expressed appreciation for the company's Covid protocols at the meetings; the positive interactions with other members; and the timely exchange of information. Preferences and requests included: improving the format of the evaluation survey; more discussion on aboriginal indicators; a desire to re-visit the structure of indicators; further discussion on how indicators exceed government legislation; a desire to re-visit the length and frequency of meetings; a future presentation on fiber use and distribution in the community; a desire to simplify the content of very technical presentations.

The following topics were addressed since the 2019 Satisfaction Survey:

- A detailed discussion of the Carbon Indicator
- More discussion on slash burning and waste

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 78 of 100



Sustainable Forest Management Plan

More discussion is needed on the potential for WIWAG to host a public meeting.

Strategies & Implementation

A Satisfaction Survey is typically completed with the WIWAG annually. The survey format was revised in 2010 to include samples of surveys from other CSA Advisory Groups. The survey responses are coded as: 1 (excellent), 2 (good), 3 (satisfactory), 4 (poor), 5 (unsatisfactory). Action items will be assigned to address all items that received a score of greater than three.

Feedback relating to specific presentations will be gathered following each presentation to help with the accuracy of survey results.

Forecasts

It is anticipated that the target will be met based on historical results that show a general level of satisfaction with the progress and communication between TFL 44 Limited Partnership and WIWAG. TFL 44 Limited Partnership strives to maintain or improve the score of satisfaction over time. For 2021 WIWAG will be invited to consider revisions to the Satisfaction Survey.

Monitoring

The WIWAG Facilitator reports on the results of the Satisfaction Survey.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc



Indicator 6.1.2: Capacity Development and Meaningful Participation

Element: 6.1 Fair and Effective Decision Making

Demonstrate that the SFM public participation process is designed and functioning to the satisfaction of the participants and that there is general public awareness of the process and its progress.

Value	Objective	Indicator	Target	Variance
Public participation capacity	Develop/improve public participation capacity over time	Evidence of efforts to promote capacity development and meaningful participation in general	Target evidence will be the listing of educational opportunities provided to the advisory group annually	None

History

Core Indicator under CSA Z809-08 (Indicator 6.4.2). Indicator number and title updated for CSA Z809-16.

Basis for the Target

The Advisory Group (WIWAG) has historically responded positively to educational opportunities provided by technical experts. These opportunities have enabled members to provide valuable advice through the participation process.

Current Status & Results

Year	# Educational Sessions	Description of Session	Target Met (Y/N)	Variance Met (Y/N)
2020	4	Four WIWAG meeting were held in 2020. Meetings included operational updates, and presentations. The January 9, 2020 meeting focused on the amount of oldgrowth in coastal British Columbia, WFP tenures, and the Defined Forest Area (TFL 44) as presented by WFP staff Shannon Janzen, John Deal, and Erin Badesso. The results of an External Audit to the Standard were also shared. The May 28, 2020 meeting was dedicated to sharing the Detailed Indicator Results by Erin Badesso The September 15, 2020 was convened with all Public Advisory Groups (PAGs) across WFP. Dr. John Innes, Dean of UBC's Faculty of Forest, shared key messages from a report he coauthored titled: The State of British Columbia's Forests: A Global Comparison. The November 12, 2020 meeting had presentations by four WFP staff members. John Deal gave an update on oldgrowth management including information on the Oldgrowth Management Review (Merkel and Gorley), and the Special Tree Protection Regulation. Marie-Eve Leclerc presented on carbon and forestry. Marissa Hallaway gave an overview of the proposed Pest Management Plan for the DFA. Brian Marcus presented proposed adjustments to the Within Stand Retention Indicator to reflect changes to the WFP Retention Silviculture System Standard.	Y	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 80 of 100



2019	3	Three WIWAG meetings were held in 2019. Meetings included operational updates, presentations and question/answer periods. February 2019, a meeting convened to introduce the creation of the TFL 44 Limited Partnership. This is a business relationship involving Western Forest Products Inc. and the Huu-ay-aht First Nations (HFN). HFN purchased a 7% interest in the business and management of Tree Farm Licence (TFL) 44. Seanna McConnell from WFP and Robert Dennis, Derek Peters, and Trevor Cootes from HFN convened a panel to share information and to answer questions about the venture. Confirmed in the meeting that CSA certification will continue under the Partnership. April 2019, the meeting focused on the Detailed Indicator Results by Erin Badesso, WFP May 2019, Brian Marcus WFP, shared concepts associated with a draft Eagle Nest and Bear Den Standard. John Deal, WFP introduced the Western Stewardship and Conservation Plan and also provided an update on the Marbled Murrelet and Northern	Y	n/a
		draft Eagle Nest and Bear Den Standard. John Deal, WFP introduced the Western Stewardship and Conservation Plan and		

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Page 81 of 100 Revised: May 15th, 2021



2018	6	Four WIWAG meetings were held in 2018. Meetings included operational updates, presentations, and question/answer periods. February 2018 Will Sloan, WFP Certification Coordinator shared a presentation which compared and contrasted CSA and SFI Certification. Erin Badesso also shared material on the WFP Big Tree Policy and statistics on Old growth in the DFA. April 2018 Annual review of Detailed Indicator Results by Erin Badesso June 2018 Mary Toews, Ecosystems Biologist, South Island Natural Resource District, presents on Marbled Murrelet and Goshawk Implementation Plans. Marissa Hallway, WFP Field Planner provides an update on Rare Ecosystems and WFP's Forest Strategy November 2018 Molly Hudson, TimberWest, Manager of Stewardship and Engagement presents on the Ecology and Management of Goshawks. John Deal, Senior Biologist, WFP presents on Goshawk/Marbled Murrelet Management and Policy	Y	n/a
2017	5	Four WIWAG meetings were held in 2017. Meetings included a WFP operational update for timberlands and local sawmills and a question/answer period. February 2017 Erin Badesso shared a presentation prepared by Mike Davis, WFP Tenures Forester, on the Vulnerabilities for Community Sustainability Linked to Timber Supply. In addition, there was discussion on required changes to Indicators to embrace the new Standard of CAN/CSA-Z809-16. April 2017 Annual review of Detailed Indicator Results by Erin Badesso June 2017 Erin Badesso presented on the Emissions of Carbon Dioxide and Carbon Uptake and Storage in the DFA. In addition, preparations for the new Standard continued by discussing changes to Indicators and the Sustainable Forest Management Plan. Rick Avis gave an update on Painted Turtles in the Port Alberni area moving from Endangered to Threatened. November 2017 Tyson Berkenstock presented on The Role and Importance of Wetlands including the classification of wetlands, specific wildlife/plant species, their ability to store carbon, and their protection while planning timber harvesting activities. Erin Badesso continued discussion on preparing to embrace the new CSA standard. A discussion on the Festival of Forestry hosted for K to 12 teachers in part on the DFA. Future presentation upcoming by Will Sloan who will compare and contrast CSA and SFI certification.	Y	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Page 82 of 100



	T	1		T
		Four WIWAG meetings were held in 2016 At each meeting an update on WFP and a question and answer about operations locally and potential trends, impacts and mill operations.		
		February 2016 Marissa Hallaway, WFP Field Planner presented the evolution of the Biogeoclimatic Ecosystem Classification (BEC)		
		Discussion regarding MAMU and Western Goshawk – February 2016		
		Stream Changes over the years as presented through a GIS model has been implemented to track harvesting associated with S4 and S5 streams. The new model improves the rigor of reporting on the associated indicators - February 2016 Erin Badesso		
		Update on LEED recognizes CSA Forest Certification in Green Building Standards. As well the US Green Building Council (USGBC) has announced changes to their LEED building rating system that will recognize CSA's forest certification program.		
		April 14 Annual - Detailed Indicator Results – Erin Badesso		
		June 9 John Deal WFP, Strategic Planning Biologist and Sue McDonald - WFP, Wildlife Biologist updated the Species at Risk to the AG with a focus on Goshawk and Marbled Murrelet recovery strategy. Attention on developing practices associated with Migratory Birds including maintenance of populations and communities over time and participation in government programs to protect threatened and endangered species		
2016	15	Will Sloan WFP, Certification Coordinator presented an Indicator update and more clarity around LEED Forest Certification and Certification Audits. Explanation of 2017 as our re-registration audit and in the past, this has included Port Alberni and Stillwater.	Υ	n/a
		Will Sloan Certification Coordinator explained how Indicator 4.1.1 Carbon Uptake and Storage results are tabulated. In addition, Will spoke of the evolving science around this measurement and that the 2014 calculation method was changed slightly. We now have the ability to measure on a micro stand level.		
		Special all PAG meeting September 22-23 in Port McNeill hosted by WFP and the NIWAG		
		Western Painted Turtle habitat enhancement project – Rick Avis update. This is a DNA project, the Western Painted Turtle has not been found on TFL44 yet. Christian Engelstoft leading project. Turtles are distributed widely which indicates wild habitat, not introduced, this project started in 2010.		
		Satisfaction Survey results and discussion for Indicator 6.4.1		
		September WFP and WIWAG participate at the Annual Alberni Valley Fall Fair information booth		
		November members who all attended the North Island PAG's All- PAG meeting September 22 and 23 presented (Judy and Harold Carlson and Barb Baker) pictures and engaged the AG in an overall discussion about speakers and field tour.		
		November WFP Forest Stewardship Plan was presented by Brian Marcus WFP Area Planner and Standard Operating Procedures		
		November a more formal presentation on the new CAN/CSA-Z809- 16 March 2016 Standard with timelines. 35 core indicators under the New Standard. All current indicators substantially "match" the 35 core indicators under the New Standard except 2 - Erin Badesso		

Revised: May 15th, 2021 Page 83 of 100



Performance and Interpretation

2020: WIWAG and attending public guests received educational opportunities on timely topics that support various indicators including: old growth management and Special Tree protection, the state of BC's forests as compared to other global jurisdictions, carbon and forestry, and updates to the company's retention silviculture system standard.

Strategies & Implementation

Annual planned education opportunities are defined by WIWAG and included in the SFM Plan Communications Plan. Guest Speakers and presentations are scheduled as opportunity and discussions arise during meetings.

Forecasts

It is anticipated that educational opportunities will be provided on an annual basis, provided sufficient capacity and funding exists. In 2021, educational opportunities have already occurred on the topics of: LIDAR in forest planning; Logging Residue and Waste Measurements; The Influence of Slash Burning on the Carbon Indicator. Upcoming there will be discussions on Partitions, Undercut Policy, the Timber Supply Review for the DFA, and Carbon.

Monitoring

The Operations Forester (with assistance from the WIWAG Facilitator) reviews the central files, WIWAG minutes and Website and reports on educational opportunities provided to the WIWAG.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 84 of 100



Indicator 6.1.3: Public Concerns

Element: 6.1 Fair and Effective Decision Making

Demonstrate that the SFM public participation process is designed and functioning to the satisfaction of the participants and that there is general public awareness of the process and its progress.

ı	Value	Objective	Indicator	Target	Variance
	Relevant information	Relevant information is provided	Availability of summary information on issues of concern to the public	Summary information on issues of concern to the public are posted annually on the WIWAG website	None

History

Core Indicator under CSA Z809-08 (Indicator 6.5.2). Indicator number updated for CSA Z809-16.

Basis for the Target

The WIWAG website has been established and recognized as a transparent means of communicating issues to the public and then working towards their resolution.

Current Status & Results

Year	# Meeting Minutes Posted	# Presentations Posted	# Press Releases Posted	# Articles Posted	Target Met (Y/N)	Variance Met (Y/N)
2020	4	4	0	0	Υ	n/a
2019	3	1	0	0	Υ	n/a
2018	4	2	0	0	Υ	n/a
2017	4	2	0	0	Υ	n/a
2016	4	1	0	0	Y	n/a
2015	4	2	0	0	Υ	n/a

Performance and Interpretation

2020: Public concerns are expressed at WIWAG meetings and various social media outlets. The Fall Fair was cancelled in 2020 so one venue for capturing comments was lost. In 2020, questions and concerns centered on:

- 1. settling outstanding labour agreements
- 2. preserving the working forest for employment
- 3. oldgrowth harvesting
- 4. harvesting in the vicinity of private land
- 5. the carbon footprint associated with forest management
- 6. the condition of forest roads
- 7. fertilization treatments

Most of these topics are themes associated with the current Indicators. Moreover, forest road conditions are posted on https://www.facebook.com/WFPRoadInfo . These subjects become discussion points that are periodically captured in meeting minutes.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 85 of 100



Strategies & Implementation

In general, the concerns raised by the public are addressed through indicator development, WIWAG meeting discussions, workshops, and meeting presentations (open to the public). Public concerns are also heard and answered annually at booths set up at the local Fall Fair, National Forestry Week celebrations, career fairs, school and community events, social media, satisfaction surveys, and through woods tours. The WIWAG website is the main vehicle for communication with the public. In addition, WIWAG may periodically issue press releases and newspaper articles.

Forecasts

It is anticipated that the target will be achieved based on an informative WIWAG website and through the Satisfaction Survey process.

Monitoring

The Operations Forester, with assistance from the WIWAG facilitator, reviews the Website and ensures information is posted in the WIWAG minutes.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 86 of 100



Indicator 6.2.1: Improve Safety Standards

Element: 6.2 SafetyDemonstrate that the organization is providing and promoting safe working conditions for its employees and contractors

Value	Objective	Indicator	Target	Variance
Worker safety	Existence of an active worker safety program	Evidence of co-operation with DFA- related workers to improve and enhance safety standards, procedures, and outcomes in all DFA-related workplaces and affected communities	Annual target evidences will come from two or more of (but not be limited to): (1) the Medical Incident Rate report, (2) hazard alert report (3) general contractor training sessions (4) safety focus topics	None

History

Core Indicator under CSA Z809-08 (Indicator 6.3.2). Indicator number and element description updated to CSA Z809-16.

Basis for the Target

Safety Programs are required under the WorkSafe BC legislation and the Occupational Health and Safety Regulation. The Medical Incident Rate (MIR) is a broad measure that captures the effectiveness of safety programs. The Hazard Alert reports document safety incidences and the learnings and suggestions to avoid future occurrences. General contractor training sessions provide opportunities to review and improve safety performance. Safety focus topics provide a program to heighten awareness around specific categories of injuries (e.g. hand injuries). Target evidences are readily available and require participation from workers to formulate safety reports, achieve safety results or to provide safety training. Hazard alerts are distributed to contractors and employees as incidents/hazards occur and are posted on the Company's intranet. If incident investigations are required under the Safety or EMS, they are completed in collaboration with contractors/union reps where applicable.

Current Status & Results

Year	MIR Report	Hazard Alert Report	# of General Safety Training Sessions	Key Safety Focus Topics	Target Met (Y/N)	Variance Met (Y/N)
2020	5.46	3	4	6	Υ	n/a
2019	3.46	1	6	6	Υ	n/a
2018	4.00	4	10	9	Υ	n/a
2017	4.05	1	9	9	Y	n/a
2016	1.97	0	9	6	Υ	n/a

Revised: May 15th, 2021 Page 87 of 100



Sustainable Forest Management Plan

Performance and Interpretation

2020: The Medical Incident Rate (MIR) increased in 2020 for the TFL 44 Limited Partnership. The increase is (in part) attributed to workers having been off work for over 10 months and re-orienting to the workplace and some workers not doing their regular jobs. In 2020 safety focus on hazard identification and reporting, close call reporting, slip/trip/fall awareness, and inspections of workers to generate safety discussions. Safety topics included: heat related illness, defensive driving, driving fatigue, tick bite awareness, and winter driving tips. Hazard alerts brought awareness to driving in dusty road conditions and defective or warn parts in equipment.

Strategies & Implementation

Safety performance is a key measurable for the Port Alberni Forest Operation (PAFO). Improvements in Safety are supported by the EH&S Team, corporate polices, standards, hazard reports, work procedures etc. Locally PAFO manages safety utilizing an OHS Program, emergency response procedures and by maintaining a "Safe" company status with the BC Forestry Safety Council. Continual Improvement is a key component of the Company's Safety System, WorkSafe BC requirements and the Forest Safety Council SAFE Company certification requirements. TFL 44 Limited Partnership also conducts periodic meetings with Contractors to review and discuss safety topics and implement annual safety improvement plans.

MIR (Medical Incidence Rate) is defined in the SFM Plan Glossary and will be reported for all contractors and employees in PAFO. The rate is calculated using the following formula:

(<u>Medical Treatment + Restricted Work +Lost Time cases</u>) x 200,000 Exposure Hours (Total hours worked by all hourly and salary employees by operation)

Forecasts

It is anticipated that the target will be met as it is a legal requirement to maintain a safety program and a corporate/operational goal to demonstrate continuous improvements in safety. In addition, the Company also maintains voluntary SAFE certification under the BC Forest Safety Council.

For 2021 safety improvements will focus on: proactive reporting of hazards and near misses; inspections and participation in contractor safety meetings; improved content of Worksite Safety Plans.

Monitoring

The Operations Forester reviews safety files and the corporate safety tracking system/stats to document supporting evidence.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 88 of 100



Indicator 6.2.2: Worker Safety Program

		ization is providing and promo	oting safe working conditions	for its employees and
Value	Objective	Indicator	Target	Variance

Value	Objective	Indicator	Target	Variance
Worker safety	Worker safety improves over time	Evidence that a worker safety program has been implemented and is periodically reviewed and improved	SAFE Company Certification is maintained annually by TFL 44 Limited Partnership and its large contractors.	2 contractors registered with BC Forest Safety Council to become SAFE Certified

History

Core Indicator under CSA Z809-08 (Indicator 6.3.3). The indicator number was updated for CSA Z809-16. This indicator was updated in 2011 to reflect maintaining a SAFE Company Certification for TFL 44 Limited Partnership and its large contractors. **A large contractor is defined as having greater than 10,000 person hours per year.**

Basis for the Target

Company corporate directive. The variance indicates contractors may be registered with the BC Forest Safety Council and in the process of becoming SAFE certified.

Current Status & Results

Year	SAFE Company Certification Maintained	Target Met (Y/N)	Variance Met (Y/N)
2020	6/6	Υ	n/a
2019	7/7	Υ	n/a
2018	10/10	Υ	n/a
2017	5/5	Υ	n/a
2016	3/3	Υ	n/a

Performance and Interpretation

2020: All 6 of the large contractors were Safe Certified indicating their commitment to safety through formal programs. Safe Certification of contractors is a key element to improving safety on the DFA. The denominator of large contractors shrunk from 7 to 6 because of reduced exposure hours originating from the labour strike. There was a total of 35 contractors providing exposure hours ranging from 120 hrs to over 51,000 hrs to the business for 2020.

Strategies & Implementation

SAFE company audits are mandated annually by the BC Forest Safety Council. Successful audits maintain a company's SAFE Certification and provide evidence that a worker safety program has been implemented and is periodically reviewed and improved. The Safe Certification status of companies is located at: http://www.bcforestsafe.org/safe_companies/whos_safe.html\

PAFO is responsible for implementing its safety program and continuing to meet the requirements of SAFE Company certification. All staff are responsible to assist the Operation in maintaining, implementing and improving the safety program.

TFL 44 Limited Partnership's contractors implement and maintain their own safety programs to meet the requirements of the SAFE Company certification. Prior to commencing work for, a review is completed to ensure contractors are currently SAFE Company certified or registered.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 89 of 100



Sustainable Forest Management Plan

Forecasts

The Company has made a business decision to maintain SAFE certification. Provided the program is maintained, Company and its contractors will continue to maintain SAFE certification.

Monitoring

The Operations Forester reviews the status of SAFE certification and reports on the results from the BC Forest Safety Council website.



Indicator 7.1.1: Understanding the Nature of Aboriginal Title and Rights

Element: 7.1 Aboriginal and Treaty Rights

Recognize and respect Aboriginal title and rights, and treaty rights. Understand and comply with current legal requirements related to Aboriginal title and rights, and treaty rights.

Value	Objective	Indicator	Target	Variance
Aboriginal title and rights	Aboriginal title and rights are understood	Evidence of a good understanding of the nature of Aboriginal title and rights	Target evidence will be an update to annual employee training and awareness of Aboriginal title and rights	No more than one consecutive year without formal training

History

Core Indicator under CSA Z809-08 (Indicator 6.1.1). Indicator number and title updated for CSA Z809-16.

Basis for the Target

Forest professionals working with aboriginal peoples have a responsibility to understand how forest practices influence aboriginal title and rights. Aboriginal case law relating to title and rights is increasing. With the enactment of the Maa-nulth Final Agreement employee awareness is necessary to understand the treaty title and rights flowing from the Agreement. Recognizing title and rights is also a component of WFP's corporate *Sustainable Forest Management Statement* for Timberlands.

Current Status & Results

Year	Summary of Annual Training/ Employees Trained	Target Met (Y/N)	Variance Met (Y/N)
2020	No Formal Training Update in 2020	N	Υ
2019	Planning staff received cultural training associated with the formation of the Huu-ay-aht First Nations and TFL44 Limited Partnership. Also, Geoff Plant was a guest speaker on the topic of Indigenous Relationships in the Current Legal Context.	Y	n/a
2018	Planning staff received broad training from the company's Director of Indigenous Relationships on the United Nations Declaration on Rights of Indigenous Peoples (UNDRIP)	Y	n/a
2017	Training reviewed the Tsilquot'in Decision; Updates to the Replacement FSP and how it relates to Cedar Side Agreements in the Maa-nulth Treaty. Training specific to Planning Staff in the Port Alberni Forest Operation	Y	n/a
2016	Training continued on Maa-nulth Treaty Rights associated with the Forest Stewardship Plan and better understanding of Aboriginal Rights and Title in areas of high strength of claim within the DFA. Instruction given to the broader Planning Staff	Υ	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 91 of 100



Sustainable Forest Management Plan

Performance and Interpretation

2020: The Company's planning staff received no formal training for the year 2020.

Strategies & Implementation

Several staff members are specifically focused on working with aboriginal peoples in the DFA. These staff members liaise with aboriginal peoples and government agencies to understand the nature of aboriginal rights and title. They also participate in formal training and communicate key learnings to other staff members to assist in preparing information for sharing.

TFL 44 Limited Partnership will report on training that has been completed in relation to Aboriginal rights and title (in the form of workshops, presentations, on-line courses/ webinars etc.).

Training records are tracked in the TFL 44 Limited Partnership Training Database.

Forecasts

Three First Nations associated with the DFA are in treaty effective April 1, 2011, other treaties continue to be negotiated. Business relationships with First Nations continue to evolve including the formation of TFL 44 Limited Partnership which will bring unique training opportunities. This indicator will be met in 2021 as most Planning Staff have received a training element in February-March, 2021.

Monitoring

The Operations Forester generates a report from the TFL 44 Limited Partnership Training Database and reports on the number of planning personnel that received training related to Aboriginal title and treaty rights.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc



Indicator 7.1.2: Respectful Communications with Aboriginal Communities to Foster Meaningful Engagement

Element: 7.1 Aboriginal and Treaty Rights

Recognize and respect Aboriginal title and rights, and treaty rights. Understand and comply with current legal requirements related to Aboriginal title and rights and treaty rights.

Value	Objective	Indicator	Target	Variance
Aboriginal understanding of plans	Aboriginal understanding of plans is increased over time	Evidence of ongoing open and respectful communications with Aboriginal communities to foster meaningful engagement, and consideration of the information gained about their Aboriginal title and rights throughout this process. Where there is communicated disagreement regarding the organization's forest management activities, this evidence would include documentation of efforts towards conflict resolution.	Target evidence will be an annual example of correspondence with Aboriginal communities to foster meaningful engagement and an example of efforts towards resolution to significant disagreements if they occur.	Not every year may have a new Plan available to refer.

History

Core Indicator under CSA Z809-08 (Indicator 6.1.2). Indicator number, title and description updated for CSA Z809-16.

Basis for the Target

The target and variance are tied to legal requirements under the Forest Act and FRPA related to First Nation information sharing. Although there are legal obligations to consult with First Nations, there are expectations for First Nations to participate in the information sharing process relating to understanding the plans.

Current Status & Results

Year	First Nation Information Sharing Summary	Target Met (Y/N)	Variance Met (Y/N)
2020	No New Plans were referred to First Nations in 2020	N	Υ
2019	The Sustainable Forest Management Plan was referred to First Nations.	Y	n/a
2018	The Sustainable Forest Management Plan was referred to First Nations. No other plans were prepared in 2018.	Y	n/a
2017	All First Nations associated with the DFA: In January 2017 all First Nations who have traditional territory or Maa-nulth First Nation Areas associated with the DFA were provided opportunity to comment on the Replacement Forest Stewardship Plan (FSP). Government also consulted with selected First Nation communities. A	Υ	n/a

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 93 of 100



Sustainable Forest Management Plan

3	record of comments received by WFP was also forwarded to government as part of their FSP approval process.		
2016	All First Nations associated with the DFA: In 2016 all First Nations who have traditional territory or Maa-nulth First Nation Areas associated with the DFA were provided opportunity to comment on a proposed extension of the term of the Forest Stewardship Plan. Government also consulted on the proposed extension. No comments were received by First Nations and government subsequently approved an 8-month extension.	Y	n/a

Performance and Interpretation

2020: There were no new strategic plans prepared and forwarded to First Nations in 2020. The 2019 Sustainable Forest Management Plan was not referred in 2020 but will be sent in 2021.

Strategies & Implementation

Management Plan (MP) referrals include TFL Management Plan, Forest Stewardship Plans (FSP), Pest Management Plans (PMP), and the Sustainable Forest Management Plan.

For the TFL Management Plan, FSP and PMP, referrals occur as required under legislation. These Plans are typically referred at intervals of five years or greater.

The Sustainable Forest Management Plan is referred to all First Nations in the DFA when the plan is periodically revised and updated. The annual report is also available on the WIWAG web site. For privacy purposes, neither confidential information nor First Nation names will form part of the target evidence.

Forecasts

Plan referrals for TFL MPs, FSPs, and PMPs are legally required. In addition, the legislation requires documentation and records of comments received, as well as records of changes to the plans to address the concerns/comments. A Pest Management Plan (PMP) and Management Plan #6 for TFL 44 were not ready to be referred as scheduled in 2020. However, the PMP was referred in early 2021 and the information package for Management Plan #6 is scheduled for referral in late spring or early summer of 2021.

Monitoring

The Operations Forester reviews central files to review information sharing/referrals and records as applicable evidence for one First Nation each year (ensuring that where possible, different First Nations are represented in the annual reporting). Given that most Plans are referred at intervals greater than five years, there is the possibility that no target evidence will be available in some years.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 94 of 100



Indicator 7.2.1: Promoting Capacity Development and Meaningful Participation for Aboriginal Individuals, Communities and Forest-based Companies

Element: 7.2 Respect for Aboriginal forest values, knowledge, and uses
Respect traditional Aboriginal forest values, knowledge, and uses as identified through an Aboriginal input

Value	Objective	Indicator	Target	Variance
Aboriginal forest economy	Maintain the aboriginal forest economy	Evidence of efforts to promote capacity, development and meaningful participation for Aboriginal individuals, communities and forest-based companies.	Eight contractual arrangements or training opportunities with aboriginal communities annually	-4 contracts

History

Core Indicator under CSA Z809-08 (Indicator 5.2.4). Indicator number, title, description and target updated for CSA Z809-16.

Basis for the Target

TFL 44 Limited Partnership and First Nation communities have a history of contractual arrangements in timber harvesting activities, stream restoration, and assessment work The DFA has been reduced significantly in recent years to enhance, in part, First Nation economies through forest tenure and private land interests including treaty. First Nation communities have since contracted with TFL 44 Limited Partnership to provide services for their forest tenure and private land opportunities. The target reflects contractual arrangements that flow in both directions. Moreover, TFL 44 Limited Partnership has opportunities for First Nation community members to participate in formal on the job training. The variance addresses any temporary gaps that could develop between parties for services and training from their respective businesses.

Current Status & Results

Year	Contractual and Training Arrangements	Target Met (Y/N)	Variance Met (Y/N)
2020	11	Υ	n/a
2019	10	Υ	n/a
2018	10	Υ	n/a
2017	7	N	Υ
2016	7	N	Υ

Performance and Interpretation

2020: In 2020 contractual arrangements with First Nations focused on cultural assessments, timber harvesting work, and log purchase. In addition, the training opportunity for First Nation work experience and the cedar banding with First Nation workers continued in 2020. Related, the Huuay-aht First Nation indicated their intention of purchasing a majority interest in the forest management associated with the DFA.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_20	21-04-15.doc
Revised: May 15th, 2021	Page 95 of 100



Sustainable Forest Management Plan

Strategies & Implementation

The target is intended to measure contractual and training arrangements between both parties that have the potential for mutual benefits for TFL 44 Limited Partnership and the aboriginal community. TFL 44 Limited Partnership will continue to explore mutually beneficial and economically viable business and training opportunities with willing participants.

Forecasts

The importance and scale of business and training arrangements should be maintained as aboriginal communities and the Company explore mutually beneficial business and training opportunities pre and post treaty. This indicator may be updated in 2021-2022 as the Company partnership with First Nations evolves.

Monitoring

The Operations Forester reports on the number contractual and training arrangements on an annual basis.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc



Indicator 7.2.2: Using Aboriginal Knowledge to Manage Culturally Important Resources and Values

Element: 7.2 Respect for Aboriginal forest values, knowledge, and uses

Respect traditional Aboriginal forest values, knowledge, and uses as identified through an Aboriginal input process.

Value	Objective	Indicator	Target	Variance
Aboriginal knowledge	Aboriginal knowledge provided is used and respected	Evidence of understanding and use of Aboriginal knowledge through the engagement of willing Aboriginal communities, using a process that identifies and manages culturally important resources and values	Target evidence will be an example of information shared, or comments received by, or management of a culturally important resource or value for one Aboriginal community annually	None

History

Core Indicator under CSA Z809-08 (Indicator 6.2.1). Indicator number and title updated to CSA Z809-16.

Basis for the Target

The target and variance are based on legal requirements under FRPA.

Current Status & Results

Year	Information Sharing	Target Met (Y/N)	Variance Met (Y/N)
2020	Sample First Nation: On January 7, 2020 TFL 44 LP shared with the First Nation a series of map sheets and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed for the future. The maps and other information (e.g. cedar content, old growth vs. second growth, leading species, archaeological potential) was shared to assist the First Nations determine how proposed activities may potentially affect cultural heritage resources. The First Nation provided comments requesting that an AIA be conducted for a specific cutblock to investigate the presence of cultural heritage resources.	Υ	n/a
2019	Sample First Nation: On January 22, 2019 WFP shared with the First Nation a series of map sheets and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed for the future. The maps and other information (e.g. cedar content, old growth vs. second growth, leading species, archaeological potential) was shared to assist the First Nations determine how proposed activities may potentially affect cultural heritage resources. The First Nation provided comments related to the availability of western redcedar for cultural use. They requested and received a product that illustrated cedar associated with OGMAs, WHAs, and UWR.	Y	n/a

File: \\paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021

Page 97 of 100



Sustainable Forest Management Plan

9	Canada First Nation		
2018	Sample First Nation: On January 16, 2018 WFP shared with the First Nation a series of map sheets and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed for the future. The maps and other information (e.g. cedar content, old growth vs. second growth, leading species, archaeological potential) was shared to assist the First Nations determine how proposed activities may potentially affect cultural heritage resources. The First Nation met with WFP and requested additional information for one proposed cutblock which was provided.	Y	n/a
2017	Sample First Nation: On January 23, 2017 WFP shared with the First Nation a series of map sheets and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed for the future. The maps and other information (e.g. cedar content, old growth vs. second growth, leading species, archaeological potential) was shared to assist the First Nations determine how proposed activities may potentially affect cultural heritage resources.	Y	n/a
2016	Sample First Nation: On March 4, 2016 WFP shared with a group of First Nations a series of map sheets and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed for the future. The maps and other information (e.g. cedar content, old growth vs. second growth, leading species, archaeological potential) was shared to assist the First Nations determine how proposed activities may impact their treaty rights to fish, hunt and gather aquatic plants. One of the First Nations requested more information on the location of the proposed timber harvesting and also expressed a desire to be included in a future field trip.	Y	n/a

Performance and Interpretation

2020: TFL 44 LP shared with First Nations a series of maps and a matrix of site information identifying the approximate location of planned cutblocks and roads for timber harvesting activities proposed within their respective territories or Maa-nulth First Nation Areas. First Nations are invited to meet and share items of interest and importance to them. The Sample First Nation had a specific request (identified above) that will be incorporated into the Company's planning processes.

Strategies & Implementation

TFL 44 Limited Partnership shares information annually with First Nations on proposed cutblocks and roads in the DFA. In addition, under special circumstances the Provincial government may engage in formal consultation. Refer to Indicator 7.1.2 for further information on the management strategies for other information sharing processes.

Forecasts

As the target and variance are tied to a legal requirement, it is anticipated that the target will be achieved annually.

Monitoring

The Operations Forester reviews the central file catalogue/records of information sharing completed and summarizes results for one First Nation within the SFMP report.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 98 of 100



Indicator 7.2.3: Management and/or Protection of Culturally Important Practices and Activities

Element: 7.2 Respect for Aboriginal forest values, knowledge, and uses

Respect traditional Aboriginal forest values, knowledge, and uses as identified through an Aboriginal input process.

Value	Objective	Indicator	Target	Variance
Areas where culturally important practices and activities occur	Areas where culturally important practices and activities occur are managed for or protected	Level of management and/or protection of areas where culturally important practices and activities occur	Identified areas where culturally important practices and activities occur are managed and/or protected 100% of the time unless the First Nation or Provincial governments decide otherwise	None

History

Core Indicator under CSA Z809-08 (Indicator 6.1.3). Indicator number, title and element description updated for CSA Z809-16.

Basis for the Target

The target and variance are based on legal requirements under FRPA and the Heritage Conservation Act.

Current Status & Results

Year	Identified Areas	Sites Managed (percent)	Target Met (Y/N)	Variance Met (Y/N)
2020	1	100%	Υ	n/a
2019	2	100%	Υ	n/a
2018	1	100%	Υ	n/a
2017	1	100%	Y	n/a
2016	3	100%	Υ	n/a

Performance and Interpretation

2020: TFL 44 LP continued discussions with another First Nation on the potential to harvest in an area of traditional use. Past discussions focused on important plants (e.g. berries) and animals (e.g. deer) in the area. In 2020 there was an additional request to understand how timber harvesting activities (specifically log hauling) may influence the well-being of a known elk herd.

Strategies & Implementation

Important areas are usually identified by the First Nation through information sharing and cultural referral processes. Once areas are identified (e.g. fishing sites) there will be discussions with First Nations about how to manage the sites. Discussions will include tailoring measures to manage or protect on a site by site basis, as previous history shows that a blanket protection prescription is not always the most effective way to manage a site. Information sharing meetings occur on a regular basis where management strategies can be discussed.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 99 of 100



Forecasts

It is anticipated that all identified sites will be managed and/or protected, unless agreements worked out directly with the First Nation or the government decides otherwise (through the approval of Cutting Permits and Road Permits).

Monitoring

The Operations Forester reviews GIS information, Site Plans, Harvest and Road Instructions and EMS Inspection results, and comments returned from First Nations on proposed activities. The number of special sites that are identified and managed/protected are reported once from either pre-harvest, during harvest, or post-harvest activities.

File: \paofile01\Sharedfolders\EMS\CSA\SFM_Plan\2020\PAFO_SFMP-App.1_2021_Detailed_Indicator+Results_2021-04-15.doc

Revised: May 15th, 2021 Page 100 of 100

Appendix 2: TERMS OF REFERENCE

FOR THE WEST ISLAND WOODLANDS ADVISORY GROUP

1.0 Mission Statement

The West Island Woodlands Advisory Group (WIWAG) is composed of a cross section of community representatives who work with TFL 44 Limited Partnership staff on behalf of all those who have an interest in, or are affected by, sustainable forest management in the Defined Forest Area (DFA).

Guided by recognized certification criteria, the WIWAG will maintain an open and transparent process that facilitates and acknowledges the widest community input possible.

Our goal is to advise on the development, monitoring, and ongoing improvement of sustainable forest management practices in the area.

2.0 Purpose & Role

Provide ongoing public input into the development, implementation, monitoring, and continual improvement of the sustainable forest management performance and system.

Specifically, the WIWAG will have opportunities to work with TFL 44 Limited Partnership to:

- identify and select values, objectives, indicators, and targets based on SFM elements and any other issues of relevance to the DFA;
- develop, assess and select one or more possible strategies for achieving targets;
- review the SFM plan;
- evaluate results of monitoring programs, and discuss improvements; and
- discuss any issues relevant to SFM in the DFA.

3.0 Rights and Responsibilities of Participants

3.1 Rights of Members

- members have the right to a safe and respectful environment for speaking out:
- members have the right to get the relevant information they need to make informed decisions unless it is proprietary to the company;
- members participation in WIWAG will not be viewed by the company as having consulted with that sector in full;
- Aboriginal & Treaty rights will be respected and participation in the public process will not prejudice treaty rights or any other agreements.

3.2 Responsibility of Members

- staying informed and up to date on the issues being discussed;
- make efforts to represent the views of their constituents, the public, and their own views and identifying clearly which perspective they are speaking from;
- ensure that the values, objectives, indicators, targets and variances are consistent with relevant government legislation, regulations, and policies;

- to adhere to the group guidelines for conduct (see guidelines attached);
- to inform their alternate and their organizations on the progress of the group and issues related to SFM and communicate responses back to the group;
- following through on any commitments they undertake;
- participating fully in each meeting;
- articulate concerns or issues at the table, rather than outside of the meeting;
- RSVP and otherwise respond to communications sent to members;

3.3 Responsibility of the Facilitator or Chair

- keeping the group focused and on topic;
- ensuring time is not wasted;
- making sure the group accomplishes its' tasks;
- tracking the gaps and priorities;
- making sure everyone has a chance to speak;
- facilitating agreement around difficult decisions;
- ensuring the agenda and minutes are circulated a week before each meeting (through the facilitator);
- ensuring that the facility is booked, food is ordered, supplies and resources are available as required for each meeting;
- liaising with members as requested between meetings to review missed meetings or other issues or tasks;
- acting as the spokesperson for the group and responding to inquiries;
- other tasks as negotiated with the group or members from time to time that will expedite and/or move the group forward around issues and tasks;
- educating oneself about the issues related to SFM and the work of the group;
- ongoing analysis of tasks, timeframe and design of process that will meet members needs and accomplish the tasks at hand;

3.4 Responsibility of TFL 44 Limited Partnership

- provide technical, information and professional support as requested
- involve experts (i.e. ecologists, biologists, hydrologists, etc.), if required and when appropriate to the topic of discussion
- ensure that the values, objectives, indicators, targets and variances are consistent with relevant government legislation, regulations, and policies.
- finance of pre-approved group operating costs
- coordinate field trips

- respond to members requests in a timely fashion
- evaluate the members' satisfaction with the public input process using the method described in the SFM Plan
- to make decisions regarding sustainable forest management, the Sustainable Forest Management Plan and certification

4.0 Conflict of Interest

Members must declare a possible perceived conflict of interest around any issue and should state which individual or collective "hat" they are wearing during any given discussion.

5.0 Confidentiality

Information should flow freely between all members of WIWAG. All information will be deemed to be public information unless it is marked confidential, in which case any dissemination or use of the information by other than Advisory Members will be prohibited without the consent of the group or individual bringing it forward. Information will be provided in the most useable form that is possible. Discussions must be declared "In Camera" in order to remain confidential. Any member may request that a portion of discussion be "In Camera". The meeting minutes shall reflect the confidentiality aspects of "In Camera" discussions.

6.0 Decision Making and Conflict Resolution

Members have agreed that 100% agreement on issues is not required. Decisions are based on consensus and require a quorum. A quorum will be 50% plus one of the active members (filled seats), but effort will be made to ensure that decisions are made by a cross section of the group and that significant input is not omitted due to a reasonable absence. When and if members vote on an issue it will be passed by 51%, or more.

All perspectives will be documented with final recommendations going forward when the "opposition to them is limited". Effort will be made to listen, understand, and incorporate all views in the final recommendations.

Members agree to an open, frank, and respectful dialogue and to operating from an interest-based perspective (as opposed to position based). Issues will be addressed in terms of how they relate to Sustainable Forest Management. Conflict between members is expected to be handled by those involved, with the best interest of the group and its mission in mind.

When a conflict does occur the following dispute resolution steps should be followed:

- 1. The parties involved should attempt to resolve the dispute between them.
- 2. If they are unable to do so, they can request that the Facilitator meet with them to mediate the dispute.
- 3. If this is unsuccessful, both parties need to identify the concerns and the points of conflict, as well as the steps that have been taken to resolve the conflict, in writing. At this time both parties will identify what needs to change, on their part and the part of the other party, in order to resolve the dispute.

- 4
- 4. The Facilitator may call on outside expertise to support a second mediation or meet with the parties to develop an agreement to disagree that will not threaten ongoing and future collaboration around the table.
- 5. Members, who believe that a decision, or disagreement from others, is NOT in the best interests of the group at large, or of the variety of interests in the community, must decide for themselves if they can live with the decision, or if it is grounds for their resignation.
- 6. The process from steps 2 through 5 should not take more than 4 weeks.

WIWAG is not a decision-making body and TFL 44 Limited Partnership is not required to accept WIWAG's recommendations. Where necessary, TFL 44 Limited Partnership will respond in writing to every WIWAG recommendation with documented reasons for acceptance, modification, or rejection.

7.0 Membership

Although the preference is for ongoing participation through membership and attendance at meetings, WIWAG members acknowledge that they need to make efforts to include the input from sectors or interests that may choose not to join as formal members. In other words, there are a variety of methods to ensure the process is inclusive and open, and while it is a preferred method, membership is only one of those methods.

7.1 Group Members

See http://www.westernforest.com/wiwag/ for the up to date members list

7.2 Alternates

Members are encouraged to identify an alternate to attend in their absence. Alternates will be included on the master distribution list and will receive all minutes, agendas, etc.

7.3 Resource and Support Staff

TFL 44 Limited Partnership: Erin Badesso, Jim Muress

Additional resources will be determined by the group

as required.

Group Facilitator: Heather Zenner
Group Recorder: Michele Laminski

7.4 Membership Renewal/Replacement

Criteria for members are as follows:

- An interest in, knowledge of and networks within a sector that has specific interests in forest land management in the area
- A willingness to share information and gather input from within their organization or sector
- A willingness to put the required time into meetings and related discussions

TFL 44 Limited Partnership will review membership on an annual basis in order to ensure that full representation exists. From time to time new issues or interests emerge and the group will be as responsive as possible to securing representation_and/or input from those interests.

When a member resigns, s/he should have a replacement come forward from their sector or organization. If no replacement it identified from the sector or organization, the Facilitator will investigate other potential advisory group replacements with TFL 44 Limited Partnership. The Facilitator will determine potential new member interest and bring the names forward for discussion at the subsequent WIWAG meeting. TFL 44 Limited Partnership retains the final word for acceptance of any new member.

There is no limit to the length of term for members.

7.5 Members Attendance

A member, who misses three consecutive meetings without cause and without arranging for an alternative, is considered to have resigned. Resigned members, upon their renewed request, may continue to receive WIWAG distributions and provide input for up to one year.

7.6 Resource People

The facilitator or the members can invite stakeholders or resource people to attend meetings as presenters or participants based on their information, expertise etc. All guest requests should go through the facilitator.

7.7 Observers

Observers may attend meetings with prior notification and after an orientation to the Terms of Reference. Observers may listen to the discussion and participate only when invited by the Facilitator. The Facilitator may take questions from observers at the close of the meeting as time allows. Observers are bound by the group guidelines for conduct. Their input may be included in the Minutes of that meeting. Guest speakers have been invited to actively participate and are not observers. Media may not be observers unless approved by TFL 44 Limited Partnership and the Facilitator.

8.0 Agenda

The agenda will be set by the facilitator based on the previous meeting, the work-plan priorities, and suggestions from members. Members are requested to call the facilitator prior to the meeting with any agenda items. Agendas will be sent to members' one week in advance of each meeting. The agenda will be reviewed and approved at the start of each meeting and will be negotiated as required during the meeting.

9.0 Minutes

The recorder will take minutes and may record the meetings to assist in the process when approved by TFL 44 Limited Partnership in consultation with members. The minutes will be distributed to all members at least one week prior to the next meeting. The minutes will include

6

an Action Page that summarizes the commitments of members, TFL 44 Limited Partnership and facilitator from each meeting. Minutes will be approved at the beginning of the following meeting and will not be distributed more broadly until they are approved. Each member will be responsible for sharing approved minutes with their alternate and their organization or sectors as appropriate. Each member will be responsible for ensuring that the facilitator has their appropriate email or fax for these communications.

Minutes will be posted on the www once they are approved and distributed more broadly on a request basis.

10.0 Procedures & Work-plan

WIWAG will maintain a work-plan that includes a timeframe for addressing priority tasks. The timeline will be reviewed regularly. The group will review the effectiveness of their process and work together on a regular basis and make changes as required to strengthen the group.

Any member can provide written material as handouts at a meeting.

Although TFL 44 Limited Partnership is not bound to accept every recommendation, they will make every effort to accommodate reasonable requests and will identify in writing their rationale for not accepting recommendations.

10.1 Ad-Hoc or Standing Committees

As work is identified, the WIWAG can chose to assign tasks to committees.

Committees:

- can be composed of any number of members, resource people and nonmembers with related interest or knowledge and will be open to any member of the WIWAG
- will have a specific mandate and timeframe for their work approved by the WIWAG
- will have a facilitator or chair identified
- will take and distribute to members notes or minutes of their discussions
- will present all recommendations back to the Advisory for information or decisions

11.0 Media & Public Relations

Members will identify an appropriate spokesperson(s) on a request by request basis depending on the nature of the topic. Otherwise, the facilitator is the spokesperson for the group and can appoint other spokespersons as required to respond to requests.

The web site will include the following: Agendas, Minutes, Terms of Reference, and Press Releases, the SFM Plan, Annual Data Sets, Meeting Schedule, Links and contact information. Unless otherwise designated, the Facilitator will be the phone contact.

12.0 Other

These Terms of Reference will be reviewed and revised as required on an annual basis. They 7are consistent with and supplement the TFL 44 Limited Partnership Policies for:

- Health and Safety
- Bullying and Harassment
- Violence in the Workplace

Non-adherence to these Guidelines may result in dismissal from WIWAG.

12.1 Group Guidelines

- 1. The success of your group is based on the strength of the full participation of each member. Members will get involved and participate to the fullest extent they are able.
- 2. Although full participation is important, you will not be required to do anything that you don't want to do.
- 3. Group members are responsible for the outcomes or the content of their work. The facilitator is responsible for ensuring safe, full participation and keeping discussion on track.
- 4. An essential component of success is effective communication. This requires that you are open to other points of view, that you suspend your judgments and reactions, and that you approach the dialogue from a perspective of curiosity and learning about others' thoughts and interests.
- 5. Solid dialogue is built on honesty, integrity, goodwill and respect. This requires you to tell the truth and assume that others will too. It also implies that the language you use, your tone of voice and your body language will demonstrate your integrity and respect for others.
- 6. Creativity and innovation are important aspects of planning. They do not thrive in environments where people are made to feel wrong or stupid. To this end, you are encouraged to resist the temptation to criticize others' ideas.
- 7. Groups often have members with quite divergent opinions and ideas of what the solutions are. The strongest solutions or outcomes are found when you build on the best that each perspective offers. In order to do this, group members will work to express their interests around an issue as opposed to their positions.
- 8. At some point it may be necessary to form a group position in issues. Each member will be aware of such positions and communicate them to the public, in addition to their own/their sectors views – if the views happen to differ.